

GRAPHICS DIVISION



WRAPPING FILMS  
SIGN FILMS  
SPECIALTIES  
APPLICATION TAPES  
DIGITAL PRINTING MEDIA

LAMINATES  
FILMS FOR TEXTILES

AUTOMOTIVE PROTECTIVE FILMS  
BUILDING PROTECTIVE FILMS  
ACCESSORIES AND TOOLS  
TRAINING CENTRE

INTERNATIONAL  
CATALOGUE  
2019

# FIND A DISTRIBUTOR

-  HEXIS HEAD OFFICE & SUBSIDIARIES
-  DISTRIBUTORS

FULL LIST ON: [WWW.HEXIS-GRAPHICS.COM/EN/DISTRIBUTION/](http://WWW.HEXIS-GRAPHICS.COM/EN/DISTRIBUTION/)



ADHESIVE COATING UNIT | FRONTIGNAN | FRANCE



LABORATORY FOR R&D | HAGETMAU | FRANCE



PRODUCTION UNIT CASTING LINE | HAGETMAU | FRANCE

# CONTENTS

Editorial .....	p 4	<b>LAMINATES .....</b>	<b>P 113</b>
What's in new in 2019? .....	p 6	Premium cast laminates .....	p 114
Icon index .....	p 8	Polymeric, reinforced polymeric laminates .....	p 115
<b>FULL WRAPS .....</b>	<b>P 9</b>	Hybrid laminate .....	p 116
Skintac HX45000 .....	p 10	Monomeric laminates .....	p 114
Skintac HX30000 .....	p 12	PVC-free laminates .....	p 118
Skintac HX20000 .....	p 14	Antimicrobial laminates .....	p 119
<b>SIGN VINYLs .....</b>	<b>P 17</b>	Special finish laminates .....	p 120
Smartac KG8000 .....	p 18	HEX'PERIENCE .....	p 122
Smartac Evolution A5000 .....	p 20	How to create your HEX'PERIENCE? .....	p 123
Suptac S5000 .....	p 22	Laminates for microperforated films .....	p 124
Suptac HXS5000 .....	p 24	Anti-graffiti laminates .....	p 125
Ecotac plus E3000 .....	p 26	Laminates for displays .....	p 126
Ecotac super plus VCRE3000, reinforced adhesive .....	p 38	Laminates for floor graphics .....	p 127
Microtac M2000 .....	p 30	Long-term laminates, dry erase .....	p 128
Polyester P6000 .....	p 32	Lamination accessories .....	p 129
Special banner B3000 .....	p 32	Motorbike, jet ski, quad lamination kits .....	p 130
Fluo F610 .....	p 33	<b>TEXTILE DECORATION .....</b>	<b>P 131</b>
Cristal C4000 .....	p 34	Cutflex HFLEX100P .....	p 132
Cast etched glass .....	p 36	Cutflex HFLEX1000P .....	p 134
Classic etched glass .....	p 37	FLOCK200 Series .....	p 136
White sparkle etched glass .....	p 38	FLEX200 Series .....	p 148
Frosted glass .....	p 39	FLEX300 Series .....	p 140
Translucent T5000 .....	p 40	FLEX400 Series .....	p 142
Block-out .....	p 41	Printable flex UFLEXMAXI .....	p 144
Privacy film .....	p 42	Printable flex UFLEX7PV2 .....	p 145
<b>SPECIALTIES .....</b>	<b>P 43</b>	Printable flex UF1200 .....	p 146
Dry erase .....	p 44	Printable flex UF1400 .....	p 147
Blackboard .....	p 46	Printable flex UFLEXCLEAR .....	p 148
Masking films .....	p 47	Printable flex UFLEXCOLD .....	p 149
Reflective P8100 .....	p 48	Printable flex UFLEX5S .....	p 150
Reflective ULS800, R3000 .....	p 49	FLEX accessories .....	p 151
Marking for emergency vehicles .....	p 50	<b>AUTOMOTIVE PROTECTION .....</b>	<b>P 153</b>
Marking for utility and works vehicles .....	p 51	Bodyfence .....	p 154
Reflective stripe VC104R .....	p 51	Paint protection films, grained film .....	p 156
Siliconed paper, drawing paper .....	p 52	Automotive solar films .....	p 158
Magnetic and ferrous films .....	p 53	<b>BUILDING FILMS .....</b>	<b>P 163</b>
Double-sided tapes .....	p 56	Building protection films .....	p 164
<b>APPLICATION TAPES .....</b>	<b>P 59</b>	How do I choose the right building solar film? .....	p 167
Transfer films and papers .....	p 60	<b>TOOLS AND ACCESSORIES .....</b>	<b>P 169</b>
How to choose your tape? .....	p 63	SHAG application tools .....	p 170
<b>DIGITAL PRINTING .....</b>	<b>P 65</b>	Application tools .....	p 172
Skintac THE190EVO .....	p 66	Storage tools .....	p 177
100 Series premium cast .....	p 68	Removal tools .....	p 178
200 Series polymeric .....	p 70	Swatchbooks and accessories for rolls .....	p 180
280 Series polymeric .....	p 72	Cutting tools .....	p 181
240 Series polymeric .....	p 73	Accessories for full wraps .....	p 186
300 Series monomeric .....	p 74	Accessories for solar films .....	p 188
3000 Series monomeric .....	p 76	Banner tools and accessories .....	p 190
4000 Series monomeric .....	p 78	Liquids .....	p 192
PVC-free films .....	p 80	Full wrap maintenance .....	p 194
Reinforced adhesives .....	p 82	Events in 2019 .....	p 195
Microperforated .....	p 88	<b>TRAINING COURSES .....</b>	<b>P 199</b>
Etched glass, translucent .....	p 92	Which course should I choose? .....	p 200
Transparent .....	p 93	Foundation of self-adhesive films .....	p 202
Non-adhesive backlits .....	p 95	Wrap .....	p 204
Banners .....	p 96	Bodyfence .....	p 208
Diffusing textile .....	p 97	Interior decoration .....	p 210
Diffusing PVC banner .....	p 98	Films for window graphics .....	p 212
Canvas .....	p 99	Automotive solar protection films .....	p 213
Media for displays .....	p 100	Digital printing .....	p 214
Wall decoration .....	p 101	HEXIS certifications .....	p 216
Repositionable films .....	p 102	Bodyfence Corner .....	p 218
Magnetic and ferrous films, reflective film .....	p 104	<b>THE HEXIS PLUS .....</b>	<b>P 221</b>
Non-adhesive papers .....	p 105	The HEXIS plus .....	p 222
Aqueous range: vinyls, papers, polyesters .....	p 106	General terms and conditions of sale .....	p 224
100% PVC-free products .....	p 108	Product index .....	p 226
HEXIS ENERGY products .....	p 110		

# 30 YEARS

1989 \* 2019

## HEXIS

### 30 YEARS OF DEDICATION

#### 1989... One man's dream:

Michel Mateu embarks on a business adventure producing adhesive PVC films for advertising and visual communication. HEXIS is now one of the only manufacturers of adhesive films in France.

#### 1989: Establishment of the limited company

#### 1994: Set-up of Frontignan site

#### The family history behind the business venture:

By his side from the very beginning, his wife Michèle has been managing the administrative side of the business and taking care of HR until September 2018. Today, the business is run by their children, Caroline and Clément.

#### 2016: Passing on the family business



1 Drawing of the future Frontignan facility (1993)

2 Frontignan site

3 Michèle and Michel Mateu

4 Caroline and Clément Mateu (2017)

5 Michel and Caroline Mateu

6 Michèle and Clément Mateu – HEXIS RACING

**Passion and performance – the company motto:**

Whether it's industrial engineering, expanding the sales network, developing partnerships or HEXIS RACING motor sports, HEXIS spells success in all of its ventures.

- 2002: Establishment of HEXIS RACING**
- 2009: FIA GT3 European Team Champion**
- 2011: FIA GT1 World Team Champion**

**Having a vision and anticipating technical developments:**

HEXIS has been able to develop its product range to satisfy even the most demanding customers.

From the traditional heart of visual communication, our films have evolved into global benchmarks in the automotive and public transport sectors. Major French organisations, such as the national rail carrier SNCF, the metropolitan Paris transportation network RATP, as well as Renault Sport and sports retailer Decathlon, trust in us.

**Proud to be "Made in France":**

HEXIS proudly flies the flag for products "Made in France" with its two production facilities based in the country. But the company's progress does not stop at the border, with expansion across the globe, including Europe, America, Asia and Australia.

- 2011: Set-up of Hagetmau plant**
- 2018: Opening of HEXIS Australia and new offices in Spain**

The small SME that started out with four employees in 1989 now comprises 450 staff, 2 plants, 2 R&D labs, 4 distribution depots in France and 8 sales subsidiaries around the world.



- 7 FIA GT1 World Team Champion (2011)
- 8 Michel Mateu and his HEXIS RACING VENTURE
- 15 The Hexis TEAM in the early days (Frontignan, 1994)
- 9 Fitting anti-graffiti adhesive – RATP
- 12 Casting 4, Hagetmau (2018)
- 16 Some members of the HEXIS TEAM today
- 10 Fitting THE190EVO adhesive – Renault Sport
- 11 Hagetmau Plant
- 13 Head Office Spain (2018)
- 14 Head Office Australia (2018)

## WHAT'S IS NEW IN 2019?

## HEXIS GREEN

- > **PC500M** PVC-free laminate, matt finish for durable and extreme UV protection. Get into the green spirit! – see page 118

## INTERIOR DECORATION

- > **Decorative laminates:** multiply the effects!
  - Brushed aluminium (PCBRUSHED) – see page 121
  - Alligator (PCGATOR) – see page 121
- > **Magnetic and ferrous films** for interchangeable communications – see page 54-55
  - FF480 - see page 55



## THE190EVO




- Premium, next-generation cast film
- Excellent printability
- Low initial tack
- Repositionable

Based on the new **TAKE HEAT EASY®** technology, saving you time and making application easy, even for beginners! – see page 66

## PRINTABLE FILMS

- > **V240WM1:** "Promotional" polymeric film for durability at a fair price – see page 73
- > **VCSR201DP:** premium polymeric film for application and use in low temperature environments – see page 84



## FLOOR PROTECTION

- > **GFLX210, GFLXR210, GFLI130, GFLX230, GFLI170, GFLIR170**: anti-slip laminates for indoor and outdoor applications – see page 127



## VEHICLE FLEETS

- > Choose from 61 colours in our premium range of cast films **HX45000** – see page 10
- HEXIS provides a 2-year warranty for horizontal applications and 5 years for vertical applications!
- <https://www.hexis-graphics.com/en/guide-garanties-hexis/>




## FILMS FOR TEXTILES


- > **FLOCK200**: plotter films with a velvet look and feel – see page 136
- > **UFLEX5s**: printable film for small letterings – see page 150

## VEHICLE CUSTOMISATION

### > SKINTAC HX30000




### > SKINTAC HX20000




## PLOTTER FILMS

### > POLYESTER P6000



P6872B  
ROSE GOLD


### > SUPTAC S5000



S5125B  
ATOLL  
BLUE

S5404B  
BROWN  
GREY

### > ECOTAC PLUS E3000+




E3307B  
PEACOCK  
BLUE

E3376B  
MINT  
GREEN

E3871B  
GOLD

### > MICROTAC M2000



M02P01  
PEACH

M02V09  
WISTERIA  
PURPLE

M02281  
NIGHT  
BLUE

M02320  
TURQUOISE













M02B19  
IGLOO  
BLUE

M02376  
MINT  
GREEN

M02V08  
SEA  
GREEN


M02871  
GOLD

## ICON INDEX

	TAKE HEAT EASY® liner		HEX'Press liner
	White adhesive		New colour
	Matt finish		Satin finish
	Compatible with <b>solvent inks</b>		Compatible with <b>ecosolvent inks</b>
	Compatible with <b>latex inks</b>		Compatible with <b>UV inks</b> or <b>laminates</b> to protect prints made with UV inks
	M1 fire rating or certification in accordance with <b>NF EN 13501-1</b>		Certified for use with <b>HP Latex printers</b>







# WRAPPING **FILMS**

# CAST FILM SKINTAC HX45000


3D

LONG TERM

FULL WRAPS

AUTOMOTIVE  
FLEET  
BOAT

Entirely conformable, **SKINTAC HX45000** can be easily applied on any indoor or outdoor surface. Its high performance and conformability allow it to be used on curved or textured surfaces (welds or rivets). Thanks to its surface sliding properties, it offers easy and time-saving application. It is particularly suitable for application on boats.



The **HEX<sup>®</sup>PRESS** liner is an innovation used by HEXIS for our high-performance films.

## INFORMATION



This series is available in gloss and satin <sup>S</sup>  
Repositionable **HEX<sup>®</sup>PRESS** liner

## DATA SHEET

- > **HIGH-PERFORMANCE** MULTILAYERED CAST FILM
- > FROM **100 TO 150 MICRONS** DEPENDING ON PRODUCT CODE
- > **HEX<sup>®</sup>PRESS** LINER
- > **55 GLOSS** COLOURS
- > **6 SATIN** COLOURS <sup>S</sup>
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **12 YEARS** DURABILITY
- > **2-YEAR WARRANTY** (HORIZONTAL) / **5-YEAR** (VERTICAL) AGAINST CRACKING AND YELLOWING

HX45000	WIDTH MM	LENGTHS LM
RANGE 1	1520	25
RANGE 2	1520	25
RANGE 3	1520	25
RANGE 4	1520	25



HEXIS are committed to you and apply a unique principle in the market.






We offer a guarantee\* against yellowing and cracking:

- > 5 years in vertical / 2 years in horizontal position on land vehicles
- > 3 years in horizontal position on boats

\* Guarantee against yellowing and cracking comes into force from the date of installation by the client according to the terms and conditions specified in the document "Special Basic Warranty HX45000". Technical data sheet available on [www.hexis-graphics.com](http://www.hexis-graphics.com)
















































**RANGE 1**

				
<b>HX45002B</b> LAPLAND WHITE	<b>HX45003B</b> GLACIER WHITE	<b>HX45889B</b> COAL BLACK	<b>HX45890B</b> DEEP BLACK	<b>HX45890S</b> DEEP BLACK











- 1 EXAMPLE OF INSTALLATION USING HX45000  
INSTALLATION PICTURED: PRESS CITRON
- 2 EXAMPLE OF INSTALLATION USING HX45000  
INSTALLATION PICTURED: RE-STYLING | RUSSIA




**RANGE 2**


									
<b>HX45108B</b> LEMON YELLOW	<b>HX45109B</b> SUN YELLOW	<b>HX45016B</b> HONEY YELLOW	<b>HX45495B</b> URBAN ORANGE	<b>HX45165B</b> MANDARIN RED	<b>HX45485B</b> EMBER RED	<b>HX45186B</b> RUBY RED	<b>HX45200B</b> BLOOD RED	<b>HX45220B</b> FUCHSIA	<b>HX45218B</b> PINK CANDY
									
<b>HX45008B</b> PLUM VIOLET	<b>HX456010B</b> BYZANTINE VIOLET	<b>HX45352B</b> ELDERBERRY PURPLE	<b>HX45348B</b> EMERALD GREEN	<b>HX45375B</b> LIGHT GREEN	<b>HX45266S</b> ACID GREEN	<b>HX45532B</b> ABYSSAL BLUE	<b>HX45281B</b> NIGHT BLUE	<b>HX45033B</b> FIRMAMENT BLUE	<b>HX45905B</b> NIGHT BLUE METAL
									
<b>HX45280B</b> PACIFIC BLUE	<b>HX45300B</b> SAPPHIRE BLUE	<b>HX45293B</b> CURAÇAO BLUE	<b>HX456283B</b> TRITON BLUE	<b>HX45219S</b> ARA BLUE METALLIC	<b>HX45315B</b> PIGEON BLUE	<b>HX456359B</b> APOLLO BLUE	<b>HX45299B</b> MONTPELLIER BLUE	<b>HX45035B</b> TI BLUE	<b>HX45034B</b> TAXI BEIGE
									
<b>HX45468B</b> IVORY	<b>HX45476B</b> BROWN	<b>HX45894B</b> COFFEE BROWN	<b>HX45428B</b> CLOUD GREY	<b>HX45445B</b> PEARL GREY	<b>HX45446B</b> ELEPHANT GREY	<b>HX45948B</b> BRONZE GREY METAL	<b>HX45603S</b> SANTI GREY METAL	<b>HX45604S</b> ARGENTIC GREY	<b>HX45423B</b> SHARK GREY
									
<b>HX456895B</b> EBONY SPARKLE BLACK	<b>HX456896B</b> CATECHU BLACK	<b>HX456006B</b> SATURN WHITE	<b>HX45042B</b> ASHEN BEIGE METALLIC	<b>HX45528B</b> PURPLE METALLIC					

**RANGE 3**

							
<b>HX45PE771B</b> BOREAL WHITE	<b>HX45PE770B</b> NACRE WHITE	<b>HX45PE770S</b> NACRE WHITE	<b>HX45PE775B</b> LAPIS BLUE	<b>HX45PE774B</b> SCARAB GREEN/ VIOLET	<b>HX456446B</b> CHAMELEON GREY	<b>HX45PE914B</b> NEON BLUE	<b>HX45PE913B</b> BOSTON GREEN

**RANGE 4**

		
<b>HX45CA890B</b> BLACK CARBON	<b>HX45CA891B**</b> RAVEN BLACK CARBON	<b>HX45CA892B</b> PETROLEUM BLACK CARBON



**SWATCHBOOKS / COLOUR CARDS**  
Order our colour cards and swatchbooks  
by writing to [export@hexis.fr](mailto:export@hexis.fr) or contact  
your local distributor



\*\* Colour available in 1370 mm only: HX45CA891B

# CAST FILM SKINTAC HX30000

3D

LONG TERM

FULL WRAPS

AUTOMOTIVE  
DECORATION

**SKINTAC HX30000**, specially designed for customising vehicles and for decoration, consists of a multilayered cast PVC film and a **HEX<sup>®</sup>PRESS** liner for easy application.

## DATA SHEET

- > **HIGH-PERFORMANCE** MULTILAYERED CAST FILM
- > FROM **70 TO 280 MICRONS** DEPENDING ON PRODUCT CODE
- > **HEX<sup>®</sup>PRESS** LINER
- > **39 GLOSS** COLOURS
- > **13 SATIN** COLOURS
- > **4 MATT** COLOURS
- > **24 CHROME** COLOURS
- > **15 TEXTURED** COLOURS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **5 YEARS** DURABILITY

HX30000	WIDTHS MM	LENGTHS LM
RANGE 1	1520	25
RANGE 2	1370	25
	1520	25
RANGE 3	1370	25

## INFORMATION



This series is available in gloss, matt **M** or satin **S**.

Range 3 sold in retail only according to the stock available.

Colours for 2D applications only:  
HX30CHSBRB.  
Colours available in 1370 mm only:  
HX30CANCORB,  
HX30CHSBRB,  
HX30AL003B,  
HX30AL890B.





### CUSTOM COLOURS

















Didn't find the colour you want in our swatchbook?  
HEXIS offer a custom colour service.

Contact us to learn more.










- 1 SKINTAC HX30SCH02B – HX30SCH05B  
INSTALLATION SMP RACING | RUSSIA
- 2 SKINTAC HX30SCH07B + HX30SCH08B + HX30SCH09B  
INSTALLATION WRAPZONE | SWEDEN
- 3 SKINTAC HX30SCH07B  
INSTALLATION EXOTIC RACING | USA
- 4 SKINTAC HX30PGMBRB  
INSTALLATION THOMA WERBETECHNIK | SWITZERLAND

























### RANGE 1

 <b>HX30BNCB</b> NACRE WHITE	 <b>HX30BB0B</b> BOREAL WHITE	 <b>HX30BP0B</b> PEARL WHITE	 <b>HX30BL0B</b> LAPIS BLUE	 <b>HX30VV0B</b> SCARAB GREEN/VIOLET	 <b>HX30R00B</b> REDCURRANT RED	 <b>HX30R00M</b> REDCURRANT RED MATT	 <b>HX30VB0B</b> BOSTON GREEN	 <b>HX30VB0M</b> BOSTON GREEN MATT
 <b>HX30G00M</b> PAYNE'S GREY MATT	 <b>HX30BN0B</b> NEON BLUE	 <b>HX30N71M</b> GOLDEN BLACK MATT	 <b>HX30G446B</b> CHAMELEON GREY	 <b>HX30RW002B</b> WHITE RAINBOW	 <b>HX30RW990B</b> GREY RAINBOW	 <b>HX30RW889B</b> BLACK RAINBOW		


### RANGE 2

 <b>HX30CABPEB</b> PEARL WHITE CARBON	 <b>HX30CAG6RB</b> GRAPHITE GREY CARBON	 <b>HX30CA890B</b> BLACK CARBON	 <b>HX30CANC0B</b> RAVEN BLACK CARBON	 <b>HX30CANPEB</b> PETROLEUM BLACK CARBON	 <b>HX30CAF89S</b> BLACK FORGED CARBON	 <b>HX30CA0NEB</b> CARBON ONE			
 <b>HX30AL003B</b> GLACIER WHITE ALLIGATOR	 <b>HX30AL890B</b> DEEP BLACK ALLIGATOR	 <b>HX30P66TAB</b> TAUPE FGRAIN LEATHER	 <b>HX30PGMBRB</b> BROWN FGRAIN LEATHER	 <b>HX30PG889B</b> BLACK FGRAIN LEATHER	 <b>HX30BASILB</b> BRUSHED ALU GLOSS	 <b>HX30BAGANB</b> ANTHRACITE GREY BRUSHED ALU	 <b>HX30BA889B</b> COAL BLACK BRUSHED ALU	 <b>HX30CHSBRB</b> BRIGHT SILVER CHROME	

### RANGE 3

 <b>HX30SCH01B</b> SUPER CHROME SILVER	 <b>HX30SCH02B</b> SUPER CHROME RED	 <b>HX30SCH03B</b> SUPER CHROME TITANIUM	 <b>HX30SCH04B</b> SUPER CHROME GREEN	 <b>HX30SCH05B</b> SUPER CHROME BLUE	 <b>HX30SCH06B</b> SUPER CHROME PURPLE	 <b>HX30SCH07B</b> SUPER CHROME GOLD	 <b>HX30SCH08B</b> SUPER CHROME ORANGE	 <b>HX30SCH09B</b> SUPER CHROME TURQUOISE
 <b>HX30SCH10B</b> SUPER CHROME PINK	 <b>HX30SCH11B</b> SUPER CHROME LIGHT BLUE	 <b>HX30SCH12B</b> SUPER CHROME ROSE GOLD						
 <b>HX30SCH01S</b> SUPER CHROME SILVER	 <b>HX30SCH02S</b> SUPER CHROME RED	 <b>HX30SCH03S</b> SUPER CHROME TITANIUM	 <b>HX30SCH04S</b> SUPER CHROME GREEN	 <b>HX30SCH05S</b> SUPER CHROME BLUE	 <b>HX30SCH06S</b> SUPER CHROME PURPLE	 <b>HX30SCH07S</b> SUPER CHROME GOLD	 <b>HX30SCH08S</b> SUPER CHROME ORANGE	 <b>HX30SCH09S</b> SUPER CHROME TURQUOISE
 <b>HX30SCH10S</b> SUPER CHROME PINK	 <b>HX30SCH11S</b> SUPER CHROME LIGHT BLUE	 <b>HX30SCH12S</b> SUPER CHROME ROSE GOLD						

M1



### SWATCHBOOKS / COLOUR CARDS

Order our colour cards and swatchbooks by writing to [export@hexis.fr](mailto:export@hexis.fr) or contact your local distributor



# CAST FILM SKINTAC HX20000

3D

LONG TERM

FULL WRAPS

AUTOMOTIVE  
DECORATION

Specially designed for full wraps, **SKINTAC HX20000** consists of a multilayered cast PVC film with a thickness of 100 microns or more and a **HEX<sup>®</sup>PRESS** liner. Thanks to its thickness, it preserves its colour even under strong deformation.

## INFORMATION



**N** This pictogramme shows the new colours. This series is available in gloss, matt **M** or satin **S**.



### HEXIS ADVICE



To install gloss finish films, we recommend you use MagicSpray (see page 193).

## DATA SHEET

- > **HIGH-PERFORMANCE** MULTILAYERED CAST FILM
- > OVER **100 MICRONS**
- > **HEX<sup>®</sup>PRESS** LINER
- > **64 GLOSS** COLOURS
- > **18 MATT** COLOURS
- > **8 SATIN** COLOURS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **6 YEARS** DURABILITY

M1

HX20000	WIDTHS MM	LENGTHS LM
RANGE 1	1520	25
RANGE 2	1520	25



**CUSTOM COLOURS**

Didn't find the colour you want in our swatchbook?  
HEXIS offer a custom colour service.

Contact us to learn more.











1

SKINTAC HX20GGIM  
INSTALLATION DORODEKOR | SWEDEN

















































2

SKINTAC HX20BTIB  
PHOTO LORNA ROBERTSON | UNITED KINGDOM

**RANGE 1**

							
<b>HX20002B</b> LAPLAND WHITE	<b>HX20002M</b> LAPLAND WHITE MATT	<b>HX20003B</b> GLACIER WHITE	<b>HX20003M</b> GLACIER WHITE MATT	<b>HX20889B</b> COAL BLACK	<b>HX20890B</b> DEEP BLACK	<b>HX20NPRM</b> DEEP BLACK MATT	<b>HX20NPRS</b> DEEP BLACK SATIN

**RANGE 2**

									
<b>HX20108B</b> LEMON YELLOW	<b>HX20108M</b> LEMON YELLOW MATT	<b>HX20JDEM</b> DELHI YELLOW MATT	<b>HX20109B</b> SUN YELLOW	<b>HX20123B</b> DAFFODIL YELLOW	<b>HX20JMIB</b> HONEY YELLOW	<b>HX20165B</b> MANDARIN RED	<b>HX20165M</b> MANDARIN RED MATT	<b>HX20495B</b> URBAN ORANGE	<b>HX200AUB</b> AURORA ORANGE
									
<b>HX20485B</b> EMBER RED	<b>HX20186B</b> RUBY RED	<b>HX20200B</b> BLOOD RED	<b>HX20200M</b> BLOOD RED MATT	<b>HX20R6RB</b> GARNET RED	<b>HX20220B</b> FUCHSIA	<b>HX20220M</b> FUCHSIA MATT	<b>HX20PCAB</b> PINK CANDY	<b>HX20RINB</b> INDIAN PINK	<b>HX20DRRB</b> JELLYBEAN PINK
									
<b>HX20VBVB</b> BYZANTINE VIOLET	<b>HX20008B</b> PLUM VIOLET	<b>HX20532B</b> ABYSSAL BLUE	<b>HX20281B</b> NIGHT BLUE	<b>HX20905B</b> NIGHT BLUE METAL	<b>HX20905M</b> NIGHT BLUE METAL MATT	<b>HX20280B</b> PACIFIC BLUE	<b>HX20P005B</b> TRITON BLUE	<b>HX20300B</b> SAPPHIRE BLUE	<b>HX20293B</b> CURAÇAO BLUE
									
<b>HX20P004B</b> APOLLO BLUE	<b>HX20219S</b> ARA BLUE SATIN METALLIC	<b>HX20299B</b> MONTPELLIER BLUE	<b>HX20BFJB</b> FJORD BLUE	<b>HX20BTUM</b> TURQUOISE BLUE MATT	<b>HX20BTIB</b> TI BLUE	<b>HX20315B</b> PIGEON BLUE	<b>HX20VMIM</b> MILITARY GREEN MATT	<b>HX20V14B</b> SHERWOOD GREEN	<b>HX20228B</b> WASABI GREEN
									
<b>HX20228M</b> WASABI GREEN MATT	<b>HX20348B</b> EMERALD GREEN	<b>HX20369B</b> APPLE GREEN	<b>HX20375B</b> LIGHT GREEN	<b>HX20375M</b> LIGHT GREEN MATT	<b>HX20266S</b> ACID GREEN	<b>HX20BTXB</b> TAXI BEIGE	<b>HX20BCMB</b> ASHEN BEIGE METALLIC	<b>HX20468B</b> IVORY	<b>HX20P001B</b> ZEUS GOLD
									
<b>HX20BNCS</b> NACRE WHITE SATIN	<b>HX20BSAB</b> SATURN WHITE	<b>HX20BLPB</b> LAPP SPARKLE WHITE	<b>HX20476B</b> BROWN	<b>HX20MMAB</b> MARRAKESH BROWN	<b>HX20MMAM</b> MARRAKESH BROWN MATT	<b>HX20MCAB</b> COFFEE BROWN	<b>HX20428B</b> CLOUD GREY	<b>HX20990B</b> METEORITE GREY METAL	<b>HX20990M</b> METEORITE GREY METAL MATT
									
<b>HX20G06B</b> DUST GREY	<b>HX20445B</b> PEARL GREY	<b>HX20446B</b> ELEPHANT GREY	<b>HX20G6IM</b> FROZEN GREY MATT	<b>HX20948B</b> BRONZE GREY METAL	<b>HX20G03S</b> SANTI GREY METAL	<b>HX20G04S</b> ARGENTIC GREY	<b>HX20423B</b> SHARK GREY	<b>HX20G6ANM</b> ANTHRACITE GREY METAL MATT	<b>HX20NCAB</b> CATECHU BLACK
									
<b>HX20NEPB</b> EBONY SPARKLE BLACK	<b>HX20NEPM</b> EBONY SPARKLE BLACK MATT	<b>HX20N03B</b> VAMPIRE BLACK	<b>HX20871B</b> GOLD	<b>HX20877B</b> SILVER	<b>HX20518B</b> MANGA PURPLE	<b>HX20528B</b> PURPLE METALLIC	<b>HX20558B</b> YELLOW METALLIC	<b>HX20033B</b> FIRMAMENT BLUE	<b>HX20352B</b> ELDERBERRY PURPLE
									
<b>HX20661S</b> CANYON BRONZE METAL	<b>HX20236S</b> CELESTIAL BLUE								

**SWATCHBOOKS / COLOUR CARDS**


Order our colour cards and swatchbooks  
by writing to [export@hexis.fr](mailto:export@hexis.fr) or contact  
your local distributor



**GET  
PUBLISHED!**




**THANK YOU FOR SENDING YOUR PICTURES**



VINYL RUSSIA | RUSSIA




COLORGALLI | ITALIA



MS-CARBON FOLIEN DESIGN | GERMANY



AGENT GRAPHIQUE | FRANCE



CAR HOUSE | RUSSIA



LINK MX | FRANCE

**SEND US YOUR PICTURES ON [UPLOAD.HEXIS-GRAPHICS.COM](http://UPLOAD.HEXIS-GRAPHICS.COM)**





# SIGN VINYL

# CAST FILM SMARTAC KG8000

## 3D

## LONG TERM

## PERMANENT

### SMARTAC KG8000

is a cast film offering excellent conformability on complex surfaces such as deformations on vans or rivets. It is also suitable for decorative strips on vehicles.

The product is easy to cut and to apply thanks to its good dimensional stability.

### DATA SHEET

- > **HIGH-PERFORMANCE** CAST FILM
- > **50 MICRONS**
- > **63 GLOSS** COLOURS
- > **2 MATT** COLOURS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **10 YEARS** DURABILITY
- > SILICONE **KRAFT** LINER

**M1**

KG8000	WIDTHS MM	LENGTHS LM
RANGE 1	1230	30
RANGE 2	1230	30
RANGE 3	1230	30



### INFORMATION



This series is available  
in gloss or matt **M**


\* Colours available  
while stocks last




**1**  
**SMARTAC KG8000**  
G&G WERBETECHNIK | SWITZERLAND

**2**  
**SMARTAC KG8G02B**  
G&G WERBETECHNIK | SWITZERLAND

**RANGE 1**



**RANGE 2**



**RANGE 3**



**CUSTOM COLOURS**

Didn't find the colour you want in our swatchbook?  
HEXIS offer a custom colour service.

**Contact us to learn more.**



**SWATCHBOOKS / COLOUR CARDS**

Order our colour cards and swatchbooks  
by writing to [export@hexis.fr](mailto:export@hexis.fr) or contact  
your local distributor



# CAST FILM SMARTAC EVOLUTION A5000

**2D+**

**PVC-FREE**

**LONG TERM**

**PERMANENT**

The **SMARTAC EVOLUTION A5000** film is perfect for indoor and outdoor signage.

Its high technical performance gives it excellent conformability, allowing it to be applied on concave or convex surfaces. Metallised films should be applied to flat or 2D surfaces only, without stretching them.

This series offers easy removal and increased resistance to abrasion compared with PVC films.

## DATA SHEET

**PVC  
FREE**

**M1**

**F1**

- > **HIGH-PERFORMANCE**  
CAST POLYURETHANE FILM
- > **PVC-FREE**
- > **60 MICRONS**
- > **14 GLOSS** COLOURS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **8 YEARS** DURABILITY
- > SILICONE **KRAFT** LINER

A5000	WIDTHS MM	LENGTHS LM
RANGE 1	1230	30
RANGE 2	1230	30
RANGE 3	1230	30

## INFORMATION




This series is available in gloss only.



## HEXIS ADVICE

This chlorine-free product is perfect for laser cutters/engravers.





### CUSTOM COLOURS

Didn't find the colour you want in our swatchbook?  
 HEXIS offer a custom colour service.

Contact us to learn more.

#### RANGE 1



**A5001B**  
POLAR  
WHITE

**A5889B**  
COAL  
BLACK

#### RANGE 2



**A5293B**  
CURAÇAO  
BLUE

**A5280B**  
PACIFIC  
BLUE

**A5348B**  
EMERALD  
GREEN

**A5445B**  
PEARL  
GREY

**A5446B**  
ELEPHANT  
GREY

#### RANGE 3



**A5109B**  
SUN  
YELLOW

**A5136B**  
MUSTARD  
YELLOW

**A5165B**  
MANDARIN  
RED

**A5485B**  
EMBER  
RED

**A5186B**  
RUBY  
RED

**A5200B**  
BLOOD  
RED

**A5476B**  
BROWN



**1**  
**SMARTAC A5889B + A5186B**  
 PHOTO BIG IDEAS | NEW ZEALAND

**2**  
**SMARTAC A5001B**  
 PHOTO BIG IDEAS | NEW ZEALAND

**3**  
**SMARTAC A5446B**  
 PHOTO HEXIS S.A. | FRANCE



### SWATCHBOOKS / COLOUR CARDS

Order our colour cards and swatchbooks  
 by writing to [export@hexis.fr](mailto:export@hexis.fr) or contact  
 your local distributor



# POLYMERIC FILM SUPTAC S5000

2D

LONG TERM

PERMANENT

The ultimate multipurpose product! The **SUPTAC S5000** is perfect for panels, totems, outdoor signage, sign boards and vehicle marking. Application on flat and slightly curved surfaces.

## INFORMATION



**N** This pictogramme shows the new colours. This series is available in gloss or matt **M**. Some products are available in **1520** mm

\* 1520 mm width available while stocks last  
\*\* Colours available while stocks last  
Plotter films with different widths on request



## HEXIS ADVICE


We recommend using HEX750 tape for transferring the SUPTAC Carbone S5CANB.

## DATA SHEET

- > **HIGH-PERFORMANCE** POLYMERIC FILM
- > **65 MICRONS**
- > **91 GLOSS** COLOURS
- > **3 MATT** COLOURS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **10 YEARS** DURABILITY
- > "BLUE CONTRAST" LINER ON WHITE S5001B/M FILMS
- > SILICONISED **KRAFT** LINER

M1

S5000	WIDTHS MM	LENGTHS LM
RANGE 1	1230	30
	1520	30
RANGE 2	1230	30
	1520	30
RANGE 3	1230	30
	1520	30
S5CANB	1520	30



**1**  
SUPTAC  
PHOTO ILLIMITED EDITION - FRANCE

**2**  
SUPTAC  
PHOTO FÉROCE GRAPHICS - FRANCE




### CUSTOM COLOURS

Didn't find the colour you want in our swatchbook? HEXIS offer a custom colour service.

Contact us to learn more.


#### RANGE 1



#### RANGE 2



#### RANGE 3



#### OUT OF RANGE



### SWATCHBOOKS / COLOUR CARDS

Order our colour cards and swatchbooks by writing to [export@hexis.fr](mailto:export@hexis.fr) or contact your local distributor



# POLYMERIC FILM SUPTAC HXS5000

## 2D

## LONG TERM

## PERMANENT

The **HXS5000** offers the same characteristics as the S5000 range and combines them with the **HEX<sup>®</sup>PRESS** liner for even easier application! Application on flat and slightly curved surfaces.

### DATA SHEET



- > **HIGH-PERFORMANCE** POLYMERIC FILM
- > **65 MICRONS**
- > **12 GLOSS** COLOURS
- > **2 MATT** COLOURS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **10 YEARS** DURABILITY
- > **HEX<sup>®</sup>PRESS** LINER

HXS45000	WIDTHS MM	LENGTH LM
RANGE 1	1230	30
	1520	30
RANGE 2	1230	30
	1520	30
RANGE 3	1230	30
	1520	30

### INFORMATION



This series is available in gloss or matt **M**. This series carries the **HEX<sup>®</sup>PRESS** liner








### CUSTOM COLOURS


Didn't find the colour you want in our swatchbook?  
 HEXIS offer a custom colour service.

Contact us to learn more.


#### RANGE 1



#### RANGE 2



#### RANGE 3



3



1 SUPTAC HXS5299B + HXS5433B  
 INSTALLATION ATELIER BRUNO | FRANCE

2 SUPTAC HXS5200B + HXS5001B  
 PHOTO G&G WERBETECHNIK | SWITZERLAND

3 SUPTAC HXS5000  
 INSTALLATION HEXIS S.A. | FRANCE

# MONOMERIC FILM ECOTAC PLUS E3000+

2D

MEDIUM TERM

PERMANENT

The **ECOTAC PLUS E3000+** film can be cut and weeded with great ease, even for very small lettering.

It is designed for outdoor and indoor markings on flat and smooth surfaces like boards, windows and stands.

## INFORMATION



**N** This pictogramme shows the new colours. This series is available in gloss or matt **M**. Some products are available in **1520** mm

\* Widths 700 mm, 750 mm, 850 mm and 1520 mm available while stocks last  
Plotter films with different widths on request




### HEXIS ADVICE

Are you looking for an ECOTAC with reinforced adhesive? VCRES3000 is the answer! See page 28


## DATA SHEET

- > **INTERMEDIATE** MONOMERIC FILM
- > **80 MICRONS**
- > **37 GLOSS** COLOURS
- > **33 MATT** COLOURS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **6 YEARS** DURABILITY
- > SILICONE **KRAFT** LINER
- > "BLUE CONTRAST" LINER ON WHITE E3829B/M FILMS

E3000+	WIDTHS MM	LENGTHS LM
RANGE 1	1230	30
	1520	30
RANGE 2	1230	30
	1520	30
RANGE 3	1230	30




RANGE 1



RANGE 2



RANGE 3



**CUSTOM COLOURS**

Didn't find the colour you want in our swatchbook?  
HEXIS offer a custom colour service.

**Contact us to learn more.**



1 ECOTAC E3000+  
PHOTO AND INSTALLATION R NUMERIK I FRANCE

2 ECOTAC E3000+  
PHOTO ILLIMITED EDITION I FRANCE

3 ECOTAC E3000+  
PHOTO PUBLIFLASH I FRANCE



**SWATCHBOOKS / COLOUR CARDS**  
Order our colour cards and swatchbooks  
by writing to [export@hexis.fr](mailto:export@hexis.fr) or contact  
your local distributor



# MONOMERIC FILM ECOTAC SUPER + MAT VCRE3000

2D

MEDIUM TERM

REINFORCED  
ADHESIVE

PERMANENT

Thanks to its reinforced adhesive, the **VCRE3000** is particularly recommended for indoor application on walls (such as Placoplatre® BA13, smooth or slightly textured walls) or on low-energy surfaces (polyethylene or polypropylene like waste containers). Matt finish.

## DATA SHEET


- > **INTERMEDIATE** MONOMERIC FILM
- > **80 MICRONS**
- > UP TO **6 YEARS** DURABILITY
- > **8 MATT** COLOURS
- > CLEAR **REINFORCED** SOLVENT-BASED ACRYLIC ADHESIVE
- > SILICONE **KRAFT** LINER
- > "BLUE CONTRAST" LINER ON WHITE VCRE3829M FILM

M1


VCRE3000	WIDTHS MM	LENGTHS LM
RANGE 1	1230	30
RANGE 2	1230	30

## INFORMATION




This series is available  
in matt  only.

### RANGE 1



### RANGE 2





### CUSTOM COLOURS

Didn't find the colour you want in our swatchbook?  
HEXIS offer a custom colour service.

**Contact us to learn more.**



**1**  
**ECOTAC E3000+**  
PHOTO AND INSTALLATION WICKED WALLS | AUSTRALIA

**2**  
**ECOTAC VCRE3186M**  
INSTALLATION G&G WERBETECHNIK | SWITZERLAND



**SWATCHBOOKS / COLOUR CARDS**  
Order our colour cards and swatchbooks  
by writing to [export@hexis.fr](mailto:export@hexis.fr) or contact  
your local distributor



# MONOMERIC FILM MICROTAC M2000

## 2D

### PROMOTIONAL

### PERMANENT REMOVABLE

The permanent **MICROTAC** film (product code MG2000/MM2000) is the ideal product for short term indoor and outdoor markings.

The removable **MICROTAC** film (product code ME2000) avoids tiresome cleaning on removal of graphics.

## DATA SHEET


- > **MONOMERIC** FILM
- > **80 MICRONS**
- > UP TO **5 YEARS** DURABILITY
- > **MG2000/MM2000: 28 GLOSS** COLOURS, **3 MATT** COLOURS
- > **ME2000: 2 MATT** COLOURS

MICROTAC PERMANENT MG2000 MM2000	WIDTHS MM	LENGTHS LM
RANGE 1	1230	50
RANGE 2	1230	50

MICROTAC REMOVABLE ME2000	WIDTH MM	LENGTH LM
BLACK / WHITE	1230	30

## INFORMATION



Some products are available in matt .



**1**  
MICROTAC MG2829  
CREACOM  
FRANCE

**2**  
MICROTAC MG2829  
CREACOM  
FRANCE




**RANGE 1**




**MG2829** WHITE  
**MM2829** WHITE MATT  
**MG2889** BLACK  
**MM2889** BLACK MATT  
**MG2899** CLEAR

**RANGE 2**



**MG2P01** PEACH  
**MG2505** BURGUNDY  
**MG2V09** WISTERIA PURPLE  
**MG2281** NIGHT BLUE  
**MG2280** PACIFIC BLUE  
**MG2RFX** REFLEX BLUE  
**MG2293** CURAÇAO BLUE  
**MG2299** MONTPELLIER BLUE  
**MG2320** TURQUOISE  
**MG2B19** IGLOO BLUE  
**MG2307** PEACOCK BLUE  
**MG2376** MINT GREEN  
**MG2340** MEDIUM GREEN  
**MG2V08** AQUA GREEN  
**MG2357** BOTTLE GREEN  
**MG2444** DARK GREY  
**MG2430** MOUSE GREY  
**MG2271** GOLD  
**MG2123** DAFFODIL YELLOW  
**MG2165** MANDARIN  
**MG2RED** TOMATO RED  
**MG2186** RUBY RED  
**MG2368** APPLE GREEN  
**MG2431** MEDIUM GREY  
**MG2362** NENUPHAR GREEN

**OUT OF RANGE**  
REMOVABLE



**ME2829** WHITE MATT  
**ME2889** BLACK MATT



**CUSTOM COLOURS**

Didn't find the colour you want in our swatchbook? HEXIS offer a custom colour service.

Contact us to learn more.

## POLYESTER FILM P6000

**2D**

**MEDIUM TERM**

**PERMANENT**

The polyesters are decorative films which can be used to create original markings. You can choose from 4 finishes: gold (P6871B), rose gold (P6872B), silver (P6877B) or brushed aluminium (P6870B). The polyester P6000 can be used on flat and smooth surfaces, both indoor and outdoor. Its ultra transparent adhesive makes it a good film for windows because the design can be seen from both sides.

## SEMI- POLYMERIC FILM SPECIAL BANNER B3000

**2D**

**SHORT TERM**

**PERMANENT**

Very smooth, the B3000 is the ideal product for banners and canopies. It can be used as communication media for announcing cultural or sports events, or at the POS, etc.

### DATA SHEET

- > **POLYESTER** FILM
- > **50 MICRONS**
- > **3 CHROME** COLOURS
- > **1 BRUSHED ALUMINIUM** COLOUR
- > UP TO **1 YEAR** DURABILITY
- > SILICONE **KRAFT** LINER

P6000	WIDTHS MM	LENGTHS LM
GOLD AND SILVER	1230	30
BRUSHED ALU	1230	30



**P6877B**  
CHROME  
SILVER



**P6871B**  
CHROME  
GOLD



**P6872B**  
ROSE  
GOLD



**P6870B**  
BRUSHED  
ALUMINIUM

### DATA SHEET

- > **SEMI-POLYMERIC** FILM
- > **80 MICRONS**
- > **2 SATIN** COLOURS
- > UP TO **3 YEARS** DURABILITY
- > SILICONISED **KRAFT** LINER

WIDTHS MM	LENGTHS LM
1230	30



**B3889**  
BLACK



**B3829**  
WHITE



# POLYMERIC FILM FLUO F610

2D

SHORT TERM


PERMANENT

These fluorescent vinyls are ideal for creating short term promotional graphics such as trestles, store windows or stands. The 5 colours on offer guarantee instant visual impact!

## DATA SHEET

- > **POLYMERIC** FILM
- > **80 MICRONS**
- > UP TO **6 MONTHS** DURABILITY
- > **5 FLUORESCENT** COLOURS
- > SILICONISED **KRAFT** LINER

WIDTHS MM	LENGTHS LM
1230	30



## INFORMATION




Note: the B3000 is not suitable for truck tarpaulins



### HEXIS ADVICE

We recommend using a soft squeegee to apply the P6000 polyester films.

We recommend using HEX750 tape for transferring the FLUO F610.



1  
**FLUO F610**  
PHOTO STICK LINE  
FRANCE

2  
**P6877B**  
PHOTO HEXIS S.A  
FRANCE

3  
**FLUO F613**  
PHOTO DESIGN UP  
FRANCE

# POLYMERIC FILM CRISTAL C4000

2D

MEDIUM TERM

PERMANENT

This PVC film is very easy to cut and weed. It is specially designed for trendy markings on shop windows, in boutiques, bars and restaurants, etc. The polyester liner gives the **CRISTAL** film very high transparency and avoids visual distortion of objects placed behind glass or a window.



### HEXIS ADVICE BEFORE APPLICATION

For best results, we recommend you apply transfer paper to the Cristal C4000 beforehand.

### APPLICATION

To achieve optimal transparency, we recommend using the YELSQUEEG squeegee (see page 173) and the HEXISGEL application gel (see page 193).



### DATA SHEET

- > **POLYMERIC** FILM
- > **80 MICRONS**
- > **14 GLOSS** COLOURS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **5 YEARS** DURABILITY
- > SILICONE **PET** LINER

M1

WIDTHS  
MM

1230

LENGTHS  
LM

30






### CUSTOM COLOURS

Didn't find the colour you want in our swatchbook?  
 HEXIS offer a custom colour service.

Contact us to learn more.



**1**  
**CRISTAL C4387**  
 INSTALLATION BLANC PUBLICITÉ  
 FRANCE

**2**  
**CRISTAL C4249**  
 INSTALLATION ARIANE SIGNALÉTIQUE  
 FRANCE

**3**  
**CRISTAL C4000**  
 INSTALLATION PHILIP SCHLERET  
 BELGIUM



**SWATCHBOOKS / COLOUR CARDS**  
 Order our colour cards and swatchbooks  
 by writing to [export@hexis.fr](mailto:export@hexis.fr) or contact  
 your local distributor



# CAST FILM ETCHED GLASS KG15DEPM

**2D**

**LONG TERM**

**PERMANENT**

The **KG15DEPM** offers a real sparkle on the surface with a clearer finish than other products in the etched glass range.

## DATA SHEET

- > **VERY HIGH-PERFORMANCE** CAST FILM
- > **80 MICRONS**
- > **ETCHED GLASS CLEAR MATT FINISH WITH SPARKLES**
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **7 YEARS** DURABILITY
- > SILICONISED **KRAFT** LINER

**WIDTHS  
MM**

1230

**LENGTHS  
LM**

30



**KG15DEPM**


ETCHED GLASS CLEAR MATT  
FINISH WITH SPARKLES



1  
**KG15DEPM**  
INSTALLATION  
HEXIS S.A.  
FRANCE

2  
**S5DEPM**  
INSTALLATION  
ILLIMITED EDITION  
FRANCE

3  
**S5DEPM + S5DP03**  
INSTALLATION  
NOALIA  
FRANCE



# POLYMERIC FILMS CLASSIC ETCHED GLASS

## 2D

### LONG TERM

### PERMANENT REMOVABLE (S6DE00)

These etched glass films have the same finish, but 3 different adhesives.

The **S5DEPM** is the ultimate etched glass film! It is suitable for wet application. The **HX5DEPM** has a **Hex'PRESS** structured adhesive for better air egress and faster application. This product is applied using the "dry method". The **S6DE00** is a removable etched glass film for temporary applications.

### DATA SHEET

- > **HIGH-PERFORMANCE** POLYMERIC FILMS
- > **80 MICRONS**
- > ETCHED GLASS MATT **FINISH**
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **8 YEARS** DURABILITY
- > **S5DEPM/S6DE00**: SILICONE **KRAFT** LINER
- > **HX5DEPM**: **Hex'PRESS** LINER

**SAME FINISH**   
**3 DIFFERENT ADHESIVES**

PRODUCT CODES	WIDTHS MM	LENGTHS LM
S5DEPM	1230	30
	1520	30
HX5DEPM	1230	30
	1520	30
S6DE00	1230	50

### INFORMATION



The S6DE00 offers residue-free removal for up to 6 months.



**M1**



**SWATCHBOOKS / COLOUR CARDS**  
Order our colour cards and swatchbooks by writing to [export@hexis.fr](mailto:export@hexis.fr) or contact your local distributor



# POLYMERIC FILMS **WHITE ETCHED GLASS WITH SPARKLES**

## 2D

## MEDIUM TERM

## PERMANENT

These etched glass films are ideal for indoor decorations and signage.

They have the same finish, but 2 different adhesives.

The **HX5DEPM** has a structured **Hex'PRESS** adhesive for better air egress and faster application.

This product is applied using the "dry method".

### DATA SHEET

- > **POLYMERIC** FILMS
- > **80 MICRONS**
- > UP TO **4 YEARS** DURABILITY
- > **ETCHED GLASS CLEAR MATT FINISH WITH SPARKLES**
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > **S5DP03**: SILICONE **KRAFT** LINER
- > **HX5DP03**: LINER **Hex'PRESS**

**SAME FINISH**  
**2** DIFFERENT ADHESIVES

PRODUCT CODES	WIDTHS MM	LENGTHS LM
S5DP03	1230	30
HX5DP03	1230	30



**1**  
**HX5DEPM**  
INSTALLATION  
G&G WERBETECHNIK  
SWITZERLAND

# MONOMERIC FILM FROSTED GLASS

2D

SHORT TERM

PERMANENT


This self-adhesive film with a frosted glass finish is the perfect product for any short or medium term application.

## DATA SHEET

- > **MONOMERIC** FILM
- > **80 MICRONS**
- > UP TO **3 YEARS** DURABILITY
- > **FROSTED GLASS MATT** FINISH
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > SILICONE **KRAFT** LINER

M1

PRODUCT CODE	WIDTHS MM	LENGTHS LM
E3GIVMV2	1230	50
	1520	50



2  
**S5DP03**  
INSTALLATION  
ILLIMITED EDITION  
FRANCE

3  
**E3GIVMV2**  
OIG INGÉNIÉRIE  
BÂTIMENT  
DESIGN & INSTALLA-  
TION AGENCE TREIZE  
FRANCE



**SWATCHBOOKS / COLOUR CARDS**  
Order our colour cards and swatchbooks  
by writing to [export@hexis.fr](mailto:export@hexis.fr) or contact  
your local distributor



# POLYMERIC FILM TRANSLUCENT T5000

## 2D

## LONG TERM

## PERMANENT

This film is specially designed for markings on light boxes. Its slightly grained finish gives your signs perfectly uniform light diffusion. Its excellent dimensional stability lets you complete assemblies with ease. It can be applied equally well on Plexiglas® or diffusing banners.

The translucent film works hand-in-hand with BLOCK-OUT to create opaque effects.

### DATA SHEET

- > **INTERMEDIATE TRANSLUCENT** POLYMERIC FILM
- > **80 MICRONS**
- > UP TO **5 YEARS** DURABILITY
- > **18 SATIN** COLOURS
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > SILICONE **KRAFT** LINER

**M1**

T5000	WIDTHS MM	LENGTHS LM
COLOURS	1230	30



1  
T5053 + T5288 + T5549  
INSTALLATION  
FRANCE PUB  
MADAGASCAR

2  
T5045  
INSTALLATION  
FRANCE PUB  
MADAGASCAR

### INFORMATION



\* Colours available  
while stocks last



### CUSTOM COLOURS

Didn't find the colour you want in our swatchbook?  
HEXIS offer a custom colour service.

**Contact us to learn more.**



# OPACIFYING POLYMERIC FILM BLOCK-OUT

2D

LONG TERM


PERMANENT

THE **BLOCK-OUT** film is used to make light boxes opaque. It works hand-in-hand with the TRANSLUCENT T5000.

## DATA SHEET

- > **COLAMINATED** POLYMERIC FILM
- > MAKES **LIGHT BOXES** OPAQUE
- > **165 MICRONS**
- > UP TO **5 YEARS** DURABILITY
- > **2 MATT** COLOURS
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > SILICONE **KRAFT** LINER

PRODUCT CODES	WIDTHS MM	LENGTHS LM
BOBLANC BONOIR	1230	30



3

**BOBLANC**  
INSTALLATION  
BEST DEAL TINTING  
AUSTRALIA



**SWATCHBOOKS / COLOUR CARDS**  
Order our colour cards and swatchbooks by writing to [export@hexis.fr](mailto:export@hexis.fr) or contact your local distributor



# POLYESTER PRIVACY FILM

## 2D

### LONG TERM

### PERMANENT

The **DSVG180** is a decorative film for indoor applications on glass. It has a "Venetian blinds" look with etched, greyed 18 mm wide stripes, spaced by 10 mm.

## DATA SHEET


- > **POLYESTER** FILM
- > **40 MICRONS**
- > UP TO **10 YEARS** DURABILITY
- > **GREYED ETCHED GLASS** STRIPES

PRODUCT CODE	WIDTH MM	LENGTHS LM
DSVG180	1523	15 - 30.50



### HEXIS ADVICE

This film is applied the same way as protective films for buildings. We recommend you read the "building film" application guide for information about the application method.



1  
DSVG180



## LONG TERM DRY ERASE FILMS

### LONG TERM

### PERMANENT

### WRITING WITH ERASABLE MARKERS

One of the advantages of these dry erase films is that writing can still be erased even after several months. These films are made with a special varnish top coat on the PVC. Indoor applications only.

#### DATA SHEET DWPO01B

- > **WHITE DRY ERASE** POLYMERIC FILM
- > **100 MICRONS**
- > IDEAL FOR **CREATING WRITING BOARDS**
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **5 YEARS** DURABILITY
- > ERASABLE FOR UP TO **3 MONTHS**
- > **KRAFT** LINER

WIDTH  
MM

1370

LENGTHS  
LM

30

#### DATA SHEET DWPO02B

- > **TRANSPARENT DRY ERASE** MONOMERIC FILM
- > **90 MICRONS**
- > IDEAL FOR **TRANSFORMING A PRINTOUT OR DECORATION INTO A WRITING BOARD**
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **2 YEARS** DURABILITY
- > ERASABLE FOR UP TO **3 MONTHS**
- > **KRAFT** LINER

WIDTH  
MM

1370

LENGTHS  
LM


30



#### HEXIS ADVICE

We recommend using BIC Velleda® markers. You can obtain a list of compatible markers by downloading the data sheet from our website:  
[www.hexis-graphics.com](http://www.hexis-graphics.com).





# ADHESIVE BLACK- BOARD FILM

## LONG TERM

## PERMANENT

## WRITING WITH TRADITIONAL CHALK

A true classic! The **BBNOIR** blackboard can be used to create school-style or slate-type boards.

It can be cut with a plotter to create original shapes.

### DATA SHEET **BBNOIR**

- > **MONOMERIC** FILM WITH **BLACK SLATE-LIKE** FINISH
- > **170 MICRONS**
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **2 YEARS** DURABILITY INDOORS
- > CAN BE CUT WITH A PLOTTER
- > **KRAFT** LINER

PRODUCT CODE	WIDTHS MM	LENGTHS LM
BBNOIR	615	30
	1230	30



**1**  
BLACKBOARD  
INSTALLATION EXAMPLE



### HEXIS ADVICE

The BBNOIR film can be erased easily with a damp, non-abrasive cloth or sponge.

Do not use with chalk markers. Indoor use only.

For painted substrates, apply to undamaged, original paintwork only.



## MASKING FILMS

The **M1000** is specially designed for sandblasting granite, marble and glass.

The **STENCIL** is designed for marking on smooth surfaces: sheets, walls, etc.

The **LAMBREQUIN** is specially designed for creating templates for markings on canvas. Its flexibility and special adhesive allow it to marry perfectly with the fibres of the canvas and thus avoid paint bleeding.

### DATA SHEET M1000

- > **MONOMERIC** FILM
- > **GREEN COLOUR**
- > **SEMI-REMOVABLE** ADHESIVE
- > **230 MICRONS**

### DATA SHEET STENCIL

- > **SEMI-POLYMERIC** FILM
- > **GREY COLOUR**
- > **REMOVABLE** ADHESIVE
- > **80 MICRONS**

### DATA SHEET LAMBREQUIN

- > **CADMIUM-FREE POLYMERIC CALENDERED** PVC
- > **WHITE COLOUR, MATT FINISH**
- > **SEMI-REMOVABLE** ADHESIVE
- > **70 MICRONS**

PRODUCT CODES	WIDTHS MM	LENGTHS LM
M1000	1230	25
STENCIL	1230	30
	1520	30
LAMBREQUIN	1230	30



1  
**M1000**  
HEXIS UK  
UNITED KINGDOM

2  
**STENCIL**  
HEXIS UK  
UNITED KINGDOM

3  
**LAMBREQUIN**  
MATHEUS COMMUNICATION  
FRANCE



APPROVED  
REFLECTIVE  
FILMS

## P8100

**NIKKALITE  
PERMANENT**

**MICROBEADS**

**CLASS RA1**

**EN12899-1:2007  
STANDARD**

The multilayered **P8100** film is made from acrylic resins and glass microbeads with high reflective properties. It is particularly resistant to harsh conditions (heat, cold, dryness and humidity).

**Sign panels** covered with this reflective film are highly visible by day and by night, contributing to optimal safety.

### DATA SHEET

- > MULTILAYERED **REFLECTIVE** FILM
- > **175 MICRONS**
- > **7 GLOSS** COLOURS
- > UP TO **7 YEARS** DURABILITY

WIDTHS MM	LENGTHS LM
610	25
1220*	50

\* 1220 mm width available while stocks last



### HEXIS ADVICE

For more information on the reflection coefficients, download our technical data sheets from our website.

Note: the P8100 and R3000 products are not approved for road signs.

Looking for a printable reflective film?

Check out the MLG48512 film on page 104.





APPROVED  
REFLECTIVE  
FILMS

## ULS800

NIKKALITE  
ULTRALITE

MICROBEADS

CLASS RA2

EN12899-1:2007  
STANDARD


Its **honeycomb structure** was designed to produce enhanced reflection and durability for use on **road signs** and traffic safety control devices.

The high quality of its components ensures 10 years of efficient service.

### DATA SHEET

- > **REFLECTIVE** FILM WITH MICROBEADS
- > **7 GLOSS** COLOURS
- > UP TO **10 YEARS** DURABILITY

WIDTHS MM	LENGTHS LM
610	23
1220	46



DECORATIVE  
REFLECTIVE  
FILMS

## R3000

2D

LONG TERM


PERMANENT

The particularity of these films is that they reflect light. They are perfect for **decorative lettering** on flat or very slightly curved surfaces. The polyethylene liner offers better dimensional stability and thus avoids curling.

### DATA SHEET

- > MULTILAYERED **REFLECTIVE** FILM
- > **5 COLOURS**
- > **100 MICRONS**
- > UP TO **3 YEARS** DURABILITY

PRODUCT CODE	WIDTHS MM	LENGTHS LM
R3000	1230	30



## APPROVED MARKING

FOR  
EMERGENCY  
VEHICLES

### FLUO YELLOW / RED REFLECTIVE STRIPING

#### CLASS B

#### TPESC B 06014 STANDARD

Reflective alternating strips.  
Marking for emergency  
vehicles.  
Easy to apply, no sealing  
varnish, guaranteed against  
infiltration and delamination,  
can be applied to curtains.

PRODUCT CODES	WIDTHS MM	LENGTHS LM
CHEVS7	140	9 x 2
CHEVS77	280	9 x 2

#### TPESC B 06014 approval / Class B

Honeycomb microprismatic technology, excellent daytime visibility and long-distance reflective performance.

### INFORMATION



Each kit comprises  
2 rolls: left and right.

Never combine different  
types of films on the  
same vehicle.



1  
REFLECTIVE STRIPING  
YELLOW | RED  
CLASS B

2  
REFLECTIVE STRIPING  
YELLOW | RED  
CLASS B



# APPROVED MARKING

FOR UTILITY AND WORKS VEHICLES

## WHITE / RED REFLECTIVE STRIPING

### CLASS A & B

### TPESC-599 & TPESC-5098 STANDARD

Marking for slow-moving or parked vehicles on public roads. Easy to apply, no sealing varnish, guaranteed against infiltration and delamination.

PRODUCT CODES	WIDTHS MM	LENGTHS LM
BACS1 CLASS A	140	9 x 2
BACS4 CLASS B	140	9 x 2
BACS44 CLASS B	280	9 x 2

**TPESC-599 approval / Class A**  
Microbead technology

**TPESC-5098 approval / Class B**  
Honeycomb microbead technology

## REFLECTIVE MARKING VC104R

## REFLECTIVE STRIPES FOR BODYWORK

### CLASS C

### ECE104 STANDARD

PRODUCT CODES	WIDTH MM	LENGTH LM
VC104R-21 WHITE	51	50
VC104R-41 YELLOW	51	50
VC104R-51 RED	51	50



<sup>1</sup> REFLECTIVE YELLOW MARKING

SILICONED  
PAPER  
**N2PAPSILI**

**ASSEMBLY OF  
LETTERING**

For all types of writing.

DRAWING  
PAPER  
**N2PAPECRI**

**FOR DRAWING  
MODELS  
AND PLANS**

For all types of writing.

**DATA SHEET**

- > **SILICONED** PAPER
- > **137 G/M<sup>2</sup>**
- > UP TO **10 YEARS** DURABILITY

PRODUCT CODES	WIDTH MM	LENGTH LM
N2PAPSILI	1230	30

**DATA SHEET**

- > **WHITE** PAPER
- > **120 G/M<sup>2</sup>**
- > UP TO **10 YEARS** DURABILITY

PRODUCT CODES	WIDTH MM	LENGTH LM
N2PAPECRI	1260	100



MAGNETIC FILM  
**MB810**

**REMOVABLE  
 ARTWORK**

Removable white matt magnetic film, magnetised every 2.5 mm, for removable marking on panels, vehicles or other metal substrates.

**DATA SHEET**

- > WHITE MATT **MAGNETIC FILM**
- > **850 MICRONS**
- > UP TO **2 YEARS** DURABILITY (INDOOR APPLICATION)

PRODUCT CODES	WIDTHS MM	LENGTHS LM
MB810	620	5 - 15 - 30
	1000*	5 - 10

\* Available while stocks last



**HEXIS ADVICE**

Cut with hand cutter only, not suitable for cutting plotters  
 Please refer to the product data sheet before use.  
 Handle with care



**1**  
 MB810  
 PHOTO SHUTTERSTOCK

## ADHESIVE MAGNETIC FILM FM580

### EASY MAGNETIC MARKING

This film makes any flat surface magnetic. It can be used with the VF180WM printable ferrous film (see page 104).

#### DATA SHEET

- > NON-PRINTABLE **SMOOTH MAGNETIC** FILM
- > **BLACK** COLOUR
- > **500 MICRONS**
- > UP TO **2 YEARS** DURABILITY (INDOOR APPLICATION)

PRODUCT CODES	WIDTH MM	LENGTHS LM
FM580	1000	5 - 15




**HEXIS has developed a full, innovative range for you to communicate in an original manner.**



**1. Want to make a surface magnetic** so you can apply customised ferrous objects/films?

Use the **FM580** adhesive magnetic film to make any flat surface magnetic together with the **VF180WM** printable ferrous film



**1**  
FM580 + VF180WM  
INSTALLATION EXAMPLE

ADHESIVE  
FERROUS FILM  
**FF480**

**DATA SHEET**

- > NON PRINTABLE **SMOOTH FERROUS** FILM
- > **CHARCOAL** COLOUR
- > **400 MICRONS**
- > UP TO **2 YEARS** DURABILITY (INDOOR APPLICATION)



**EASY MAGNETIC MARKING**


This film makes any flat surface ferrous. It can be used with the VM380WM printable magnetic film (see page 104) or any other light magnetic substrate of your choice.

PRODUCT CODES	WIDTH MM	LENGTH LM
FF480	1270	10




**2. Want to make a surface ferrous** so you can apply customised magnetic objects/films?

Use the **FF480** adhesive ferrous film to make any flat surface ferrous, and the **VM380WM** printable magnetic film




NEUTRAL SUBSTRATE



SUBSTRATE MADE **FERROUS** USING FF480 (magnetic receptivity 16 g/cm<sup>2</sup>)



**VM380WM** PRINTABLE **MAGNETIC** FILM (Magnetic force 5 G/cm<sup>2</sup>)



## DOUBLE-SIDED TECHNICAL TAPES

### ACRYLIC TAPE

Suitable for structural bonding on various surfaces: wood, metal, glass and most synthetic materials. High initial tack and very high ultimate adhesion. These double-sided tapes replace screws and rivets. Perfect seal. Resistant to UV rays, solvents and humidity. Applications: advertising totems, mounting beadings, mouldings, emblems and reinforcement parts. Typical applications for transparent tapes: light boxes, applications on Plexiglass®.

#### DATA SHEET TT32611

- > **TAPE**
- > **GREY**
- > THICKNESS **1.1 MM**

#### DATA SHEET TT32613

- > **TAPE**
- > **WHITE**
- > THICKNESS **1.1 MM**

#### DATA SHEET TT32905

- > **TAPE**
- > **TRANSPARENT**
- > THICKNESS **0.5 MM**

#### DATA SHEET TT32910

- > **TAPE**
- > **TRANSPARENT**
- > THICKNESS **1 MM**

PRODUCT CODES	WIDTHS MM	LENGTHS LM
TT32611	12	33
	19	33
TT32613	12	33
	19	33
TT32905	9	33
	12	33
	19	33
TT32910	9	33
	12	33
	19	33



- 1 TT32611
- 2 TT32613
- 3 TT32905
- 4 TT32910





# DOUBLE-SIDED TECHNICAL TAPES

## PE FOAM TAPE

Suitable for various surfaces: wood, metal, glass and most synthetic materials. The **TT21516** is especially suitable for low energy surfaces like PE and PP. The **TT21536** has a rubber adhesive with very high initial tack. Resistant to UV rays, solvents and humidity. Applications: mounting beadings, emblems, displays, hooks, cable guides, mirrors.

### DATA SHEET **TT21516**

- > **TAPE**
- > **ANTHRACITE**
- > THICKNESS **1 MM**

### DATA SHEET **TT21536**

- > **TAPE**
- > **WHITE**
- > THICKNESS **1 MM**


### DATA SHEET **TT21546**

- > **TAPE**
- > **WHITE**
- > THICKNESS **0.95 MM**

PRODUCT CODES	WIDTHS MM	LENGTHS LM
TT21516	12	50
	19	50
	25	50
TT21536	12	50
	19	50
TT21546	9	50
	12	50
	25	50



- 1 TT21516
- 2 TT21536
- 3 TT21546



1



2



3

## DOUBLE-SIDED TECHNICAL TAPES

### ACRYLIC FILM TAPE

Suitable for a variety of surfaces: wood, metal, glass and most synthetic materials (ABS, polyester, PVC). High initial tack and very high ultimate adhesion. Excellent cohesive strength. Resistant to UV rays and humidity. Applications: fixing light materials (signs, beadings, etc.).

## VELCRO FASTENING

### DUO GRIP

Fastening with a re-adjustable clip: optimal fastening is achieved by pressing the hook structures into each other. Suitable for both high and low loads. Can withstand a load of up to 5 times higher than conventional "hook and loop" fasteners. Easy to release, but resistant to shearing. Resistant to UV rays and humidity. Applications: fixing boards, name plates and emblems.

#### DATA SHEET

- > **TAPE**
- > **TRANSPARENT**
- > **THICKNESS 0.25 MM**

PRODUCT CODES	WIDTHS MM	LENGTHS LM
TT13088	12	50
	19	50
	25	50




#### DATA SHEET

- > **TAPE**
- > **BLACK**
- > **THICKNESS 3.1 MM**
- > **FASTENING THAT CAN BE OPENED & RE-CLOSED BY PRESSING**

PRODUCT CODES	WIDTH MM	LENGTHS LM
TTGRIP	25	2 - 25





# APPLICATION TAPES

# APPLICATION TAPES

## TRANSPARENT TRANSFER FILMS

PRODUCT CODES	THICKNESS MICRONS	TYPE OF TAPE	TYPE OF ADHESION	RECOMMENDED FOR	WIDTHS MM	LENGTH LM
HEX904	150	smooth thick	high	Large and small letters Wet application	600	100
					1000	
					1220	
HEX910	98	special grained	medium Special Kit	Vinyl transfer with reinforced adhesive	610	100
					1000	
					1220	
HEX915	90	standard grained	medium	Large, medium and small graphics, excl. structured and fluo	600	100
					1000	
					1220	
HEX930	86	special grained	medium Special Kit	Etched glass Dry application	610	100
					1220	



# APPLICATION TAPES

## TRANSFER PAPERS

PRODUCT CODES	THICKNESS MICRONS	TYPE OF TAPE	TYPE OF ADHESION	RECOMMENDED FOR	WIDTHS MM	LENGTH LM
HEX100 HEX100I	110	HEX100i special kit printed with the HEXIS logo	high	Creating kits and transferring digital prints	600 1220 1500	100
HEX900 HEX900I	83	HEX900i printed with the HEXIS logo	high	Small letters	600 1000* 1220	100
HEX901	83	-	low	Applying non-laminated digital prints	600 1220	100
HEX902 HEX902I	83	HEX902i printed with the HEXIS logo	medium	Large letters	600 1000 1220 1500	100
HEX909	135		high	Difficult & delicate transfers	610 1220 1500	100

\* Available until stocks last for HEX900I

## INFORMATION



Product codes that end in an "i" have a Hexis-branded liner (light grey print)  
Further cutting possible for specified widths, from 50 mm onwards and by increment of 50 mm, based on original widths.

Special kit tapes provide better dimensional stability and are intended for markings that need to be stored.



# APPLICATION TAPES

## SPECIAL TRANSFERS TAPES

PRODUCT CODES	THICKNESS MICRONS	TYPE OF TAPE	TYPE OF ADHESION	RECOMMENDED FOR	WIDTHS MM	LENGTH LM
HEX750	100	smooth	low	Fluo F610, SUPTAC Carbon S5CANB, FLEX UF1200, FLEX UF1400	500	25
HEX860	50	smooth	high	UFLEXMAXI UFLEX7PV2 UFLEX5s Transfer of UV prints	500	25
					750	
					1000	
					1500	
HEX960	100	smooth	high	UFLEXMAXI UFLEX7PV2	500	25
					750	
					1000	
					1500	



# HOW TO CHOOSE YOUR TAPE?



## BASIC APPLICATION TIPS

Transfer papers are for wet application.  
Transfer films are for dry application.

## TRANSFERRING SMALL LETTERS (SMALLER THAN 1 CM)

Use a medium-tack tape such as HEX915.

## APPLYING IN LOW TEMPERATURE ENVIRONMENT (UNDER 10 °C)

We recommend a high-tack tape.

## TRANSFERRING DIGITAL PRINTS

Use the HEX100i, transfer paper specially designed for kits.  
You can also use it for transferring digital prints with solvent, eco-solvent and UV inks

## TRANSFERRING THE ETCHED GLASS S5DEPM

Use the HEX100i and HEX955 tapes.

## TRANSFERRING LIGHT COLOURED LETTERING

Use the HEX9610, a transparent transfer film is preferable so you can see the light colours better.

## WANT TO MAKE A KIT?

Use the HEX100i, HEX910 or HEX930.

## TRANSFERRING FLUO VINYL

Use the HEX750.

## APPLYING ON A WALL

The HEX910 is perfect for transferring vinyl with reinforced adhesive.  
Tip: leave a frame of vinyl on the tape around your cutout.

# IN 2019, YOUR ICC PROFILES PAGE IS REFINED



In order to give the best customer support and ensure that you obtain the best printing results, HEXIS provide a number of tools and recommendations on our website:



**An ICC profile database**  
for all HEXIS media



**A cross reference chart** offering a replacement profile  
if the required one does not exist



**Guidance documentation** on colorimetry  
and profiles installation



**Colour correspondance charts** between main HEXIS product ranges,  
PANTONE® and RAL®

Please feel free to use our online contact form to request a new profile. For any technical help, do not hesitate to contact us at [profils@hexis.fr](mailto:profils@hexis.fr)



All HEXIS certified media bear the following logo in our catalogue and on our website:

Certified for  
HP Latex Inks





# DIGITAL PRINTING MEDIA

# SKINTAC THE190EVO



## ARE YOU LOOKING FOR A HIGH QUALITY CAST FILM THAT IS EASY TO APPLY?

Hexis developed the **THE190EVO**, the next generation of digital printing films, for people just like you.

Easy application, conformability, versatility and an excellent gloss finish – all these qualities allow to use it for any project: full wraps, vehicle fleets, interior decoration, boat wraps, etc.

THE190EVO may be used in combination with our high performance cast laminate PC190 available in gloss, satin or matt finish, and with many other laminates!

### DATA SHEET

- > PRINTABLE WHITE FILM, GLOSS FINISH
- > **HIGH-PERFORMANCE CAST PVC**
- > PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE, CLEAR ADHESIVE SIDE, **TAKE HEAT EASY® MICRO-STRUCTURE**
- > THICKNESS 50 MICRONS
- > **EXTERIOR AND INTERIOR APPLICATION**
- > COMPATIBLE INKS: ECO-SOLVENT, SOLVENT, LATEX AND UV
- > DURABILITY/UNPRINTED FILM: **10 YEARS** (VERTICAL EXTERIOR APPLICATION)
- > AVAILABLE IN WIDTHS OF 1370 AND 1520 MM BY 45 LM (OTHER LENGTHS POSSIBLE)



FINISH	ADHESIVE	COMPATIBILITY				WIDTHS MM	LENGTHS LM
		SOLV	ÉCO-S	LATEX	UV		
gloss	permanent clear	✓	✓	✓	✓	1370	45
						1520	

## TAKE HEAT EASY®

New technology providing **low initial tack** thanks to the combination of **a new solvent-based adhesive and a structured liner.**

### THE HEXIS PLUS




For optimal durability of the complex, the most recommended laminate is the **PC190**.

Other laminates can be used in combination with the THE190EVO: **PC500 series** (high UV-resistance PVC-free laminate), various **structured effect laminates**, e.g. carbons, sparkle, leather... see pages 120-121



**Cast PVC** offering **extreme conformability** for installations on "difficult" surfaces such as rivets, rear-view mirrors, etc.



- **Low initial tack**
- **Repositionable**, printable cast film




## Benefits of the THE190EVO

TAKE HEAT EASY® (THE) is the result of a **new structured liner** combined with a **new solvent-based adhesive** reducing the film's initial tack for greater ease of application. All installers, including beginners, will love it.

Our printable film itself has also been optimised. Like our **HX190WG2**, it is still a 50-micron film, but our chemists have integrated a special layer to make the film more opaque.

Try it – you'll love it!



# PREMIUM CAST FILMS 100 SERIES

## 3D

## LONG TERM

## PRINTED FULL WRAPS

## PERMANENT

### PRINTABILITY

Compatible with all printing systems  
Optimised ink coverage

Alleviates printing flaws due to inaccuracies of the printing system

### INSTALLATION PROPERTIES

Multilayered film. Regardless of the ink quantity, the tack perceived during installation remains the same.

Thanks to its composition, this film lowers the risks associated with installation quality.

### EASE OF APPLICATION

You can choose a 30 or 50-micron laminate (depending on your preference) to obtain the ideal thickness and make installation easier.

190 SERIES		WHITE PVC FILM – 50 MICRONS – HEX <sup>PR</sup> SS LINER & <small>TAKE HEAT EASY</small>						
PRODUCT CODES	FINISH	ADHESIVE	COMPATIBILITY				WIDTHS MM	LENGTHS LM
			SOLV	ECO-S	LATEX	UV		
THE190EVO	gloss	permanent clear	✓	✓	✓	✓	1370	45
			1520					
HX190WG2 <small>Certified for HP Latex Inks</small>	gloss	permanent grey	✓	✓	✓	✓	1370	25-45
			1520					

100 SERIES		WHITE PVC FILM – 50 MICRONS – PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTHS LM
			SOLV	ECO-S	LATEX	UV		
V100WG2	gloss	permanent grey	✓	✓	✓	✓	1370	45

## RECOMMENDED LAMINATES

PC190G2	gloss
PC190S	satın
PC190M3	matt
PC30G2	gloss
PC30M3	matt



SEE PAGE 114



1



2



3




1  
 HX190WG2 + PC190M3  
 DESIGN SKEPPLE  
 PHOTO WRAPZONE  
 SWEDEN

2  
 HX190WG2 + PC30G2  
 PHOTO  
 FÉROCE GRAPHICS  
 FRANCE


3  
 HX190WG2 + PC190G2  
 INSTALLATION  
 PUBLIFLASH  
 FRANCE



How do I install a film on a highly curved surface?



**WHAT NOT TO DO**



**WHAT TO DO**

# POLYMERIC FILMS 200 SERIES

2D

LONG TERM

PERMANENT  
& REMOVABLE

## HX200 SERIES

## WHITE PVC FILM – 70 MICRONS – HEXIPRESS LINER






PRODUCT CODES	FINISH	ADHESIVE	COMPATIBILITY				WIDTHS MM	LENGTHS LM
			SOLV	ECO-S	LATEX	UV		
HX200WG2	gloss	permanent low tack grey	✓	✓	✓	✓	1370	45
			1600					
HX200NTWG2	gloss	permanent normal tack grey	✓	✓	✓	✓	1050	45
			1370	1600				
HX201WG2	gloss	permanent clear	✓	✓	✓	✓	1050	45
			1370					




1  
V200WG1 + V750B  
INSTALLATION  
ATELIER BRUNO  
FRANCE


2  
V201WM1  
PHOTO  
HEXIS GMBH  
GERMANY

3  
V200WG1 + V750B  
INSTALLATION  
OXYGRAVURE  
FRANCE

V200 SERIES		WHITE PVC FILM – 70 MICRONS – PE LINER						
PRODUCT CODES	FINISH	ADHESIVE	COMPATIBILITY				WIDTHS MM	LENGTHS LM
								
V200WG1 	gloss	permanent grey	✓	✓	✓	✓	1050	45 - 100
							1370	
							1600	
V200WM1	matt	permanent grey	✓	✓	✓	✓	1370	45
							1600	
V201WG1	gloss	permanent clear	✓	✓	✓	✓	1050	45
							1370	
							1600	
V201WM1	matt	permanent clear	✓	✓	✓	✓	1370	45
V210WG1	gloss	removable black	✓	✓	✓	✓	1370	45
V211WG1	gloss	removable clear	✓	✓	✓	✓	1370	45

RECOMMENDED LAMINATES		
V750B	gloss	 <b>SEE PAGES 116 &amp; 117</b>
V750M	matt	
VCR750B reinforced adhesive	gloss for UV printing	
VCR750M reinforced adhesive	matt for UV printing	

**INFORMATION**



Should you require a specific length, please contact your local distributor.



# POLYMERIC FILMS 280 SERIES

## 2D

### LONG TERM

### PERMANENT

With a thickness of 100 microns, the 280 series offers easy application along with the durability associated with a polymeric film.

V280 SERIES		WHITE PVC FILM – 100 MICRONS – PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTHS LM
			SOLV	ECO-S	LATEX	UV		
V280WG1	gloss	permanent grey	✓	✓	✓	✓	1370	45

### RECOMMENDED LAMINATES

V750B	gloss	 <p>SEE PAGES 114 &amp; 115</p>
V750M	matt	
VCR750B	gloss for UV printing	
VCR750M	matt for UV printing	



1

V240WG2  
INSTALLATION ATELIER BRUNO | FRANCE

2

V280WG1  
INSTALLATION PUBLIFLASH | FRANCE

3

HX240WG2  
PHOTO SCHRIFTEN MÜLLER | SWITZERLAND



**2D**

**LONG TERM**

**PERMANENT**


**Are you looking for an intermediate polymeric product?**

The products in the **240** series are designed for long term visual communication on both indoor and outdoor flat surfaces. These products are perfect for creating colourful designs for indoor or outdoor applications.



V240 SERIES		WHITE PVC FILM – 70 MICRONS – PE LINER						
PRODUCT CODES	FINISH	ADHESIVE	COMPATIBILITY				WIDTHS MM	LENGTHS LM
			SOLV	ECO-S	LATEX	UV		
V240WG1	gloss	permanent grey	✓	✓	✓	✓	1050 1370 1600	45
V240WM1	matt	permanent grey	✓	✓	✓	✓	1370	45

HX240 SERIES		WHITE PVC FILM – 70 MICRONS – <b>HEX</b> PRESS LINER						
PRODUCT CODES	FINISH	ADHESIVE	COMPATIBILITY				WIDTHS MM	LENGTHS LM
			SOLV	ECO-S	LATEX	UV		
<b>N</b> HX240WG2 <small>Certified for HP Latex Inks</small>	gloss	permanent grey	✓	✓	✓	✓	1050 1370 1600	45
<b>N</b> HX240WM2	matt	permanent grey	✓	✓	✓	✓	1370	45

RECOMMENDED LAMINATE		
V740B	gloss	 <b>SEE PAGE 116</b>

# MONOMERIC FILMS 300 SERIES

2D

MEDIUM TERM

FLAT SURFACES

PERMANENT  
& REMOVABLE

V300 SERIES		WHITE PVC FILM – 100 MICRONS – PE LINER						
PRODUCT CODES	FINISH	ADHESIVE	COMPATIBILITY				WIDTHS MM	LENGTHS LM
			SOLV	ECO-S	LATEX	UV		
V300WG1	gloss	permanent grey	✓	✓	✓	✓	1050	45
							1370	
							1600	
V300WS1	satin	permanent grey	✓	✓	✓	✓	1050	45
							1370	
							1600	
V301WG1	gloss	permanent clear	✓	✓	✓	✓	1370 1600	45
V310WG1	gloss	removable black	✓	✓	✓	✓	1370 1600	45
V311WG1	gloss	removable clear	✓	✓	✓	✓	1370	45
							1600	

V350 SERIES		WHITE PVC FILM – 80 MICRONS – PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTHS MM	LENGTHS LM
			SOLV	ECO-S	LATEX	UV		
V350WG1	gloss	permanent grey	✓	✓	✓	✓	1370	45
							1600	
V351WG1	gloss	permanent clear	✓	✓	✓	✓	1370	45
							1600	

## RECOMMENDED LAMINATES

V700B	gloss	 <b>SEE PAGE 116</b>
V700M	matt	
V700S	satin	

## INFORMATION



Should you require a specific length, please contact your local distributor.



1  
 V300WG1  
 INSTALLATION  
 ILLIMITED EDITION  
 FRANCE

2  
 V300WS1  
 INSTALLATION  
 DECILAB  
 FRANCE

3  
 V351WG1  
 INSTALLATION  
 G&G WERBETECHNIK  
 SWITZERLAND

# MONOMERIC FILMS 3000 SERIES

2D

SHORT TERM

FLAT SURFACES

PERMANENT  
& REMOVABLE

HX3000 SERIES		WHITE PVC FILM – 100 MICRONS – HEX <sup>®</sup> PRESS LINER						
PRODUCT CODES	FINISH	ADHESIVE	COMPATIBILITY				WIDTHS MM	LENGTHS LM
			SOLV	ECO-S	LATEX	UV		
HX3000WG2	gloss	permanent grey	✓	✓	✓	✓	1050	45
			✓	✓	✓	✓	1370	
			✓	✓	✓	✓	1600	
HX3001WG2	gloss	permanent clear	✓	✓	✓	✓	1370	45
HX3001WM2	matt	permanent clear	✓	✓	✓	✓	1370	45




1  
V3000WG  
INSTALLATION ATELIER BRUNO | FRANCE

V3000 SERIES		WHITE PVC FILM – 100 MICRONS – KRAFT LINER							
PRODUCT CODES	FINISH	ADHESIVE		COMPATIBILITY				WIDTHS MM	LENGTHS LM
				SOLV	ECO-S	LATEX	UV		
V3000WG 	gloss	permanent	grey	✓	✓	✓	✓	1050	45
								1370	
								1520	
								1600	
								2000*	
V3000WM 	matt	permanent	grey	✓	✓	✓	✓	1050	45
								1370	
								1600	
V3001WG	gloss	permanent	clear	✓	✓	✓	✓	1050	45
								1370	
								1600	
V3001WM	matt	permanent	clear	✓	✓	✓	✓	1050	45
								1370	
								1600	
V3100WG	gloss	removable	black	✓	✓	✓	✓	1050	45
								1370	
								1600	
V3101WG	gloss	removable	clear	✓	✓	✓	✓	1050	45
								1370	
								1600	
V3101WM	matt	removable	clear	✓	✓	✓	✓	1370	45

\* This width is available in multiples of 4 rolls. Available with neutral liner only

RECOMMENDED LAMINATES	
V700B	gloss
V700M	matt
V700S	satin
V650B	gloss
V650M	matt
VCR650B reinforced adhesive	gloss for UV printing
VCR650M reinforced adhesive	matt for UV printing

  
**SEE PAGES 116 & 117**

# MONOMERIC FILMS 4000 SERIES

2D

PROMOTIONAL

FLAT SURFACES

PERMANENT

V4000 SERIES		WHITE OR TRANSPARENT PVC FILM – 80 MICRONS – PE LINER						
PRODUCT CODES	FINISH	ADHESIVE	COMPATIBILITY				WIDTHS MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
V4001WG1	white gloss	permanent clear	✓	✓	✓	✓	1050	45
			✓	✓	✓	✓	1370	
			✓	✓	✓	✓	1600	
V4002CG1	transparent gloss	permanent clear	✓	✓	✓	✓	1050	45
			✓	✓	✓	✓	1370	
			✓	✓	✓	✓	1600	
V4002CM1	transparent matt	permanent clear	✓	✓	✓	✓	1050	45
			✓	✓	✓	✓	1370	
			✓	✓	✓	✓	1600	



**INFORMATION**



Should you require a specific length, please contact your local distributor.

**Have a look at our training courses!**

To achieve optimal digital printing results, HEXIS® recommend you to attend a dedicated training course. The theory of digital printing and colour, colour management in the digital graphics chain and the ICC flow, calibration of various peripheral equipment in the digital chain, etc.



**1**  
 V3101WM  
 INSTALLATION  
 G&G WERBETECHNIK  
 SWITZERLAND

**2**  
 V3101WM  
 INSTALLATION  
 G&G WERBETECHNIK  
 SWITZERLAND

**3**  
 HX3000WG2 + PCAMPGB  
 INSTALLATION  
 HEXIS S.A.  
 FRANCE

# PVC-FREE FILMS

2D+

LONG TERM

PERMANENT

PVC  
FREE

### What are the advantages of the PVC-free films?

These products reduce the impact on the environment thanks to their specific manufacturing process. HEXIS® consumes less energy during production. Furthermore, less petroleum-based organic compounds are used.

The **HX500WG2** is a 50-micron PVC-free film for 2D+ surfaces.

### Recommended laminates

The **PC500G2** & the **PC500M**, because of their formulation, offer optimised application. Your squeegee glides easily over the laminate and saves you time during application.







1  
HX500WG2 + PC500G2  
INSTALLATION HEXIS S.A.  
FRANCE

2  
HX500WG2  
INSTALLATION MEGAMARK


3  
HX500WG2 + PC500M  
INSTALLATION MEGAMARK



HX500 SERIES		WHITE PVC-FREE FILM – 50 MICRONS – <b>HEX</b> PRESS LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTHS LM
								
HX500WG2	gloss	permanent grey	✓	✓	✓	✓	1520	45

RECOMMENDED LAMINATES		
PC500G2	gloss	 <b>SEE PAGE 118</b>
PC500M	matt	

**INFORMATION**



Should you require a specific length, please contact your local distributor.



# CAST FILMS 100 SERIES REINFORCED ADHESIVE

## WALL WRAPS


### LONG TERM

### LOW-ENERGY & COMPLEX SURFACES

These products are designed specially for **wall wraps**, complex surfaces (rivets, corrugated metal, etc.) and low energy surfaces (waste containers).

The combination of ultra-conformable cast vinyls and the **HEX<sup>®</sup>PRESS** technology enables you to achieve the highest quality while reducing the installation time.

Your results will be optimised by using our high-performance **PC190** or **PC30** laminates available in matt, gloss or satin finish.







1  
VCXR101WG1  
INSTALLATION ETHIQUE & TACT  
FRANCE


2  
VCXR101WG1  
INSTALLATION HEXIS S.A.  
FRANCE


3  
VCSR101WG1  
INSTALLATION  
G&G WERBETECHNIK  
SWITZERLAND

4  
VCXR101WG1  
INSTALLATION  
G&G WERBETECHNIK  
SWITZERLAND

100 SERIES		WHITE PVC FILM WITH REINFORCED ADHESIVE – 50 MICRONS							
PRODUCT CODES	FINISH	ADHESIVE	LINER	COMPATIBILITY				WIDTHS MM	LENGTHS LM
									
HXR101WG2	gloss	permanent reinforced clear	HexiPRESS	✓	✓	✓	✓	1370	45
VCSR101WG1	gloss	permanent super-reinforced clear	PE	✓	✓	✓	✓	1370	45
VCXR101WG1	gloss	permanent extra-reinforced clear	PE	✓	✓	✓	✓	1370	45

RECOMMENDED LAMINATES	
PC190G2	gloss
PC190S	satin
PC190M3	matt
PC30G2	gloss
PC30M3	matt

  
**SEE PAGE 114**



# POLYMERIC FILMS 200 SERIES REINFORCED ADHESIVE

## WALL WRAPS

### LONG TERM

### LOW-ENERGY & COMPLEX SURFACES

200 SERIES		WHITE PVC FILM WITH REINFORCED ADHESIVE 70 MICRONS – PE LINER						
PRODUCT CODES	FINISH	ADHESIVE	COMPATIBILITY				WIDTHS MM	LENGTHS LM
			SOLV	ECO-S	LATEX	UV		
VCSR200WG1	gloss	permanent super-reinforced grey	✓	✓	✓	✓	1370	45
VCSR201WG1	gloss	permanent super-reinforced clear	✓	✓	✓	✓	1050	45
							1370	
VCSR201WM1	matt	permanent super-reinforced clear	✓	✓	✓	✓	1370	45
VCXR201WG1	gloss	permanent extra-reinforced clear	✓	✓	✓	✓	1050	40
							1370	
VCSR201DP	gloss	permanent super-reinforced clear	✓	✓	✓	✓	1370	45

## RECOMMENDED LAMINATES

V750B	gloss
V750M	matt
VCR750B	gloss for UV printing
VCR750M	matt for UV printing



SEE PAGES 114 & 115







1

## WALL WRAPS

### MEDIUM TERM

#### LOW-ENERGY & COMPLEX SURFACES

300 SERIES		WHITE PVC FILM WITH REINFORCED ADHESIVE 100 MICRONS – PE LINER						
PRODUCT CODES	FINISH	ADHESIVE	COMPATIBILITY				WIDTHS MM	LENGTHS LM
								
VCSR300WG1	gloss	permanent super-reinforced grey	✓	✓	✓	✓	1370 1600	45
VCSR300WM1	matt	permanent super-reinforced grey	✓	✓	✓	✓	1370 1600	45
VCSR301WG1	gloss	permanent super-reinforced clear	✓	✓	✓	✓	1370 1600	45
VCSR301WM1	matt	permanent super-reinforced clear	✓	✓	✓	✓	1370 1600	45

### RECOMMENDED LAMINATES

V700B	gloss
V700M	matt
V700S	satin
V650B	gloss for UV printing
V650M	matt for UV printing
VCR650B	gloss for UV printing
VCR650M	matt for UV printing




SEE PAGE 116 & 117



1  
VCSR200WG1  
INSTALLATION  
GOLO SERIES

2  
VCXR201WG1  
INSTALLATION  
BECKER PUB

3  
VCSR200WG1  
INSTALLATION  
G&G WERBETECHNIK



# SEMI-RIGID MONOMERIC FILM REINFORCED ADHESIVE

## WALL WRAPS

### SHORT TERM OR PROMOTIONAL

### LOW-ENERGY & COMPLEX SURFACES

The reinforced adhesive ensures adhesion to irregular, grained and textured substrates or low-energy surfaces (waste containers, concrete, bricks).

CSR25		SEMI-RIGID WHITE PVC FILM – 200 MICRONS – KRAFT LINER				
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY			
			SOUV	Eco-S	LATEX	UV
			WIDTH MM		LENGTHS LM	
CSR25	matt	permanent reinforced clear	✓	✓	1370	30



**DATA SHEET**

- > **POLYURETHANE** FILM
- > **80 MICRONS**
- > **IMMEDIATE AND PERMANENT ADHESION**
- > WE RECOMMEND YOU TRANSFER PRINTED GRAPHICS USING THE HEX100, HEX900, HEX901, HEX902, HEX904 OR HEX915 TRANSFER FILMS
- > AVAILABLE IN **750 MM** AND **1500 MM / 5 LM**

**PROMOTIONAL**





**EVENT MARKINGS ON STATIC TYRES**

Be the first to create your own tyre design!

Customise and redesign the tyres on your car, bicycle, motor home, etc.

**STICKNRIDE**

**OPAQUE WHITE PU FILM – 80 MICRONS – PET LINER**

PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTHS MM	LENGTH LM
								
STICKNRIDE	satin	permanent	✓	✓	✓	750	5	
		reinforced clear				1500		

**INFORMATION**



For using the STICKNRIDE on rolling tyres, HEXIS recommends applying the film on bicycle tyres.



<sup>1</sup>  
CSR25  
PHOTO G&G WERBETECHNIK

<sup>2</sup>  
STICKNRIDE  
PHOTO HEXIS S.A.

# POLYMERIC MICRO- PERFORATED FILMS

2D+

LONG TERM

PERMANENT



FILMS			GLOSS WHITE PVC FILM WITH BLACK BACK							
PRODUCT CODES	THICKNESS MICRONS	MICRO PERFORATION	ADHESIVE	LINER	COMPATIBILITY				WIDTHS MM	LENGTHS LM
					SOLV	ECO-S	LATEX	UV		
MICRO1 M1	160	30%	permanent clear	PE	✓	✓	✓	1050 1370 1520	30	
MICRO2 M1 Certified for HP Latex Inks	165	32%	permanent clear	Kraft	✓	✓	✓	1000 1370 1520	30-90-120 10-30-120	



## HEXIS ADVICE

Use a polymeric microperforated vinyl so it adapts to the curved shape of the rear window.

Recommended laminate:  
PC50MICP2





2D

FLAT GLASS SURFACES

SHORT TERM

PERMANENT & REMOVABLE

MONOMERIC			GLOSS WHITE PVC FILM WITH BLACK BACK						
PRODUCT CODES	THICKNESS MICRONS	MICRO PERFORATION	ADHESIVE	LINER	COMPATIBILITY				
					SOLV	ECO-S	LATEX	UV	WIDTHS MM
MICRO170UV	180	40%	removable clear	PE			✓	1370	30
MICRO6	160	30%	permanent clear	PE	✓	✓		1370 1520	50




- 1 MICRO2  
INSTALLATION  
ILLIMITED EDITION  
FRANCE
- 2 MICRO1  
INSTALLATION  
FÉROCE GRAPHICS  
FRANCE
- 3 MICRO6  
INSTALLATION  
PUBLIFLASH
- 4 MICRO2  
PHOTO HEXIS SWISS  
SWITZERLAND

# SPECIAL MICRO- PERFORATED FILMS

2D

FLAT GLASS  
SURFACES

PERMANENT  
& REMOVABLE

SPECIAL		GLOSS WHITE PVC FILMS WITH BLACK BACK (MICROINSID) & TRANSPARENT GLOSS (MICROCGUV)						
PRODUCT CODES	THICKNESS MICRONS	MICRO PERFORATION	ADHESIVE	LINER	COMPATIBILITY		WIDTHS MM	LENGTHS LM
					SOLV	Eco-S		
MICROINSID 	140	40%	semi-permanent clear	PE	✓	✓	1370	25
MICROCGUV	145	40%	removable clear	PE		✓	1370	50

## INFORMATION



The **MICROINSID** is designed for indoor use (glass windows and doors). The printable side is the adhesive side. Thus, it is protected from vandalism and bad weather.

The transparent **MICROCGUV** film is mirror-printed.

For further information regarding these products, please refer to the data sheets available on our website.



1

**PROTECTIVE STRIPS FOR THE EDGES OF THE ARTWORK**

PRODUCT CODES	THICKNESS MICRONS	TYPE	ADHESIVE	LINER	WIDTHS MM	LENGTHS LM
FPG836	36	Polyester	permanent	PET	14	30
FPC50MICP2	50	cast PVC	permanent	PET	14	30



1  
 MICRO6  
 INSTALLATION PICTO  
 FRANCE

2  
 MICROINSID  
 INSTALLATION BA ENSEIGNE  
 FRANCE

# POLYMERIC ETCHED GLASS FILMS

## DECORATION ON WINDOWS

ETCHED GLASS LOOK		PVC FILM – 80 MICRONS – KRAFT LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTHS MM	LENGTHS LM
			SOLV	ECO-S	LATEX	UV		
V203EG	matt	permanent clear	✓	✓	✓	✓	1230 1520	30

# POLYMERIC TRANSLUCENT FILM

## LIGHT BOXES



- 1  
V201TR1  
INSTALLATION  
G&G WERBETECHNIK  
SWITZERLAND
- 2  
V201TR1  
INSTALLATION  
ARIANE SIGNALÉTIQUE  
FRANCE



TRANSLUCENT		PVC FILM – 80 MICRONS – PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTHS LM
			SOLV	ECO-S	LATEX	UV		
V201TR1 <b>M1</b>	translucent satin	permanent clear	✓	✓	✓	✓	1370	45

WINDOW GRAPHICS

WINDOWS

LIGHT BOXES

TRANSPARENT		PVC FILM – 70 MICRONS – PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTHS MM	LENGTHS LM
			SOLV	ECO-S	LATEX	UV		
V202CG1	gloss	permanent clear	✓	✓	✓	✓	1370	45
							1600	

MONOMERIC  
TRANSPARENT  
FILMS

WINDOW GRAPHICS

WINDOWS

LIGHT BOXES

SHORT TERM



3  
V203EG  
INSTALLATION ARIANE  
SIGNALÉTIQUE | FRANCE

4  
V201TR1  
INSTALLATION  
ILLIMITED EDITION I FRANCE

TRANSPARENT		PVC FILM – 80 MICRONS – PE LINER						
PRODUCT CODES	FINISH	ADHESIVE	COMPATIBILITY				WIDTHS MM	LENGTHS LM
			SOLV	ECO-S	LATEX	UV		
V302CG1	gloss	permanent clear	✓	✓	✓	✓	1370	45
							1600	
V362CG1	gloss	removable clear	✓	✓	✓	✓	1370	45
							1600	

# REMOVABLE TRANSPARENT FILMS

## DECORATION ON WINDOWS

TRANSPARENT		PVC FILM – 80 MICRONS – PET LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY					
			SOLV	ECO-S	LATEX	UV	WIDTH MM	LENGTH LM
VCLEARCG1	gloss	removable clear	✓	✓	✓	✓	1270	30

ULTRA TRANSPARENT		PET FILM – 75 MICRONS – PET LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY					
			SOLV	ECO-S	LATEX	UV	WIDTH MM	LENGTH LM
PET75CG1	gloss	removable clear				✓	1520	30



1











2



- 1  
VCLEARCG1  
INSTALLATION  
ILLIMITED EDITION  
FRANCE
- 2  
POD130SOLV  
INSTALLATION  
STAMP  
FRANCE
- 3  
PET75CG1  
INSTALLATION HEXIS  
S.A. FRANCE

**LIGHT BOXES  
& BUS SHELTERS**

DIFFUSING OPAQUE EFFECT		NON-ADHESIVE PET FILM – 130 MICRONS					
PRODUCT CODE	FINISH	COMPATIBILITY				WIDTHS MM	LENGTH LM
							
POD130SOLV	matt	✓	✓			1067 1370	20




DIFFUSING OPAQUE EFFECT		NON-ADHESIVE PET FILM – 220 MICRONS					
PRODUCT CODE	FINISH	COMPATIBILITY				WIDTHS MM	LENGTH LM
							
POD220SOLV	matt	✓	✓		✓	1067 1370	30



# PRINTABLE PVC BANNERS


## M1 FIRE RATING

### PVC-COATED POLYESTER BANNER

PRODUCT CODES	VERSION	FINISH	GRAMMAGE G/M <sup>2</sup>	PRINTABLE SIDE	COMPATIBILITY				WIDTHS MM	LENGTH LM
					SOLV	ECO-S	LATEX	UV		
FRONTM1EV2 	promotional	satin	450	outside	✓	✓	✓	✓	1370	25
									1600	
FRONT5M1 	promotional	satin	340	inside	✓	✓	✓	✓	1100	50
									1370	
FRONT2V3S 	high-performance	satin	510	inside	✓	✓	✓	✓	1100	50
									1370	
									1600	

## CLASSIC


### PVC-COATED POLYESTER BANNER

PRODUCT CODES	VERSION	FINISH	GRAMMAGE G/M <sup>2</sup>	PRINTABLE SIDE	COMPATIBILITY				WIDTHS MM	LENGTHS LM
					SOLV	ECO-S	LATEX	UV		
FRONT2 	high-performance	satin	560	outside	✓	✓	✓	✓	760	30
									1060	
									1370	
									1520	
									1620	
FRONT2V2B	high-performance	gloss	550	inside	✓	✓	✓	1060	50	
								1370		
								1600		
FRONT2V2M	high-performance	matt	550	inside	✓	✓	✓	1060	50	
								1370		
FRONT3V2	intermediate	matt	450	outside	✓	✓	✓	1600	25	
								1370		
FRONT4V4	promotional	satin	440	inside	✓	✓	✓	1100	50	
								1370		
								1600		

\* available while stocks last



## POLYURETHANE-COATED WOVEN POLYESTER FABRIC

PRODUCT CODE	VERSION	FINISH	GRAMMAGE G/M <sup>2</sup>	PRINTABLE SIDE	COMPATIBILITY				WIDTH MM	LENGTH LM
					SOLV	ECO-S	LATEX	UV		
TEXAIR 	textile	satin	220	inside	✓	✓	✓	✓	1370	30

### INFORMATION



#### Discover our dedicated accessories for banners!

Discover a complete range of accessories on pages 190 and 191.



1  
FRONT2  
INSTALLATION  
ILLIMITED EDITION  
FRANCE

2  
FRONT2  
INSTALLATION  
G&G WERBETECHNIK  
SUISSE

# PRINTABLE DIFFUSING PVC BANNERS

## DOUBLE-SIDED

## PRINTABLE ON BOTH SIDES


## BACKLIT APPLICATIONS

### PVC-COATED POLYESTER BANNER

PRODUCT CODES	VERSION	FINISH	GRAMMAGE G/M <sup>2</sup>	PRINTABLE SIDE	COMPATIBILITY				WIDTHS MM	LENGTHS LM
					SOLV	ECO-S	LATEX	UV		
FRONTOPAC	high-performance	satin	680	inside & outside	✓	✓	✓	✓	1020	25
					✓	✓	✓	✓	1370	
					✓	✓	✓	✓	1620	
EFRONTOPAC	promotional	matt	610	inside & outside	✓	✓	✓	✓	1120	30
					✓	✓	✓	✓	1370	




## SPECIAL RANGE

### PVC-COATED POLYESTER BANNER

PRODUCT CODES	TYPE	FINISH	GRAMMAGE G/M <sup>2</sup>	PRINTABLE SIDE	COMPATIBILITY				WIDTHS MM	LENGTHS LM
					SOLV	ECO-S	LATEX	UV		
PG450	small mesh banner	satin	450	outside	✓	✓			1370	30
					✓	✓			1600	
DIF450	"backlit" diffusing banner	satin	450	outside	✓	✓	✓	✓	1370	30
JT300M1 	eco-friendly soft light fabric, anti-curling, flame retardant, anti-reflective	satin	280	outside	✓	✓	✓	✓	1020	30
					✓	✓	✓	✓	1370	
					✓	✓	✓	✓	1520	

REPRODUCTION  
OF PAINTINGS  
ON CANVAS

CANVAS FOR SHORT TERM DESIGNS

PRODUCT CODE	FINISH	GRAMMAGE G/M <sup>2</sup>	COMPATIBILITY				WIDTH MM	LENGTH LM
								
CANVAS3	matt	300	✓	✓	✓	✓	1067	20



1  
PG450  
INSTALLATION  
ILLIMITED EDITION  
FRANCE

2  
JT300M1  
INSTALLATION  
ATELIER  
PUBLICITAIRE  
FRANCE



# MEDIA FOR DISPLAYS

## POP UP


These media are designed for self-supporting displays or roll-up displays. They can also be used for folding display stands. The POP200ECOS can be used without laminate.



1

## OPAQUE FILMS FOR DISPLAYS

PRODUCT CODES	COMPATIBLE DISPLAYS	FINISH	THICKNESS MICRONS	COMPATIBILITY				WIDTHS MM	LENGTHS LM
				SOLV	ECO-S	LATEX	UV		
POPPRIMO	ROLLPRIMO ROLLECO85 ROLLECO100	satin	220	✓	✓	✓	✓	914 1067	30
POP190ECOS <small>Certified for HP Latex Inks</small>	ROLLPRIMO ROLLECO85 ROLLECO100	satin	190	✓	✓	✓		914 1067	20
POP200ECOS	ROLLPRIMO ROLLECO85 ROLLECO100	satin	195	✓	✓	✓	✓	914 1067	30
POP310ECOS	STANDC3X3	satin	315	✓	✓	✓		914 1370	20
POPNC400	STANDC3X3	gloss	420	✓	✓		✓	1270	20



2

## WALL DECORATION

### INTERIOR APPLICATION

#### WALL COVERINGS DIGIFORT® PAPER-BASED, NON-ADHESIVE WALLPAPERS

PRODUCT CODES	FEATURES	GRAMMAGE G/M <sup>2</sup>	COMPATIBILITY				WIDTHS MM	LENGTHS LM
			SOLV	ECO-S	LATEX	UV		
P13003	Dust pattern satin finish	300	✓	✓	✓	✓	1300	50
P13004	Mellow pattern satin finish	300	✓	✓	✓	✓	1300	50

#### WALL COVERINGS PRINTABLE WALLPAPER – PRE-PASTED

PRODUCT CODES	FEATURES	THICKNESS MICRONS	COMPATIBILITY				WIDTHS MM	LENGTHS LM
			SOLV	ECO-S	LATEX	UV		
WALLPAPER2	pre-pasted paper permanent adhesive	330	✓	✓	✓	✓	1067 1372	51

N

#### WALL COVERINGS "TEXTILE" EFFECT SELF-ADHESIVE FABRIC

PRODUCT CODE	FEATURES	THICKNESS MICRONS	COMPATIBILITY				WIDTH MM	LENGTHS LM
			SOLV	ECO-S	LATEX	UV		
TEXWALLV2	PET textile permanent adhesive	240	✓	✓	✓	✓	1370	20



- 1 POPNC400  
INSTALLATION HEXIS S.A.
- 2 WALLPAPER P13004  
INSTALLATION ILLIMITED EDITION FRANCE
- 3 TEXWALLV2  
INSTALLATION PUBLI-CITY RÉUNION




# REPOSITION- ABLE FILMS

REMOVABLE  
COMMUNICATION

ULTRA EASY  
INSTALLATION

SHORT TERM

## REPOSITIONABLE FILMS


PRODUCT CODES	FINISH	THICKNESS MICRONS	LINER	COMPATIBILITY				WIDTHS MM	LENGTHS LM
				SOLV	ECO-S	LATEX	UV		
REPOSTICK 	white satin	180	Kraft	✓	✓	✓	✓	1370 1600	50
LIGHTSTICK	transparent gloss	175	PET	✓	✓	✓	✓	1370	30



1  
REPOSTICK



# HEX'PERIENCE



**CHOOSE AND CREATE YOUR OWN FULLY  
CUSTOMISABLE PRINTABLE DECORATION  
COMPLEX!**

Explore our dedicated decoration area on:

**[www.hexis-graphics.com/en/hexperience](http://www.hexis-graphics.com/en/hexperience)**

where you will find the texture library, pictures of completed projects,  
hints & tips, the latest trends and lots more.

## MAGNETIC/ FERROUS FILMS

### INSTALLATION OF REMOVABLE INDOOR MARKINGS

#### PRINTABLE FERROUS FILM FOR APPLICATION ON FM580 (P. 54)

PRODUCT CODE	FINISH	THICKNESS MICRONS	PRINTABLE SIDE	COMPATIBILITY				WIDTH MM	LENGTHS LM
				SOLV	ECO-S	LATEX	UV		
VF180WM	matt	180	outdoor	✓	✓	✓		1270	30

#### PRINTABLE MAGNETIC FILM FOR APPLICATION ON FF480 AND FERROUS SUBSTRATES (P. 55)

PRODUCT CODE	FINISH	THICKNESS MICRONS	PRINTABLE SIDE	COMPATIBILITY				WIDTH MM	LENGTHS LM
				SOLV	ECO-S	LATEX	UV		
VM380WM	matt	300	outdoor	✓	✓	✓	✓	1270	15

## REFLECTIVE FILM

### CREATING OUTDOOR DISPLAYS

#### MULTILAYERED WHITE FILM CONSISTING OF AN ACRYLIC RESIN AND GLASS MICROBEADS

PRODUCT CODE	FINISH	THICKNESS MICRONS	PRINTABLE SIDE	COMPATIBILITY				WIDTH MM	LENGTHS LM
				SOLV	ECO-S	LATEX	UV		
MLG48512*	gloss	117	reflective	✓	✓	✓		1220	10 50


\* Available while stocks last. Will be replaced by the R85120.



**RECOMMENDED  
FOR INDOOR POSTERS  
AND NOTICES**

**NON-ADHESIVE PAPERS**

PRODUCT CODES	APPLICATION	FINISH	GRAMMAGE G/M <sup>2</sup>	COMPATIBILITY				WIDTHS MM	LENGTHS LM
				SOLV	ECO-S	LATEX	UV		
PM150 <small>Certified for HP Latex Inks</small>	for posters	matt	150	✓	✓	✓	1372 1524	50	
P130	for posters	satin	130	✓	✓	✓	1372 1600	61	
P135 <small>Certified for HP Latex Inks</small>	for posters	satin	135	✓	✓	✓	1370 1620	60	
PAP120JF	for posters	fluo yellow matt	120	✓	✓	✓	1370	60	
PAP132DB	for paper notices	satin	130	✓	✓	✓	1372	61	
P210	photo paper	gloss	210	✓	✓	✓	1372	45	



1  
MLG48512  
PHOTO  
HEXIS  
USA

2  
PM150  
INSTALLATION  
G&G WERBETECHNIK  
SWITZERLAND

3  
FM580 + VF180WM  
INSTALLATION  
HEXIS  
SPAIN



# FILMS & PAPERS AQUEOUS RANGE

## ADHESIVE FILMS

These films have a permanent solvent-based acrylic adhesive. Their receptive coatings fix pigment inks perfectly. These media are designed for both your indoor and outdoor printed works. They allow you to faithfully reproduce a vast range of colours. The main applications are on flat surfaces such as boards, windows, signs and stands, etc.



### WHITE MATT VINYL

### AQUEOUS INKS

PRODUCT CODES	USAGE	FINISH	THICKNESS MICRONS	LINER	COMPATIBILITY	WIDTHS MM	LENGTHS LM
V880WR	outdoor	matt	120	Kraft	piezo printing pigment inks	1060	20
V890WR	outdoor	matt	135	Kraft	thermal printing pigment inks	1270	20

## NON-ADHESIVE PAPER

This product is designed for creating indoor posters and notices.

WHITE MATT PAPER				AQUEOUS INKS		
PRODUCT CODE	USAGE	FINISH	GRAMMAGE G/M <sup>2</sup>	COMPATIBILITY	WIDTH MM	LENGTH LM
PAPM861*	indoor	matt	150	piezo thermal printing	914	30

\* Available while stocks last



1

V880WR  
 PHOTO HEXIS UK  
 UNITED KINGDOM

2

POP190TP  
 PHOTO STICK ADHÉSIF  
 FRANCE

**100%  
PVC-FREE  
PRODUCTS**

**PVC  
FREE**

## Get into the green spirit with Hexis films!

HEXIS is pushing the boundaries of innovation even further to bring you top-quality solutions. The French self-adhesive vinyl manufacturer is developing **100% PVC-FREE**, or "eco-friendly" products based on aqueous emulsions. This new water-based production technology reduces the amount of solvent used during manufacture by up to 85%.



## FULL WRAPS


### HX500WG2

is an extremely conformable film and is very easy to apply (see page 81).

It offers greater durability (up to 10 years unprinted) than the PVC films.

**First-rate solutions to meet even the strictest requirements of sustainable development and of calls for tender/projects that require the use of environmentally friendly products.**

**Over to you now to choose the self-adhesive film for durable and responsible communication that meets your needs:**



## **SIGN**

---

### **A5000**

is a range of 14 colours, designed for lettering (see page 20):

- Very easy weeding
- UV resistance up to 10 years



## **LAMINATION**

---

### **PC500G2 PC500M**






2 finishes (gloss and matt, see page 118) for durable protection in extreme conditions (over 7 years). Excellent surface sliding for easy application.



**HEXIS is giving you the opportunity to support the environment while choosing conformable, hard-wearing and durable products for extreme conditions.**



**HEXIS ENERGY DRINK**

PRODUCT CODES		DESCRIPTION
	<b>HGY1X24</b>	HEXIS The Original *24 cans
	<b>HGY4X6</b>	HEXIS The Original 4 packs *6 cans
	<b>HGY6X4</b>	HEXIS The Original 6 packs *4 cans
	<b>6PET1L</b>	HEXIS The Classic 6 bottles *1L
	<b>6PET1LMOJ</b>	HEXIS The Mojito 6 bottles *1L

## SPECIAL PRICES FOR HEXIS CUSTOMERS

### GOODIES

PRODUCT CODE	DESCRIPTION
	<b>FRIGO20L</b> Fridge 20L – 2 shelves
	<b>FRIGO70L</b> Fridge 70L – 3 shelves
	<b>STYLO</b> Ball-point pen (50 units)
	<b>TAPISBAR</b> Bar mat
	<b>CASQROUGE</b> HEXIS Energy cap – red
	<b>CASQVERTE</b> HEXIS Energy cap – green
	<b>CASQROSE</b> HEXIS Energy cap – pink
	<b>TOURDECOU</b> HEXIS Energy lanyard (25 units)
	<b>PORTECLE</b> HEXIS Energy keyring (100 units)
	<b>TOUILLETTE</b> HEXIS Energy cocktail stirrer (100 units)



WRAPATTACKGOA | INDIA



©CLÉMENTINEPELLEGRIN | FRANCE



DECILAB | FRANCE



WRAP YOUR CAR & HELMET REKLAM | SWITZERLAND



WRAPZONE | USA



AGENCE CHEIL | FRANCE




MARC MARTÍ | MEDIAPRO | SPAIN



PRESS CITRON | FRANCE



IMPULSO GRAFICA & PUBBLICITÀ SRL | ITALIE



KB MEDIA | SWEDEN



WRAP MONSTER | USA



AGENCE TREIZE | FRANCE



COVER ART | IRAN




PICTO | FRANCE



DEVITA DESIGN | GERMANY





# LAMINATES

## PREMIUM CAST LAMINATES

### 3D

#### FULL WRAPS AND WALL WRAPS

#### LONG TERM

These laminates are intended for protecting your digital prints applied on a vehicle. Combined with the HX-190WG2 or the THE190EVO (see page 68), they make 80 to 100-micron complex which is easier to apply and to remove than a non-laminated vinyl print.

Laminates recommended for the 100 series (see page 68 and for reinforced, see page 82)

#### TRANSPARENT CAST PVC FILMS

PRODUCT CODES	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTHS MM	LENGTHS LM
PC30G2	gloss	30	solvent-based acrylic	PE	1370	25 - 50
					1520	
PC30M3	matt	30	solvent-based acrylic	PE	1370	25* - 50
					1520	
PC190G2	gloss	50	solvent-based acrylic	PE	1370	25 - 50
					1520	
PC190M3	matt	50	solvent-based acrylic	PE	1370	25* - 50
					1520	
PC190S	satin	50	solvent-based acrylic		1370	50
					1520	

\* Available until stocks last

## HIGH- PERFORMANCE POLYMERIC LAMINATES

### 2D

#### FLAT & SLIGHTLY CURVED SURFACES

#### LONG TERM

Laminates recommended for the 200 & 280 series (see pages 70 & 72).



#### TRANSPARENT POLYMERIC PVC FILMS

PRODUCT CODES	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTHS MM	LENGTHS LM
V750B	gloss	70	solvent-based acrylic	silicone paper	1050	50
					1370	
					1600	
V750M	matt	70	solvent-based acrylic	silicone paper	1050	50
					1370	
					1600	

# POLYMERIC REINFORCED ADHESIVE LAMINATES

## SPECIAL UV PRINTS

The VCR750 series is recommended for laminating your UV prints. (200 and 280 series with or without reinforced adhesive).



## TRANSPARENT POLYMERIC PVC FILMS

PRODUCT CODES	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTHS MM	LENGTHS LM
VCR750B	gloss	70	acrylic solvent-based reinforced	silicone paper	1370	50
					1600	
VCR750M	matt	70	acrylic solvent-based reinforced	silicone paper	1370	50
					1600	

## INFORMATION



Should you require a specific length, please contact your local distributor.



- 1 V750M  
INSTALLATION  
ABC PUBLICITÉ  
FRANCE
- 2 V750M  
INSTALLATION  
AND PHOTO  
IMAGE DE MARQUE  
FRANCE
- 3 PC190M3  
INSTALLATION  
ATELIER BRUNO  
FRANCE
- 4 V750B  
INSTALLATION  
ABC PUBLICITÉ  
FRANCE



## HYBRID LAMINATE

### FLAT SURFACES


#### MEDIUM TERM

Laminate recommended for the 240 series (see page 73).

### TRANSPARENT HYBRID PVC FILM

PRODUCT CODES	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTHS MM	LENGTHS LM
V740B	gloss	70	solvent-based acrylic	silicone paper	1050	50
					1370	
					1600	

## INTER-MEDIATE MONOMERIC LAMINATES



### FLAT SURFACES

#### MEDIUM TERM

Laminates recommended for the 300 & 3000 series (see pages 74 & 76).

### TRANSPARENT MONOMERIC PVC FILMS

PRODUCT CODES	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTHS MM	LENGTHS LM
V700B	gloss	80	solvent-based acrylic	silicone paper	1050	50
					1310	
					1370	
					1600	
V700M	matt	80	solvent-based acrylic	silicone paper	1050	50
					1370	
					1600	
V700S	satin	80	solvent-based acrylic	silicone paper	1050	50
					1370	
					1600	

# MONOMERIC LAMINATES

## FLAT SURFACES

### SHORT TERM

Laminates recommended for the 3000 SERIES (see pages 76); PM150-P135 papers (see page 105). The VCR650 laminate is recommended for laminating your UV prints.



## TRANSPARENT MONOMERIC PVC FILMS

PRODUCT CODES	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTHS MM	LENGTHS LM
V650B	gloss	70	solvent-based acrylic	silicone paper	1050	50
					1370	
					1600	
V650M	matt	70	solvent-based acrylic	silicone paper	1050	50
					1370	
					1600	
VCR650B	gloss	70	acrylic solvent-based reinforced	silicone paper	1370	50
					1600	
VCR650M	matt	70	acrylic solvent-based reinforced	silicone paper	1370	50

## INFORMATION



Should you require a specific length, please contact your local distributor.



1  
V200WG1 + V750M  
BERWICK SIGNS  
AUSTRALIA

2  
V650M  
INSTALLATION  
DELEAGE  
FRANCE



# PVC-FREE LAMINATES

## PVC-FREE FILMS

### LONG TERM

### PERMANENT

**PVC FREE**

Laminates recommended for the HX500WG2 film.

## PVC-FREE PU FILMS

PRODUCT CODES	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTHS MM	LENGTHS LM
PC500G2	gloss	50	solvent-based acrylic	PE	1370	50
					1520	
PC500M	matt	50	solvent-based acrylic	PE	1370	50
					1520	



1  
HX500WG2 + PC500G2  
GREENWISHES  
FRANCE

2  
PURZON060B  
INSTALLATION DS PUBLICITÉ  
FRANCE

# ANTI-MICROBIAL LAMINATES

## ANTIMICROBIAL PROTECTION FOR SURFACES THAT DEMAND A HIGH LEVEL OF HYGIENE

M1

N

ANTIMICROBIAL TRANSPARENT PVC FILMS						
PRODUCT CODES	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTHS MM	LENGTHS LM
PURZON060B	gloss	60	solvent-based acrylic	PE	1370	30
PURZON060M	matt	60	solvent-based acrylic	PE	1370	30



Cast PVC enriched with silver ions (Ag+). Laminates recommended for the cast films.

### INFORMATION



#### ANTI-BACTERIAL ACTION

**Fast:** rapid penetration into the bacterial cell

**Powerful:** active even at very low concentrations

**Prolonged:** 24h a day, 7 days a week for several years

HEXIS self-adhesive films are used on trains, undergrounds, planes, and are thus exposed to significant constraints.

#### STRONG ADHESION

#### EASY TO CLEAN

#### WATERPROOF

#### CONFORMABLE




2



# SPECIAL FINISH LAMINATES

## DECORATION



### TRANSPARENT POLYMERIC PVC FILM

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTHS LM
 VWOOD	wood effect	130	solvent-based acrylic	silicone paper	1370	30

### ANTIMICROBIAL PVC-FREE TRANSPARENT CAST FILM

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTHS LM
  PCWOOD01	alpine wood effect	80	solvent-based acrylic	PE	1520	30

### ANTIMICROBIAL TRANSPARENT CAST PVC FILM

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTHS LM
  PCAMPGB	fine grain leather effect	120	solvent-based acrylic	PE	1520	30





## TRANSPARENT CAST PVC FILMS

	PRODUCT CODES	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTHS MM	LENGTHS LM
UV	PCSTAR01G	sparkle effect pearl white gloss	70	solvent-based acrylic	PE	1520	25
UV	PCSTAR02G	sparkle effect royal pink gloss	70	solvent-based acrylic	PE	1520	25
UV	PCSTAR03G	sparkle effect ocean blue gloss	70	solvent-based acrylic	PE	1520	25
UV	PCSTAR04G	sparkle effect luxury yellow gloss	70	solvent-based acrylic	PE	1520	25
UV	PCSTAR01S	sparkle effect pearl white satin	70	solvent-based acrylic	PE	1520	25
UV	PCWALL	mineral wall effect	110	solvent-based acrylic	PE	1520	30
	PCCARBON	gloss carbon effect	125	solvent-based acrylic	PE	1520	30
UV N	PCGATOR	alligator effect	150	solvent-based acrylic	PE	1370	30
UV N	PCBRUSHED	brushed aluminium effect	110	solvent-based acrylic	PE	1520	30



1  
VWOOD  
INSTALLATION  
PRO ART MURAL  
FRANCE

2  
VWOOD  
INSTALLATION G&G WERBETECHNIK  
SWITZERLAND

3  
PCSTAR04G  
INSTALLATION HEXIS S.A.  
FRANCE

4  
PCSTAR  
INSTALLATION HEXIS S.A.  
FRANCE

## SPECIAL FINISH LAMINATES



*The material experience by HEXIS*

### DECORATION

HEXIS S.A. is the 1<sup>st</sup> supplier of self-adhesive films to provide a library of large-format pattern, infinitely adaptable and in high definition, as a free service.

#### HEX'PERIENCE IS:

- Graphics files
- In large format  
L = 1300 mm  
H = 3000 mm
- With no repetition and infinitely modifiable
- In high resolution (200 dpi)

#### THE BENEFITS:


- Less stock
- More added value
- Ease of use
- Infinitely customisable
- Ability to mix the files with each other
- Low cost



1



2



3



1  
PRINTED PATTERNS  
HEXIS S.A.

2  
PCBRUSHED  
LAMINATE  
HEXIS S.A.

3  
PRINTED PATTERN:  
NEW YORK  
LAMINATE:  
PCWALL  
HEXIS S.A.

## Choose and create your own fully customisable decoration print complex!



### HOW TO CREATE YOUR HEX'PERIENCE IN 5 STEPS

## NO. 1

#### Choose your printable film:

Durability, conformability, type of adhesive, indoor/outdoor use

## NO. 2

#### Download the pattern of your choice:

Infinately customise your project, via our website [www.hexis-graphics.com/en/hexperience/](http://www.hexis-graphics.com/en/hexperience/)

## NO. 3

Print

## NO. 4

#### Laminate

and/or protect your prints in an original and realistic way.

## NO. 5

#### Apply

Finished! All you need to do now is apply it.

Explore our dedicated decoration area at: [www.hexis-graphics.com/en/hexperience/](http://www.hexis-graphics.com/en/hexperience/)

There you will find the texture library, pictures of completed projects, hints & tips, the latest trends and lots more



### HOW DO I IMPORT MY PATTERNS INTO PHOTOSHOP?

## NO. 1

I **upload** the pattern files

## NO. 2

In Adobe Photoshop, I open the pattern file of my choice


## NO. 3

Select > **Select all**

(Ctrl + a in Windows / Cmd + a on Mac)


Edit > **Define Pattern**

(If you want to, you can name the new pattern)



## NO. 4

I create a new document at the **actual size** of the surface to be covered and at **200 dpi**



## NO. 5

Select > Select all, then Edit > Fill > **Fill with pattern**  
Choose the pattern and validate

# LAMINATIONS FOR MICRO- PERFORATED FILMS

## BUILDING WINDOWS

## VEHICLE WINDOWS

The **PC50MCP2** is a laminate for microperforated films designed for applications on curved or flat vehicle windows.

Its polyester liner prevents image distortion and thus gives the product excellent transparency.

The **PG836** is designed for flat windows on buildings. The **PG3036UVB** is also designed for flat windows on buildings. Its special composition improves the UV resistance of your graphics as compared to the PG836.


### ULTRA TRANSPARENT CAST PVC FILM

PRODUCT CODES	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTHS MM	LENGTHS LM
PC50MCP2	gloss	50	solvent-based acrylic	PET	1370	30
					1520	

### HIGHLY TRANSPARENT POLYESTER FILMS

PRODUCT CODES	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTHS MM	LENGTHS LM
PG836	gloss	36	solvent-based acrylic	PET	1370 1520	30 – 120
PG3036UVB	gloss	36	solvent-based acrylic	PET	1370 1520	30

M1



1  
AG800  
PHOTO  
RETYLING  
RUSSIA

2  
AG700  
INSTALLATION & PHOTO  
ILLIMITED EDITION  
FRANCE

3  
PC50MCP2 ON REAR  
WINDOWS  
INSTALLATION  
ATELIER BRUNO  
FRANCE

4  
PG836  
PHOTO  
CHRISTOPHE RECOURA  
FRANCE



# ANTI- GRAFFITI LAMINATES

## COLD LAMINATION

## EASY CLEANING

### TRANSPARENT POLYESTER FILMS

PRODUCT CODES	FINISH	FEATURES	THICKNESS MICRONS	ADHESIVE	LINER	WIDTHS MM	LENGTHS LM
M1 F1 AG436M	matt	anti-graffiti anti-reflection	30	solvent-based acrylic	silicone paper	1370	50
AG700	gloss	anti-graffiti	36	solvent-based acrylic	silicone paper	1310 1370 1520	50
UV AGCR700	gloss	anti-graffiti for laminating UV prints	36	reinforced solvent-based acrylic	silicone paper	1370 1520	50
AG900	gloss	anti-graffiti standard anti-scratch	100	solvent-based acrylic	PET	1520	30.50
AG800	gloss	anti-graffiti superior anti-scratch	100	solvent-based acrylic	PET	1520	30 - 120
PG836	gloss	anti-graffiti highly transparent special microperforated	36	solvent-based acrylic	PET	1370 1520	30 - 120
PG3036UVB	gloss	anti-graffiti highly transparent special microperforated, reinforced UV protection	36	solvent-based acrylic	PET	1370 1520	30



# LAMINATES FOR DISPLAYS

## SPECIAL POP-UP FOR POP190, POP310 AND POPPRIMO

The **GFLI130** is designed to rigidify your graphics printed on POP190ECOS or POP310ECOS.

The **GFLI130** increases the lifespan of your indoor floor-mounted prints and protects them against mechanical stress.

It is R10 rated according to the standard DIN51130.



MONOMERIC PVC FILMS			EMBOSSED SURFACE			
PRODUCT CODES	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTHS MM	LENGTHS LM
PSP0P*	satin	100	solvent-based acrylic	silicone paper	1060	30
GFLI130	satin	130	solvent-based acrylic	silicone paper	1050 1370	30

\* Available while stocks last



1  
**GFLI130**  
INSTALLATION  
MOON CITY  
FRANCE

2  
**GFLX210**  
INSTALLATION  
BERWICK SIGNS  
AUSTRALIA

3  
**GFLIR170**  
R-NUMERIK  
FRANCE



## GRAINED EMBOSSED SURFACE






### PROTECTION OF FLOOR GRAPHICS

This new range of films is ideal for laminating your digital prints and provides a new means of communication: the floor. They are also used to rigidify digital prints and protect them against external stresses (abrasion, footprints, humidity, etc.).

**The GFLX230 is rated R12, the GFLX210 are rated R11 and the GFLI170 are rated R9** according to the DIN51130 standard.

The applications are numerous: floor decoration (stands, public areas, supermarkets, etc.), lamination of units that require significant protection (reception desks, counters, etc.).

CALANDERED POLYMERIC PVC FILM				EMBOSSED SURFACE			**DIN 51130
PRODUCT CODES	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTHS MM	LENGTHS LM	
GFLX230	satın	230	solvent-based acrylic	silicone paper	1370	25	R12

CALANDERED MONOMERIC PVC FILMS				EMBOSSED SURFACE			
PRODUCT CODES	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTHS MM	LENGTHS LM	
GFLX210	satın	210	solvent-based acrylic	silicone paper	1370	30	R11
 GFLXR210	satın	210	reinforced solvent-based acrylic for UV prints	silicone paper	1370	30	R11
 GFLI130	satın	130	solvent-based acrylic	silicone paper	1050 1370	30	R10
 GFLI170	satın	170	solvent-based acrylic	silicone paper	1370	30	R9
  GFLIR170	satın	170	reinforced solvent-based acrylic for UV prints	silicone paper	1370	30	R9

\*\*DIN 51130

R13	Very high
R12	High
R11	Medium-high
R10	Medium
R9	Normal

\*\*DIN 51130 Standard used in Europe, slip resistance class for shod feet



## LONG TERM LAMINATE

### EXTREME UV PROTECTION

#### LONG TERM

This product is designed specially for protecting surfaces located in areas with very strong sunlight (e.g. the Caribbean). It provides excellent UV protection.

### TEDLAR TRANSPARENT POLYVINYL FLUORIDE (PVF)

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
TE25B*	gloss	25	solvent-based acrylic	silicone paper	1520	25



## DRY ERASE LAMINATE

### FLAT SURFACES

#### LONG TERM

This long term, transparent, dry erase laminate can be erased easily up to 3 months after writing. HEXIS recommends using marker pens compatible with our films, for writing and cleaning with a window cleaner. Please refer to the list in the respective data sheet available on our website: [www.hexis-graphics.com](http://www.hexis-graphics.com). This erasable laminate is for indoor use only.

### DRY ERASE TRANSPARENT PVC

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTHS LM
DWP002B	gloss	90	solvent-based acrylic	PE	1370	30 10





# ACCESSORY FOR LAMINATION

This silicone paper is used to laminate graphics with an overlap.

## SILICONED PAPER

PRODUCT CODE	GRAMMAGE G/M <sup>2</sup>	WIDTHS MM	LENGTH LM
PAPPERDU	82	1370	50
		1600	



- 1 TE25B  
PHOTO  
HEXIS FWI  
FRANCE
- 2 DWP002B  
LONG TERM  
DRY ERASE
- 3 DWP002B  
LONG TERM  
DRY ERASE

# SPECIAL LAMINATES DECORATION KITS

## COLD LAMINATION

### SHORT & MEDIUM TERM

Films optimised for the cold lamination of digital prints designed for short term decoration kits for motorcycles, quads, jet skis and lots of other medium term substrates.

These thick laminates are specially engineered to protect logos and graphics against friction and mechanical wear while maintaining perfect transparency.

## TRANSPARENT MONOMERIC PVC FILMS

PRODUCT CODES	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTHS MM	LENGTHS LM
VRK300B	gloss	300	solvent-based acrylic	siliconed paper	1370	20 5 - 10
VRK300M	matt	300	solvent-based acrylic	siliconed paper	1370	20 5 - 10
VRK480B	gloss	480	solvent-based acrylic	siliconed paper	1370	20



1



2




3

1  
VRK300B  
MOTOCROSS KIT  
INSTALLATION  
FÉROCE GRAPHICS  
FRANCE

2  
VRK480B  
JET SKI KIT  
INSTALLATION  
JT RACING  
FRANCE

3  
VRK300B  
HELMET KIT  
INSTALLATION  
FÉROCE GRAPHICS  
FRANCE





# FILMS FOR TEXTILE DECORATION

COLOURED  
FILM  
**CUTFLEX  
HFLEX100P**

**ADHESIVE LINER**

**SPECIAL COTTON,  
POLYESTER (NON-  
SUBLIMATED),  
MIXED**

The elasticity of the polyurethane gives the **HFLEX100P** remarkable flexibility. It is recommended for markings on light, soft and stretchy fabrics. Its adhesive liner makes the graphic easier to position on the fabric before pressing.

**DATA SHEET**

- > STRETCHABLE **POLYURETHANE** FILM
- > **90 MICRONS**
- > **18 MATT COLOURS, 3 FLUOS AND 2 METALLICS**
- > SPECIAL **COTTON, POLYESTER** (NON-SUBLIMATED) AND **MIXED**
- > **ADHESIVE** LINER
- > OEKO-TEX FOR BLACK AND WHITE FILMS (HFLEX101P / HFLEX102P)



HFLEX100P	WIDTHS MM	LENGTHS LM
COLOURS	500	25
METALLIC	500	25
FLUOS	500	25



1



2




1  
HFLEX100P  
INSTALLATION  
ENERGY PUB  
RÉUNION

2  
HFLEX100P  
INSTALLATION  
G&G WERBETECHNIK  
SWITZERLAND

COLOURS



METALLICS




**CUSTOM COLOURS**

Didn't find the colour you want in our swatchbook?  
HEXIS offer a custom colour service.

**Please contact us for more information.**





FLUOS



APPLICATION INSTRUCTIONS


PRESS TEMPERATURE		PRESS TIME		PRESSURE		LINER REMOVAL		FINAL PRESSURE	
	160 °C		20 sec.		high		While hot		5 sec.

MAINTENANCE INSTRUCTIONS

MACHINE WASH		MACHINE DRY		IRONING			
	wait for at least 24 h before washing  60 °C max.		do not use bleach		do not tumble dry		iron inside out



**SWATCHBOOKS / COLOUR CARDS**  
Order our colour cards and swatchbooks  
by writing to [export@hexis.fr](mailto:export@hexis.fr) or contact  
your local distributor



# COLOURED FILM **CUTFLEX** **HFLEX1000P**

## NON-ADHESIVE LINER

### SPECIAL COTTON, POLYESTER (NON-SUBLIMATED), ACRYLIC & MIXED

The **HFLEX1000P** is designed to make cutting and weeding of detailed graphics easier. It is recommended for creating markings on thick and textured fabrics. Its non-adhesive liner makes weeding quicker, with less breakage. The non-adhesive properties of the liner also make it possible to prepare kits in advance.

## DATA SHEET

- > STRETCHABLE **POLYURETHANE** FILM
- > **70 MICRONS**
- > **20 MATT** COLOURS, **3 FLUOS** AND **2 METALLICS**
- > **NON-ADHESIVE** LINER
- > OEKO-TEX FOR WHITE FILM (HFLEX1001P)



HFLEX1000P	WIDTHS MM	LENGTHS LM
COLOURS	300*	25
	500	25
	1500	25
METALLICS AND FLUOS	300*	25
	500	25
	1500	25


\* Available while stocks last. \*\* Retail 1 to 4 lm depending on available stock.






1  
**HFLEX1000P**  
INSTALLATION  
FÉROCE GRAPHICS  
FRANCE

2  
**HFLEX1000P**  
INSTALLATION  
ENERGY PUB  
RÉUNION



COLOURS									
									
HFLEX1001P WHITE	HFLEX1012P GREY	HFLEX1002P BLACK	HFLEX1003P LIGHT BLUE	HFLEX1006P ROYAL BLUE	HFLEX1005P NAVY BLUE	HFLEX1009P BURGUNDY	HFLEX1014P PURPLE	HFLEX1015P ORANGE	HFLEX1061P BABY PINK
									
HFLEX1062P FUCHSIA	HFLEX1073P VOLCANO RED	HFLEX1008P VIVID RED	HFLEX1010P ORANGE YELLOW	HFLEX1019P LEMON YELLOW	HFLEX1067P APPLE GREEN	HFLEX1004P MEDIUM GREEN	HFLEX1013P LIGHT GREEN	HFLEX1007P DARK GREEN	HFLEX1076P BROWN

METALLICS	
	
HFLEX1020P GOLD	HFLEX1030P SILVER

FLUOS		
		
HFLEX1040P FLUO YELLOW	HFLEX1042P FLUO ORANGE	HFLEX1043P FLUO PINK



### CUSTOM COLOURS





Didn't find the colour you want in our swatchbook?  
HEXIS offer a custom colour service.

**Please contact us for more information.**

### APPLICATION INSTRUCTIONS

PRESS TEMPERATURE	PRESS TIME	PRESSURE	LINER REMOVAL	FINAL PRESSURE
 160 °C 140 °C (metallics)	 20 sec. 15 sec. (metallics)	 high	 while cold While warm (metallics)	 5 sec. at 160 °C 5 sec. at 140 °C (metallics)


### MAINTENANCE INSTRUCTIONS

MACHINE WASH	MACHINE DRY	IRONING
 wait for at least 24 h before washing 80 °C max.	 do not use bleach	 do not tumble dry
		 iron inside out



### SWATCHBOOKS / COLOUR CARDS

Order our colour cards and swatchbooks by writing to [export@hexis.fr](mailto:export@hexis.fr) or contact your local distributor



## COLOURED FILM FLOCK 200 SERIES

### ADHESIVE LINER

SPECIAL  
COTTON &  
POLYESTER (NON-  
SUBLIMATED)

#### DATA SHEET

- > VELVET LOOK AND FEEL **PVC-FREE** FILM
- > **500 MICRONS**
- > **6 SATIN** COLOURS
- > **ADHESIVE** LINER

N

FLOCK200	WIDTH MM	LENGTHS LM
VELVET	510	5 - 25




1  
FLOCK200  
INSTALLATION  
HEXIS S.A.  
FRANCE






2  
FLOCK200  
INSTALLATION  
HEXIS S.A.  
FRANCE







COLOURS



APPLICATION INSTRUCTIONS

PRESS TEMPERATURE	PRESS TIME	PRESSURE	LINER REMOVAL	FINAL PRESSURE
 150 °C	 15 sec.	 high	 White hot	 not applicable

MAINTENANCE INSTRUCTIONS

MACHINE WASH	MACHINE DRY	IRONING
 wait for at least 24 h before washing 40 °C max.	 do not use bleach	 do not tumble dry
		 iron inside out



**SWATCHBOOKS / COLOUR CARDS**  
Order our colour cards and swatchbooks by writing to [export@hexis.fr](mailto:export@hexis.fr) or contact your local distributor



# COLOURED FILM FLEX200 SERIES

## ADHESIVE LINER

## SPECIAL COTTON & POLYESTER (NON-SUBLIMATED)

### DATA SHEET

- > STRETCHABLE **POLYURETHANE** FILM
- > **90 MICRONS**
- > **1 FLUOS** COLOUR
- > **4 SPARKLE** COLOURS
- > **ADHESIVE** LINER


FLEX200	WIDTH MM	LENGTH LM
WITH SPARKLES	500	15

FLEX293	WIDTH MM	LENGTHS LM
FLUO GREEN	500	25








1  
FLEX200  
INSTALLATION  
G&G WERBETECHNIK  
SWITZERLAND



2  
FLEX200  
INSTALLATION  
HEXIS S.A.  
FRANCE



**APPLICATION INSTRUCTIONS**

PRESS TEMPERATURE		PRESS TIME		PRESSURE		LINER REMOVAL		FINAL PRESSURE	
	160 °C		20 sec.		high		While warm		5 sec.

**MAINTENANCE INSTRUCTIONS**

MACHINE WASH				MACHINE DRY		IRONING	
	wait for at least 24 h before washing		do not use bleach		do not tumble dry		iron inside out
	40 °C max.						



**SWATCHBOOKS / COLOUR CARDS**  
Order our colour cards and swatchbooks by writing to [export@hexis.fr](mailto:export@hexis.fr) or contact your local distributor



COLOURED  
FILM  
**FLEX300  
SERIES**

**ADHESIVE LINER**

**SPECIAL  
COATED NYLON  
AND WATER-  
REPELLENT  
SUBSTRATES**

**DATA SHEET**

- > STRETCHABLE **POLYURETHANE / POLYAMIDE** FILM
- > **70 MICRONS**
- > **11 MATT** COLOURS
- > **ADHESIVE** LINER


FLEX300	WIDTH MM	LENGTHS LM
COLOURS	500	5 - 25








1  
**FLEX300**  
PHOTO  
HEXIS UK  
UNITED KINGDOM

2  
**FLEX300**  
INSTALLATION  
G&G WERBETECHNIK  
SWITZERLAND





COLOURS



APPLICATION INSTRUCTIONS

PRESS TEMPERATURE	PRESS TIME	PRESSURE	LINER REMOVAL	FINAL PRESSURE
 150 °C	 15 sec.	 high	 While warm	 5 sec.

MAINTENANCE INSTRUCTIONS

MACHINE WASH	MACHINE DRY	IRONING
 wait for at least 24 h before washing 40 °C max.	 do not use bleach	 do not tumble dry
		 iron inside out



**SWATCHBOOKS / COLOUR CARDS**  
Order our colour cards and swatchbooks by writing to [export@hexis.fr](mailto:export@hexis.fr) or contact your local distributor



COLOURED  
FILM  
**FLEX400  
SERIES**


**ADHESIVE LINER**

**SPECIAL  
SUBLIMATED  
POLYESTER**

**DATA SHEET**

- > STRETCHABLE **POLYURETHANE** FILM
- > **110 MICRONS**
- > **5 MATT** COLOURS
- > **ADHESIVE** LINER

FLEX400	WIDTH MM	LENGTHS LM
COLOURS	500	5 - 25









- 1 FLEX400  
INSTALLATION  
ENERGY PUB  
RÉUNION
- 2 FLEX400  
INSTALLATION  
ENERGY PUB  
RÉUNION
- 3 FLEX400  
INSTALLATION  
ENERGY PUB  
RÉUNION



### APPLICATION INSTRUCTIONS


PRESS TEMPERATURE		PRESS TIME		PRESSURE		LINER REMOVAL		FINAL PRESSURE	
	160 °C		20 sec.		high		While warm		10 sec.

### MAINTENANCE INSTRUCTIONS

MACHINE WASH		MACHINE DRY		IRONING			
	wait for at least 24 h before washing		do not use bleach		do not tumble dry		iron inside out
	40 °C max.						



**SWATCHBOOKS / COLOUR CARDS**  
 Order our colour cards and swatchbooks  
 by writing to [export@hexis.fr](mailto:export@hexis.fr) or contact  
 your local distributor



# PRINTABLE FILM PRINTFLEX UFLEXMAXI

## NON-ADHESIVE LINER

### SPECIAL COTTON, POLYESTER\*, MIXED FABRICS

Thanks to its remarkable elasticity, the **UFLEXMAXI** is recommended for producing medium to large-sized graphics. It is particularly suited to flexible and lightweight fabrics.






## DATA SHEET

- > STRETCHABLE **POLYURETHANE** FILM
- > **85 MICRONS**
- > **WHITE MATT** (OPAQUE)
- > **NON-ADHESIVE** LINER
- > COMPATIBILITY   





WIDTHS MM	LENGTHS LM
500	25
750	25
1000	25
1500	25

\*Except Softshell.

## APPLICATION INSTRUCTIONS

PRESS TEMPERATURE	PRESS TIME	PRESSURE	LINER REMOVAL	FINAL PRESSURE
 160 °C	 20 sec.	 high	 while hot	 5 sec. with protective sheet

## MAINTENANCE INSTRUCTIONS

MACHINE WASH	MACHINE DRY	IRONING
 wait for at least 24 h before washing 60°C max.	 do not use bleach	 do not tumble dry
		 iron inside out





PRINTABLE  
FILM  
PRINTFLEX  
UFLEX7PV2

DATA SHEET

- > STRETCHABLE **POLYURETHANE** FILM
- > **85 MICRONS**
- > **WHITE MATT**
- > **NON-ADHESIVE** LINER
- > COMPATIBILITY   



**NON-ADHESIVE  
LINER**






**SPECIAL COTTON  
AND POLYESTER\***

The **UFLEX7PV2** is specifically designed for printed graphics allowing cutting into printed areas. Its composition makes detailed cut-outs in solid colours possible and the ink drying time is almost nil. Thanks to its non-adhesive liner, it is easy to weed.





WIDTHS MM	LENGTHS LM
500	25
750	25
1000	25
1500	25

\*Except Softshell.

APPLICATION INSTRUCTIONS

PRESS TEMPERATURE	PRESS TIME	PRESSURE	LINER REMOVAL	FINAL PRESSURE
 140 °C	 15 sec.	 high	 while hot	 5 sec. with protective sheet

MAINTENANCE INSTRUCTIONS

MACHINE WASH	MACHINE DRY	IRONING
 wait for at least 24 h before washing 60°C max.	 do not use bleach	 do not tumble dry
		 iron inside out



HEXIS ADVICE

**What tape should I use?**  
We recommend using the HEX860 and HEX960 tapes for transferring designs created with UFLEXMAXI and UFLEX7PV2.



1  
UFLEXMAXI  
INSTALLATION ENERGY PUB I  
RÉUNION

2  
UFLEXMAXI  
INSTALLATION FÉROCE GRAPHICS I FRANCE

# PRINTABLE FILM PRINTFLEX UF1200

## ADHESIVE LINER

## SPECIAL COATED NYLON AND WATER- REPELLENT SUBSTRATES

The **UF1200** is designed for printed graphics intended for application on nylon and water-repellent substrates.

### DATA SHEET





- > STRETCHABLE **POLYURETHANE** FILM
- > **80 MICRONS**
- > **WHITE MATT**
- > **ADHESIVE** LINER
- > COMPATIBILITY  

WIDTHS MM	LENGTHS LM
500	30
750	30
1000	30

### APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESS TIME		PRESSURE		LINER REMOVAL		FINAL PRESSURE	
	160 °C		20 sec.		high		While warm		10 sec. with protective sheet

### MAINTENANCE INSTRUCTIONS

MACHINE WASH			MACHINE DRY			IRONING		
	wait for at least 24 h before washing				do not use bleach	do not tumble dry	iron inside out	
	40 °C max.							



# PRINTABLE FILM PRINTFLEX UF1400

## DATA SHEET

- > STRETCHABLE **POLYURETHANE** FILM
- > **125 MICRONS**
- > **WHITE MATT**
- > **ADHESIVE** LINER
- > COMPATIBILITY  






## ADHESIVE LINER

## SPECIAL SUBLIMATED FABRICS





The **UF1400** is specially treated for graphics intended to be transferred onto sublimated fabrics (polyester). Its composition prevents the ink from bleeding into the transferred graphics. It is the ideal product for customising sports shirts (football and cycling).

WIDTHS MM	LENGTHS LM
500	25
750	25

## APPLICATION INSTRUCTIONS

PRESS TEMPERATURE	PRESS TIME	PRESSURE	LINER REMOVAL	FINAL PRESSURE
 150 °C	 20 sec.	 high	 While warm	 10 sec. with protective sheet

## MAINTENANCE INSTRUCTIONS

MACHINE WASH	MACHINE DRY	IRONING
 wait for at least 24 h before washing 40 °C max.	 do not use bleach	 do not tumble dry
		 iron inside out



1  
UFLEX1200  
INSTALLATION HEXIS S.A.  
FRANCE

2  
UFLEX1200  
INSTALLATION ENERGY PUB  
RÉUNION

3  
UFLEX1200  
INSTALLATION  
FÉROCE GRAPHICS  
FRANCE

# PRINTABLE FILM PRINTFLEX UFLEXCLEAR

**ULTRA TRANSPARENT**

**NON-ADHESIVE LINER**

**SPECIAL COTTON  
& POLYESTER**

The **UFLEXCLEAR** is a transparent printable film, for mirror printing, that does not require the use of a transfer tape. It must be transferred onto white fabrics or must include a white support layer before being transferred onto coloured fabrics.

## DATA SHEET





- > STRETCHABLE **POLYURETHANE** FILM
- > **35 MICRONS**
- > **TRANSPARENT MATT**
- > **NON-ADHESIVE** LINER
- > COMPATIBILITY  

WIDTHS MM	LENGTHS LM
500	25
750	25
1250	25

## APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESS TIME		PRESSURE		LINER REMOVAL		FINAL PRESSURE	
	140 °C		15 sec.		high		while cold		5 sec. with protective sheet

## MAINTENANCE INSTRUCTIONS

MACHINE WASH			MACHINE DRY			IRONING		
	wait for at least 24 h before washing		do not use bleach		do not tumble dry		iron inside out	
	40 °C max.							



DATA SHEET

- > STRETCHABLE **POLYURETHANE** FILM
- > **80 MICRONS**
- > **WHITE MATT**
- > **ADHESIVE** LINER
- > COMPATIBILITY   






ADHESIVE LINER

SPECIFIC SPECIAL  
FABRICS





The **UFLEXCOLD** is a printable white film suitable for application on synthetic fabrics that are unable to withstand high-temperature application such as polyester and nylon. Use the HEX100, HEX900, HEX901, HEX902, HEX904, or HEX915 tapes with this product.

WIDTHS MM	LENGTHS LM
500	25
750	25
1000	25
1500	25

APPLICATION INSTRUCTIONS

PRESS TEMPERATURE	PRESS TIME	PRESSURE	LINER REMOVAL	FINAL PRESSURE
 80 °C	 15 sec.	 high	 while cold	 10 sec. with protective sheet

MAINTENANCE INSTRUCTIONS

MACHINE WASH	MACHINE DRY	IRONING
 wait for at least 24 h before washing 40 °C max.	 do not use bleach	 do not tumble dry
		 iron inside out



- 1 **UFLEXCLEAR**  
INSTALLATION HEXIS S.A.  
FRANCE
- 2 **UFLEXCOLD**  
INSTALLATION HEXIS S.A.  
FRANCE
- 3 **UFLEXCLEAR**  
INSTALLATION HEXIS S.A.  
FRANCE



# PRINTFLEX PRINTABLE FILM UFLEX5S

## NON-ADHESIVE LINER

## SPECIAL COTTON AND POLYESTER\*

The UFLEX5S film has been specially created for small letterings, heart or sponsor logos. Ideal for application on specialised clothing, this film allows cutting into printed areas or application without tape.

\*Except Softshell.

### DATA SHEET






- > STRETCHABLE **POLYURETHANE** FILM
- > **80 MICRONS**
- > **WHITE MATT**
- > **NON-ADHESIVE** LINER
- > COMPATIBILITY   








WIDTHS MM	LENGTHS LM
500	25
750	25
1000	25
1500	25

### APPLICATION INSTRUCTIONS





#### COTON

PRESS TEMPERATURE		PRESS TIME		PRESSURE		LINER REMOVAL		FINAL PRESSURE	
	160 °C		15 sec.		medium		while hot		5 sec. with protective sheet

#### POLYESTER

PRESS TEMPERATURE		PRESS TIME		PRESSURE		LINER REMOVAL		FINAL PRESSURE	
	130 °C		5 sec.		medium		while hot		5 sec.

### MAINTENANCE INSTRUCTIONS

MACHINE WASH			MACHINE DRY			IRONING	
	wait for at least 24 h before washing				do not use bleach	do not tumble dry	iron inside out
	60 °C max.						

## ACCESSORIES TEXTILE DECORATION


### HOT PRESS & PLATES



PRODUCT CODE	DESCRIPTION
PAEZAC	Paezac is a standard hot press with adjustable temperature and pressure.  Main plate: 40 x 50 cm

## ACCESSORIES HOT PRESS

### PRINT PROTECTION DURING HOT PRESSING



PRODUCT CODE	DESCRIPTION
FILFLEX	Fabric protective sheet Dimensions: 600 x 400 mm
TEFLEX	Protective sheet Thickness: 130 microns Dimensions: 438 x 500 mm

## TEXTILE FILM WEEDING ACCESSORIES

### TWEEZERS AND HOOK FOR WEEDING



PRODUCT CODE	DESCRIPTION
WEEDER3	Weeding hook
TWEEZ*	For use with the coloured vinyls for signage, digital printing films, FLEX and other products that need to be weeded. The product is unbranded, (without HEXIS logo)

\* Available while stocks last.

## TEXTILE FILM TRANSFER ACCESSORIES


### SQUEEGEES & TRANSFER FILMS



PRODUCT CODE	DESCRIPTION
MARBLEU	Soft squeegee
HEX750*	Transfer film 100 microns Low tack For use with UF1200 and UF1400
HEX860*	Transfer film 50 microns High tack For UFLEX7PV2 and UFLEXMAXI
HEX960*	Transfer film 100 microns High tack For UFLEX7PV2 and UFLEXMAXI

\* Dimensions available on pages 62





AUTOMOTIVE  
**PROTECTIVE  
FILMS**

# BODYFENCE PAINT PROTECTION FILMS



## PROTECTION AND CUSTOMISATION OF BODYWORK

HEXIS is offering a new-generation paint protection film. The BODYFENCE range, developed by HEXIS R&D, based on cutting-edge technology, offers efficient effective protection for your bodywork paint.

### PROTECTION AGAINST EXTERNAL AGGRESSIONS

- > SCRATCHES
- > STONE CHIPS
- > ABRASION
- > UV RAYS

In addition, this ultra-transparent PU film facilitates cleaning by preventing dirt from adhering to the paint, keeping your car...

### THE ADVANTAGES OF BODYFENCE:

- > SELF-HEALING
- > ULTRA TRANSPARENT
- > CHIP-RESISTANT
- > EASY TO INSTALL
- > CONFORMABLE
- > DURABLE
- > SELF-CLEANING

...FOREVER YOUNG!

PRODUCT CODES	FINISH	THICKNESS MICRONS	WIDTHS MM	LENGTHS LM
M1 BODYFENCE	gloss	155	615	5 - 10 - 20
			760	5 - 10 - 20
			1230	5 - 10 - 20
			1520	5 - 10 - 20
BODYFENCEM	matt	160	760	5 - 10 - 20
			1520	5 - 10 - 20

PRODUCT CODES	FINISH	THICKNESS MICRONS	WIDTHS MM	LENGTHS LM
N BLACKLIGHT	gloss	100	760	5 - 15
			1520	5 - 15



1



- 1 BODYFENCEM MATT FINISH
- 2 3 BODYFENCE GLOSS FINISH HEXIS S.A.

### HEXIS ADVICE



The BODYFENCE is available in a matt version. It matches matt paintwork perfectly or transforms gloss bodywork paint into a matt finish. Please contact us for more information.



**BROCHURE**  
Order your brochure by writing to [export@hexis.fr](mailto:export@hexis.fr) or contact your local distributor



## CARPROTECT FILMS

### PROTECTION AND CUSTOMISATION OF BODYWORK



The **CARPROTECT** is a self-adhesive transparent gloss film specially developed to provide durable protection of car bodywork (including headlights) against daily aggressions.

Two versions are available: CAR100B (PVC film for short term protection) and CARPRO300 (PU film for extreme protection, such as off-road).

PRODUCT CODES	THICKNESS MICRONS	LINER	WIDTH MM	LENGTHS LM
CAR100B	100	PE	1520	30

PRODUCT CODES	THICKNESS MICRONS	LINER	WIDTHS MM	LENGTHS LM
CARPRO300	300	PE	760	20
			1520	20

## HXR150BGR FILM



### PROTECTION AND DECORATION OF DOOR PILLARS

The **HXR150BGR** is a calendared polymeric PVC film with reinforced adhesive and a grained, matt black finish.

PRODUCT CODES	THICKNESS MICRONS	LINER	WIDTH MM	LENGTH LM
HXR150BGR	150	HEX'Press liner	1230	30




1  
CARPRO300  
HEXIS S.A.  
FRANCE

2  
HXR150BGR  
HEXIS UK  
UNITED KINGDOM

# HEXIS<sup>®</sup>

## DESIGN

### WHY HEXIS DESIGN?



\* Paint protection film

Versatile cutting software containing pre-cuts for application on vehicles, 2 databases available:

- BODYFENCE PPF\*
- WINDOW TINTING FILMS



EASY TO USE



SAVE MONEY



INCREASE PRODUCTIVITY



SAVE MATERIAL



NO MORE CUTS ON THE CAR

MORE THAN  
60,000 VEHICLES  
AVAILABLE



ANALYSIS TOOLS



For more information:

[www.hexis-design.com](http://www.hexis-design.com)


# AUTOMOTIVE SOLAR FILMS

## PROTECTION AND CUSTOMISATION OF WINDOWS

Designed specifically for top-of-the-range vehicles and four-wheel drive vehicles, this 46-micron tinted film is available in 5 shades of charcoal, ranging from light to dark.

Ideal for creating privacy and keeping valuables in the vehicle out of sight (car radio, bag, laptop, etc.).


RSE: Rejected solar energy  
LT: Light transmission  
VLR: Visible light reflection



PRODUCT CODES	RSE	LT	VLR	WIDTHS MM	LENGTHS LM
AUTO05CH	58 %	5 %	8 %	1520	15 - 30,50
AUTO15CH	56 %	15 %	8 %	1520	15 - 30,50
AUTO20CH	54 %	22 %	8 %	1520	15 - 30,50
AUTO30CH	51 %	30 %	8 %	1520	15 - 30,50
AUTO35CH	49 %	38 %	8 %	1520	15 - 30,50

Specially designed for tinted vehicle windows, this 46-micron film adds a cool, fresh titanium colour to your interior and makes a spectacular improvement to your driving comfort.

RSE: Rejected solar energy  
LT: Light transmission  
VLR: Visible light reflection




PRODUCT CODES	RSE	LT	VLR	WIDTHS MM	LENGTHS LM
AUTO10Ti*	72 %	12 %	25 %	1520	15 - 30,50
AUTO20Ti*	68 %	21 %	25 %	1520	15 - 30,50

\* Available until stocks last

The new range offers excellent value for money! These films offer superb thermoforming properties and are available in clearer shades for the most stringent markets.

RSE: Rejected solar energy  
LT: Light transmission  
VLR: Visible light reflection



PRODUCT CODES	RSE	LT	VLR	WIDTHS MM	LENGTHS LM
TINT05CH	46 %	5 %	5 %	1520	LM
TINT15CH	46 %	12 %	5 %	1520	15 - 30,50
TINT35CH	39 %	32 %	6 %	1520	15 - 30,50
TINT50CH	37 %	44 %	7 %	1520	15 - 30,50
TINT60CH	29 %	59 %	8 %	1520	15 - 30,50

# AUTOMOTIVE SOLAR FILMS

## PROTECTION AND CUSTOMISATION OF WINDOWS

CLEAR86CR and CLEAR85CR are ceramic films. They provide UV and solar heat (IR) control while remaining highly transparent. The CLEAR85CR film can also be installed on boats.

RSE: Rejected solar energy  
LT: Light transmission  
VLR: Visible light reflection  
IRR: Infrared rejection

CLEAR



PRODUCT CODES	RSE	LT	VLR	IRR	WIDTHS MM	LENGTHS LM
CLEAR86CR	31%	86%	6%	67%	1520	15 – 30.50
CLEAR85CR	30%	85%	6%	39%	1520	15 – 30.50



1



INFORMATION



Before installing your film, please review your country's regulations applicable to solar films and especially to windshield protection films to ensure compliance with all the applicable standards.



- 1 CLEAR86CR
- 2 CLEAR86CR
- 3 CLEAR86CR



LINK MX | FRANCE



ALLO ATELIER | FRANCE



DECORA PUBLICITÉ | SWISS



THOMA WERBETECHNIK | SWITZERLAND



BLANC PUBLICITÉ | FRANCE



STICKAUTO | FRANCE



AUTOKOSMETIK | LIECHTENSTEIN



CONCEPT COVERING | FRANCE



METAMORCHOSE | FRANCE



RAD VINYLs | SWEDEN



SIGN TECH | USA



ALSTOM | FRANCE



OXYGRAVURE | FRANCE



PUBLI-CITY | REUNION ISLAND



SUD LASER | FRANCE



# BUILDING FILMS

# PROTECTIVE FILMS BUILDING

## SILVER FILMS

Reflective appearance – reflective, silver, mirror-like finish from the outside, perfect view from the inside.

RSE: Rejected solar energy  
LT: Light transmission  
VLR: Visible light reflection

PRODUCT CODES	APPLICATION	RSE	LT	VLR	WIDTHS MM	LENGTHS LM
BSOR20i2	indoor	79%	18%	60%	1523	15 – 30.50
BSOR15x2	outdoor	84%	15%	65%	1523	15 – 30.50
BSOR35i2	indoor	67%	35%	44%	1523	15 – 30.50
BSOR35x2	outdoor	69%	36%	41%	1523	15 – 30.50
BSOR50i2	indoor	58%	59%	26%	1523	15 – 30.50
BSOR50x2	outdoor	52%	59%	22%	1523	15 – 30.50

## BRONZE FILMS

Mirror appearance – reflective, bronze, mirror-like finish from the outside, perfect view from the inside.


RSE: Rejected solar energy  
LT: Light transmission  
VLR: Visible light reflection

PRODUCT CODES	APPLICATION	RSE	LT	VLR	WIDTHS MM	LENGTHS LM
BSOB20i2	indoor	77%	20%	36%	1523	15 – 30.50
BSOB20x2	outdoor	80%	11%	18%	1523	15 – 30.50



1  
BSOR20i2

2  
BSORD60i2



## NEUTRAL FILMS

Mirror appearance – low-reflection, tinted finish from the outside, perfect view from the inside.

RSE: Rejected solar energy  
LT: Light transmission  
VLR: Visible light reflection

PRODUCT CODES	APPLICATION	RSE	LT	VLR	WIDTHS MM	LENGTHS LM
BSON20x2	outdoor	74%	20%	37%	1523	15 – 30.50
BSON50i2	indoor	55%	48%	16%	1523	15 – 30.50

## INSULATING FILMS

Mirror appearance – (combats heat loss) reflective finish. Lowers solar energy still being very clear once installed.

RSE: Rejected solar energy  
LT: Light transmission  
VLR: Visible light reflection

PRODUCT CODES	APPLICATION	RSE	LT	VLR	WIDTH MM	LENGTHS LM
BSOT35i2	indoor	66%	38%	37%	1523	15 – 30.50

## ANTI-INTRUSION AND ANTI-SCRATCH SOLAR FILMS

These films increase the intrusion time in the event of an attempted break-in.

If the glass is broken, they retain the glass fragments and help prevent injury.

RSE: Rejected solar energy  
LT: Light transmission  
VLR: Visible light reflection

PRODUCT CODES	APPLICATION	RSE	LT	VLR	WIDTHS MM	LENGTHS LM
BSE50i	indoor	19%	88%	10%	1523	15 – 30.50
BSE100iV2	indoor	16%	90%	7%	1523	15 – 30.50
BSE100xV2	indoor	16%	93%	7%	1523	15 – 30.50

MI

# PROTECTIVE FILMS BUILDING

## SPECIALTY FILMS

RSE: Rejected solar energy  
LT: Light transmission  
VLR: Visible light reflection

PRODUCT CODES	PROPERTIES	APPLICATION	RSE	LT	VLR	WIDTHS MM	LENGTHS LM
BSOM15i2	one-way mirror	indoor	82%	10%	63%	1523	15 – 30.50
BSORD60i2	discolouration retardant	indoor	57%	62%	14%	1523	15 – 30.50
BSOAT40i2	against thermal shocks	indoor	66%	47%	29%	1523	15 – 30.50
BSOI80x2	invisible	outdoor	45%	78%	9%	1523	15 – 30.50
MIAMI	dichroic	indoor	39%	72%	10%	1360	15 – 30.50

### INFORMATION




For further information regarding installation and removal of these products, please refer to the application guides available on our website: [www.hexis-graphics.com](http://www.hexis-graphics.com)



<sup>1</sup> MIAMI  
HEXIS S.A.  
FRANCE

<sup>2</sup> MIAMI  
NEON GRAPHICS  
AUSTRALIA



1

2

# HOW DO I CHOOSE THE RIGHT BUILDING SOLAR FILM?



**YOU CAN CHOOSE  
YOUR BUILDING  
SOLAR FILM  
ACCORDING TO  
THE FOLLOWING  
CRITERIA:**

film tint

installation of the film on  
the indoor or outdoor  
surface of the window

the type of window  
(single/double glazing,  
tinted or not)

durability

To avoid thermal shocks,  
HEXIS recommend  
using a film intended for  
outdoor installation.

## INFORMATION



For further information  
regarding installation  
and removal of these  
products, please refer to  
the respective application  
guides available  
on our website:  
[www.hexis-graphics.com](http://www.hexis-graphics.com)



**1**  
BSOR15X2  
LAURENT GRENIER  
FRANCE

**2**  
BSOR15X2  
LAURENT GRENIER  
FRANCE

# HOW DO I CHOOSE THE RIGHT BUILDING SOLAR FILM?


PRODUCT CODE	APPLICATION		TINT	COMPATIBILITY DEPENDING ON GLAZING									
	INDOOR	OUTDOOR		SINGLE GLAZING			DOUBLE GLAZING						
				CLEAR	TINTED	REFLECTIVE TINT	CLEAR	TINTED	REFLECTIVE TINT	LOW EMISSION (INERT GAS FILLING)	LAMINATED (LAMINATED GLASS FACING OUTWARDS)	LAMINATED (LAMINATED GLASS FACING INWARDS)	
BSOR20i2	✓			✓	✓	✓							
BSOR15x2		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
BSOR35i2	✓		reflective silver	✓	✓	✓	✓		✓				
BSOR35x2		✓		✓	✓	✓	✓		✓	✓	✓	✓	✓
BSOR50i2	✓			✓	✓	✓	✓		✓		✓		
BSOR50x2		✓		✓	✓	✓	✓		✓	✓	✓	✓	✓
BSOB20i2	✓		bronze	✓		✓			✓				
BSOB20x2		✓		✓		✓	✓		✓				
BSON20x2		✓	grey, low-reflection	✓	✓	✓	✓	✓	✓				✓
BSON50i2	✓			✓		✓			✓				
BSOT35i2	✓		reflective (heat reflection)	✓	✓	✓	✓		✓			✓	
BSOM15i2	✓		one-way mirror	✓		✓			✓				
BSORD60i2	✓		discolouration retardant	✓	✓	✓	✓	✓	✓			✓	
BSOI80x2		✓	invisible	✓		✓	✓		✓				✓
BSOAT40i2	✓		anti-thermal shocks	✓	✓	✓	✓	✓	✓	✓	✓	✓	
MIAMI	✓		dichroic	✓		✓			✓				



**SWATCHBOOKS / COLOUR CARDS**  
 Order our colour cards and swatchbooks by writing to [swatches@hexis.fr](mailto:swatches@hexis.fr)







TOOLS  
& **ACCESSORIES**

# SHAG APPLICATION ACCESSORIES



## HIGH-PERFORMANCE SQUEEGEES



PRODUCT CODES	DESCRIPTION
LIBERTE	Blue squeegee – soft
EGALITE	White squeegee – hard
FRATERNITE	Red squeegee – medium
FRENCHBOX	Box of 3 squeegees + 3 squeegee protectors
NINJATOOL	Tool to help insert the film into the window seal
SHAGFENCEM	Squeegee for BODYFENCE and solar protection films – 15 cm
SHAGFENCES	Squeegee for BODYFENCE and solar protection films – 9.5 cm
MAXBLUE	Soft squeegee for applying solar films
SHAGCHIZ	Finishing squeegee for automotive solar film
SHAGBODY	Standard squeegee for applying BODYFENCE and solar protection films



**OTHER ACCESSORIES**

	PRODUCT CODES	DESCRIPTION
	POIGNVTR	Handle for cleaning blade, compatible with LAMEVITR15, LAMEVITR30, LAMEVITRE and MAXBLUE
	SHAGKNIFE	Cutter
	SHAGDRILL	Bubble popper. For releasing air after the film has been applied
	TWEEZ*	Standard weeding tweezers For use with colour and digital printing films, FLEX and other products that need to be weeded. Unbranded product, no HEXIS logo
	SHAGCUT	Liner shaping tool (slits liner)
	SHAGFELT	Pre-cut felt edges (pack of 5)
	WRAPBELT	SHAG tool belt
	SHAGWIRE	Wire for removal of logos, letterings and markings from vehicles
	SPRAYBOX	SHAG 1.5 L sprayer
	HEXSTRAP	Magnetic strap
	SQUEEBAND	Magnetic band for squeegee
	HEXMAGNET	Magnet with fabric protector

# APPLICATION TOOLS

## HIGH-PERFORMANCE SQUEEGEES



PRODUCT CODES	DESCRIPTION
MARMAGN*	Magnetic squeegee
MARVITRE	Standard squeegee for windows
MARBLEU	Soft squeegee
MARBLEUF	Soft squeegee with red felt edge
MAROR	Medium squeegee
MARNOIR	Hard squeegee
FEUTRE	Felt squeegee

\* Available while stocks last

## STANDARD SQUEEGEES & ACCESSORIES



PRODUCT CODES	DESCRIPTION
PLASSOUPLE	Plastic squeegee Soft finish
PLASMOYEN	Plastic squeegee Medium finish
SHARPTOOL	Squeegee sharpener

## FELTS



PRODUCT CODES	DESCRIPTION
<b>FEUTROUGE1</b>	Red self-adhesive felt Can be cut and stuck to A5 squeegees. Sold individually
<b>FEUTROUGE2</b>	Red self-adhesive A5 felt Sold in packs of 10
<b>FEUTGRIS*</b>	Super-strong self-adhesive textile Avoids scratching Sold in packs of 5 Size 110 x 20 mm
<b>HEXFELT</b>	Microfibre felt Size 25 mm x 5 lm

## SPECIALTIES



PRODUCT CODES	DESCRIPTION
<b>EASYSEAL</b>	Set of 2 seal lifters
<b>BLAKSQUEEG*</b>	Extra flexible squeegee, perfect for applying BODYFENCE on concave and highly curved surfaces
<b>YELSQUEEG*</b>	Handle and semi-soft squeegee for applying BODYFENCE on flat and 3D surfaces
<b>YELSPARE*</b>	Semi-soft replacement squeegee for YELSQUEEG
<b>BLUESQUEEG*</b>	Hard squeegee for applying BODYFENCE on flat surfaces, compatible with the YELSQUEEG handle
<b>SQUEEGEEXL</b>	Large squeegee with felt for large areas

\* Available while stocks last

# APPLICATION TOOLS

## ROLLER



PRODUCT CODE	DESCRIPTION
APPLIC15	15 cm rubber roller with wooden handle Perfect for applying graphics and letters

## SEALING VARNISH



PRODUCT CODES	DESCRIPTION
SEALIT	Varnish pen for sealing the edges of graphics Sold individually
VR7077	Sealing varnish to consolidate overlaps and/or extend the durability of edges. Used mainly with microperforated or solar films. Sold in a 250 ml bottle with a paintbrush in the cap

## POSITIONING TAPE



PRODUCT CODES	DESCRIPTION
TIRO19X50	Masking tape used for positioning vinyl before application Size: 19 mm x 50 lm or 25 mm x 50 lm Sold individually or in boxes of 24 or 48 rolls
TIRO25X50	

## SPRAY BOTTLES



PRODUCT CODES	DESCRIPTION
PULVERISAT	Spray bottle for liquids such as EASYPOSE, capacity 75 cl

## ERASABLE MARKERS



PRODUCT CODE	DESCRIPTION
ERASMARKER	4 BIC VELLEDA dry erase markers
BLACK	ALL STABILO™ wax pencils For writing on various substrates such as glass, metal, plastic, etc. Sold in packs of 12
WHITE	

## ROLL-OUT MEASURING TAPE



PRODUCT CODE	DESCRIPTION
DMTRUBFR	Measuring tape, 5 m Box customised with the HEXIS logo

## WHITE COTTON GLOVES



PRODUCT CODES	DESCRIPTION
GANTSIMN*	Special gloves for handling digital prints without leaving marks or fingerprints Sold in pairs, one size
GANTSCOV**	Thin gloves specially designed for applying full wraps Sold in pairs, one size

\* Available while stocks last

\*\* Will be replaced by a new design in the SHAG range for 2019

# APPLICATION TOOLS

## TOOL BELT



PRODUCT CODE	DESCRIPTION
CEINTOUTIL*	This belt is perfect for wrap tools or solar film application tools

## DOUBLE-SIDED TAPE



PRODUCT CODES	DESCRIPTION
DOUBLEF25	Standard double-sided tape for indoor use Size 25 mm x 50 lm
DOUBLEF50	Standard double-sided tape for indoor use Size 50 mm x 50 lm

## BUBBLE POPPER



PRODUCT CODE	DESCRIPTION
BUBBLETOOL*	Bubble popper Special, extra fine, retractable tip For releasing air after the film has been applied

## MEDIA UNWINDERS



PRODUCT CODE	DESCRIPTION
DEROULANT	Tabletop roll holder Makes unwinding, cutting and laminating your graphics easier Dimensions: 1040 x 200 x 100 mm

\* Available while stocks last



# STORAGE ACCESSORIES

## ROLL HOLDERS




PRODUCT CODE	DESCRIPTION
STOCKNROLL	Storage and transportation of up to 6 rolls



**1**  
 ---  
**COMPACT**  
 60 cm  
 diameter  
 base  
 ---




**4**  
 ---  
**MADE IN  
 FRANCE**  
 100% made  
 in France  
 ---




**2**  
 ---  
**SECURE**  
 Patented  
 roll storage/  
 transportation  
 system  
 ---



**5**  
 ---  
**HIGH PRODUCTIVITY**  
 Multiple gains  
 in productivity  
 ---



**3**  
 ---  
**CLEAN**  
 Slightly elevated  
 platform  
 ---



**6**  
 ---  
**PRACTICAL**  
 Identification space  
 on the trolley  
 ---

# REMOVAL TOOLS

## SCRAPERS



**PRODUCT CODES**

**DESCRIPTION**

**CARSCRAPER**

Set including a scraper and 25 blades



**SCRUBFLOOR**

Floor and window scraper



**SCRUBBLADE**

Replacement blades for SCRUBFLOOR



**GRATLAM100**

Retractable metallic scraper for LAME100



**LAME100**

Replacement blades for GRATLAM100  
Sold in packs of 100



**GRATTOIR**

Soft scraper



**GRATTOIR10**

10 soft scrapers

## CLEANING BLADES



PRODUCT CODES	DESCRIPTION
POIGNVITR*	Handle for cleaning blade, compatible with LAMEVITR15, LAMEVITR30, LAMEVITRE and MAXBLUE
MAXBLUE*	Very soft Teflon® squeegee for applying solar films
MAXHANDLE	Handle for MAXBLUE
LAMEVITR15	15 cm cleaning blade for POIGNVITR
LAMEVITR30	30 cm cleaning blade for POIGNVITR
LAMEVITRE	20 cm cleaning blade for POIGNVITR

\* There will be a new design in the SHAG range for 2019.

## VINYL ZAPPER



PRODUCT CODES	DESCRIPTION
MBX	Electric sander with rubber wheel This tool makes it quick and easy to remove old vinyls and adhesive
WHEEL	Wheel for the Vinyl Zapper Sold individually

## SWATCH- BOOK & COLOUR GUIDE



PRODUCT CODES	DESCRIPTION
PANTONE	Swatchbook PANTONE COLOR BRIDGE COATED
RAL	Swatchbook RAL K7

## ROLL ACCESSORIES

### ROLL COLLARS AND HEXNOTE



PRODUCT CODES	DESCRIPTION
DSERBORG M	Roll collars, large, red For clipping onto open digital printing or plotter film rolls Sold in packs of 50
DSERBORP M	Roll collars, small, red For clipping onto open digital printing or plotter film rolls Sold in packs of 50
HEXNOTE	Roll identification tab For inserting into roll cores when stored vertically in order to identify them. Sold in packs of 10

# CUTTING TOOLS

## CUTTING PLOTTER BLADES



PRODUCT CODES	DESCRIPTION
ROLAND CAMM1	Blade angle 45°
GRAPHTEC	Blade angle 30°
MIMAKI / SUMMAGRAPHIC (REF 3D)	Blade angle 45°
MUTOH* / EMBOSSTRAC	Blade angle 45°

\* Available while stocks last

## CUTTERS



PRODUCT CODES	DESCRIPTION
CUTSOFT	Cutter with adjustable pressure on the blade
BLADESOFT	Blades for CUTSOFT
CUTOLFA25	OLFA® cutter with 25 mm blade
LAMOLFA25	Refill: 5 x 25 mm steel blades for CUTOLFA25
CUTVITRE	OLFA® cutter with retractable blade Sold with 1 blade

# CUTTING TOOLS

## CUTTERS



PRODUCT CODES	DESCRIPTION
CUTLAME	Refill: 25 mm steel blades for CUTVITRE, pack of 50
CUTOLFA30*	OLFA® cutter 30°
LAMOLFA30	Refill: OLFA® blades for CUTOLFA30, pack of 10
CUTOLFASIL*	Silver OLFA® cutter
LAMOLFAS10	Refill: Silver OLFA® blades for CUTOLFASIL, pack of 10
LAMOLFAS50	Refill: Silver OLFA® blades for CUTOLFASIL, pack of 50
LAMOLFAXBL	Refill: Excel Black OLFA® blades for CUTOLFASIL, pack of 50
BLADECAN	Blade breaker and box for used cutter blades
GUIDEDCUT	Cutter with cutting guide
GCBLADE	Blades for GUIDEDCUT

\* Available while stocks last

## CUTTERS



PRODUCT CODES	DESCRIPTION
CUTTER*	Fixed-blade cutter Sold with 2 blades
BCUTTERMAR	MARTOR Pro red snitty cutter
CUTVINYL*	Accessory for slitting the liner
CUTVINYLXL	Accessory for slitting the liner Long handle
CUTSHOES	Protective blade for CUTVINYL and CUTVINYLXL
CUTBLADE	10 replacement blades for CUTVINYL and CUTVINYLXL

\* Available while stocks last




## MISCELLANEOUS





PRODUCT CODES	DESCRIPTION
CURVCUTTER	Cutting pliers for rounding angles
CURVPADS	Protective tips for CURVCUTTER Sold in packs of 5
CURVBLADE	Replacement blade for CURVCUTTER
TAPIS	Anti-slip cutting mat, resistant to tools like cutters and scalpels. Mat sold without cutter Dimensions 90 x 62 cm

# CUTTING TOOLS

## RULERS

	PRODUCT CODES	DESCRIPTION
	REGLET30	Metal ruler 30 cm
	REGLET50	Metal ruler 50 cm
	REGLET100	Metal ruler 100 cm

## SAFETY RULERS

	PRODUCT CODES	DESCRIPTION
	SAFERUL050	Safety ruler with ergonomic rail, 50 cm
	SAFERUL100	Safety ruler with ergonomic rail, 100 cm
	SAFERUL150	Safety ruler with ergonomic rail, 150 cm



# CUTTING TOOLS

## TWEEZERS & WEEDING HOOKS




PRODUCT CODES	DESCRIPTION
<b>HEXCROCH</b>	Installation finishing hook Ideal for getting into difficult-to-reach areas
<b>TWEEZ*</b>	Standard weeding tweezers For use with the colour and printable films, FLEX and other products that need to be weeded. Unbranded product, no HEXIS logo
<b>FLATTWEEZ</b>	Round-tipped tweezers Used when applying or removing full wraps The round tips make it possible to handle the film without any risk of scratching it. Unbranded product, no HEXIS logo
<b>WEEDER3</b>	Weeding hook Tool that makes weeding vinyl easy



\* There will be a new design in the SHAG range for 2019.







# ACCESSORIES FOR FULL WRAPS

## MISCELLANEOUS



PRODUCT CODES	DESCRIPTION
<b>MANCHETTE3</b>	Leather wristband For carrying accessories
<b>PISTHERMIQ</b>	Heat gun
<b>PISTLASER3</b>	Laser thermometer
<b>AIMANT2</b>	Magnet to make it easier to position your graphics on the car body Sold individually
<b>AIMANTXL</b>	XL magnet for positioning your graphics on the car body. Sold individually
<b>COVSEAT4</b>	Stool on wheels
<b>STRIKERSET</b>	Staple remover kit for standard vehicles
<b>REMOVLOGO*</b>	For easy removal of logos, letterings and markings on vehicles
<b>RIVETBRUSH</b>	Application accessory for riveted surfaces
<b>ROLLCOV</b>	Application wheel
<b>ROLLRIV</b>	Application wheel for application over rivets

\* Available while stocks last

PRODUCT CODES	DESCRIPTION
	<p><b>TIRODECO</b></p> <p>Thin cutting tape Size 6 mm x 33 lm</p>
	<p><b>BODYKNIFE2</b></p> <p>"Cutting wire" tape for applying BODYFENCE and solar protection films</p>
	<p><b>WRAPKNIFE</b></p> <p>For cutting films, from simple to very complex shapes, without scratching the bodywork Size 3 mm x 45 lm</p>
	<p><b>GANTSCOV**</b></p> <p>Thin gloves specially designed for applying full wraps Sold in pairs. One size</p>
	<p><b>MALETTE*</b></p> <p>Empty tool case</p>
	<p><b>STEAMERSC1</b></p> <p>High pressure steamer for applying BODYFENCE</p>

\* Available while stocks last.

\*\* There will be a new design in the SHAG range for 2019.

## ACCESSORIES FOR SOLAR FILMS



PRODUCT CODES	DESCRIPTION
<b>BERLAP</b>	White squeegee for applying solar films to the rear windows of vehicles
<b>BERLNET*</b>	Grey squeegee for cleaning windows
<b>GRATLAM100</b>	Retractable metal scraper for LAME100
<b>LAME100</b>	Replacement blades for GRATLAM100 Sold in packs of 100
<b>GRATTOIR</b>	Soft scraper
<b>GRATTOIR10</b>	10 soft scrapers
<b>BODYKNIFE2</b>	"Cutting wire" tape for applying BODYFENCE and solar protection films
<b>PIADZGREY</b>	Application squeegee Hard finish
<b>PIADZROUGE</b>	Application squeegee Medium finish
<b>PORTECOV</b>	Protection for the vehicle interior during application of solar films

\* Available while stocks last



PRODUCT CODES	DESCRIPTION
CONQUER*	Tool to help insert the film into the window seal
POIGNVITR**	Handle for cleaning blade, compatible with LAMEVITR15, LAMEVITRE and MAXBLUE
LAMEVITR15	15 cm cleaning blade for POIGNVITR
MAXHANDLE	Handle for MAXBLUE
MAXBLUE**	Very soft Teflon® squeegee for applying solar films
LILCHIZ*	Finishing squeegee with right angle
MARBLEU	Soft squeegee
MARBLEUF	Soft squeegee with red felt edge
MAROR	Medium squeegee
MARNOIR	Hard squeegee
MARJO	47 cm to be cut to size Teflon® squeegee Does not scratch the windows
MARVITRE	Standard squeegee for windows

\* Available while stocks last.

\*\* There will be a new design in the SHAG range for 2019.

# BANNER TOOLS AND ACCESSORIES

## FASTENING & HANGING SYSTEM



PRODUCT CODES	DESCRIPTION
KITPRESSE	Manual eyelet press
HARDEYELET	Alternative to metal eyelets and/or plastic reinforcement for the contours of eyelets Sold in boxes of 100
OEILLET10L	Pack of 1000 brass eyelets Ø 10 mm
OEILLET10N	Pack of 1000 nickel eyelets Ø 10 mm
JEUSERT10	Punching tool for 10 mm eyelets Sold individually
OEILLET12L	Pack of 500 brass eyelets Ø 12 mm
OEILLET12N	Pack of 500 nickel eyelets Ø 12 mm



PRODUCT CODES	DESCRIPTION
<b>JEUSERT12</b>	Punching tool for 12 mm eyelets Sold individually
<b>OEILLET15L</b>	Pack of 250 brass eyelets Ø 15 mm
<b>OEILLET15N</b>	Pack of 250 nickel eyelets Ø 15 mm
<b>JEUSERT15</b>	Punching tool for 15 mm eyelets Sold individually
<b>STRONGBAN3</b>	Strong double-sided adhesive tape for banner hems Size 25 mm x 50 lm

# CLEANING LIQUIDS

## BEFORE APPLICATION



PRODUCT CODES	DESCRIPTION
<b>CANTAP</b>	Tap-cap for 5 L can
<b>B0006*</b>	Environment-friendly liquid for cleaning before or after application Box of 4 x 5 L
<b>B00065L*</b>	Environment-friendly liquid for cleaning before or after application 5 L can
<b>REMOVER1L</b>	Efficiently removes: glue residues, tar, lubricants, resins, oil, etc. 1 L can
<b>PRECLE60CL*</b>	Universal cleaner for preliminary cleaning before full wraps. Sold with a 60 cl spray bottle
<b>PRECLEANER5L*</b>	Universal cleaner for preliminary cleaning before a full wrap application. 5 L can
<b>FINAL1L</b>	Universal cleaner for final cleaning before a full wrap application. 1 L can
<b>MFKIT</b>	This pack of microfibre cloths helps remove contaminants from wrapped surfaces without leaving any traces and without any risk of scratching; also avoids mixing products during the cleaning process. Dimensions 40 x 40 cm
<b>PAINTRUB</b>	For decontamination of substrates Always use with an aqueous solution

\* Available while stocks last



**DURING APPLICATION**



PRODUCT CODES	DESCRIPTION
<b>EASYP0SE2L</b>	Liquid that makes it easier to apply self-adhesive products by reducing their tack. Ideal for applying Cristal C4000 and etched glass films. Do not use with HX products or solar films.
<b>EASYP0SE5L</b>	Liquid that makes it easier to apply self-adhesive products by reducing their tack. Ideal for applying Cristal C4000 and etched glass films. Do not use with HX products or solar films.
<b>HEXISO2L</b>	Mild degreaser 2 L can
<b>HEXISO5L</b>	Mild degreaser 5 L can
<b>MAGICSPRAY</b>	For easier application of vinyl without scratching Capacity 50 cl
<b>HEXISGEL1L</b>	For easier application of adhesive products (BODYFENCE, V202CG1, Cristal C4000, PURE ZONE®, etc.)
<b>HEXISGEL5L</b>	For easier application of adhesive products (such as BODYFENCE, V202CG1, Cristal C4000, PURE ZONE®, etc.)

# CAR MAINTENANCE PRODUCTS

## CLEANING LIQUIDS



### PRODUCT CODES

#### LASERWASH

### DESCRIPTION

This revolutionary product is for washing, polishing and protecting without a single drop of water. Its unique formulation revives the shine of any wrapped surface. Approved by our R&D laboratory, this product guarantees professional results without any risk of scratching in the shortest possible time (approximately 20 minutes for complete exterior cleaning).



#### SHAMPCAR

The ProTech® concentrated car shampoo is specially formulated to remove static charges and leave car bodywork gleaming. It can be applied on any paintwork and does not leave any traces. Capacity 50 cl



#### MATCLEAN

The ProTech® MATCLEAN cleaner is specially formulated for vehicles wrapped with matt films. It cleans, protects and mattifies the wrapped surface. Capacity 50 cl

**SPECIAL LIQUIDS**



PRODUCT CODES	DESCRIPTION
HEXAG	Product for removing graffiti from films such as the AG800, AG700, AG900, etc.

\* Available while stocks last

**MULTIPURPOSE LIQUIDS**



PRODUCT CODES	DESCRIPTION
REMOVER1L	Efficiently removes: glue residues, tar, lubricants, resins, oil, etc. 1 L can

## CAR MAINTENANCE PRODUCTS

### OTHER LIQUIDS



PRODUCT CODES	DESCRIPTION
<b>B0006*</b>	Environment-friendly liquid for cleaning before or after application Box of 4 x 5 L
<b>B0065L</b>	Environment-friendly liquid for cleaning before or after application 5 L can

\* Available while stocks last

## CLEANING ACCESSORIES



PRODUCT CODES	DESCRIPTION
<b>PROCASE*</b>	Rigid black carry case Contains: LASERWASH, MATCLEAN, SHAMPCAR
<b>MFKIT</b>	This pack of microfibre cloths helps remove contaminants from wrapped surfaces without leaving any traces and without any risk of scratching. Dimensions 40 x 40 cm Sold in packs of 3



# 2019 events

Mark your calendar!  
Meet your HEXIS team  
at the following worldwide shows

## MARCH

**13 14 15** IAAE / Tokyo / *Japan*  
Visit HEXIS at booth #3116 of SOFT99

**26 27 28** SIFER / Lille / *France*  
Visit HEXIS at booth #1/538

**26 27 28** Sign & Print Expo / Gorinchem / *Netherlands*  
Visit us at booth #J120 of HEXIS NEDERLAND

**26 27 28 29** Graphispag / Barcelona / *Spain*  
Visit HEXIS at booth #B33

## APRIL

**02 03 04** Sign & Digital UK / Birmingham / *United Kingdom*  
Visit us at booth #L40 Hall 3-3A of HEXIS UK

**09 10 11** Reklama / Prague / *Czech Republic*  
Visit HEXIS at booth #4-A08 of COMIMPEX

## MAY

**14 15 16 17** FESPA Global Print Expo / Munich / *Germany*  
Visit HEXIS at booth #A4-M50

## JUNE

**04 05 06** Automechanika / Birmingham / *United Kingdom*  
Visit us at booth #R175 of HEXIS UK

**23 24 25** Auto Show / Wuhan / *China*  
Visit HEXIS at the booth of NINGBO SO-FINE

## JULY

**01 02 03** CIAACE / Guangzhou / *China*  
Visit HEXIS at the booth of NINGBO SO-FINE

**04 05 06 07** Goodwood Festival of Speed / Chichester / *United Kingdom*  
Visit us at booth #129-130 of HEXIS UK

## AUGUST

**13 14 15 16** Printex / Sydney / *Australia*  
Visit us at booth #F10

**22 23 24** FESPA Mexico / Mexico / *Mexico*

## SEPTEMBER

**11 12 13** FESPA Africa / Johannesburg / *South Africa*  
Visit HEXIS at booths of FALCON and KOLOK

**18 19** Sign, Print & Pack / Odense / *Denmark*  
Visit us at the booth of HEXIS ApS

**19 20 21 22** Sign Istanbul / Istanbul / *Turkey*  
Visit HEXIS at the booth of OTS

**24 25 26** C!Print / Madrid / *Spain*

Key events after the summer break

## OCTOBER

**16 17** Print in Progress / Paris / *France*

**10 11 12** Viscom / Milan / *Italy*

## NOVEMBER

**05 06 07 08** Sema Show / Las Vegas / *USA*

## DECEMBER

**05 06 07 08** FESPA Eurasia / Istanbul / *Turkey*



## OUR TRAINING COURSES

### WHO BETTER THAN HEXIS TO TEACH YOU HOW TO APPLY SELF-ADHESIVE FILMS?

For information on our  
training courses, write to:

[application.division@hexis.fr](mailto:application.division@hexis.fr)



### THE BASICS OF SELF-ADHESIVE FILMS

(1 to 2 days)

### FULL WRAPS

(1 to 3 days)

### BODYFENCE

(1 to 3 days)

### INTERIOR DECORATION

(2 days)

### WINDOW GRAPHICS

(2 days)

### AUTOMOTIVE SOLAR FILMS

(2 days)

### DIGITAL PRINTING

(2 to 3 days)

### ICC PROFILES

(1 day)

### CERTIFICATIONS

(1 to 2 days)



# TRAINING CENTRE



# WHICH COURSE SHOULD I CHOOSE?

## THESE COURSES CAN BE BOOKED INDEPENDENTLY

COURSE NAME	TYPE	DURATION
FOUNDATION OF SELF-ADHESIVE FILMS	Basic	1 to 2 days
FULL WRAPS	Basic	2 days
	Advanced	3 days
	Troubleshooting	1 to 2 days
BODYFENCE	Basic	2 days
	Troubleshooting	1 to 3 days
INTERIOR DECORATION	The world of HEXIS decoration	2 days
<b>N</b> WINDOW GRAPHICS	Basic	2 days
AUTOMOTIVE SOLAR PROTECTION FILMS	Basic	2 days
	Troubleshooting	2 days
DIGITAL PRINTING	Optimisation	2 days
	Advanced	3 days
ICC PROFILES		1 day
CERTIFICATIONS	BODYFENCE Certification	1 day
	SIGN Certification	1 day
	WRAP Certification	1 to 2 days







# FOUNDATION OF SELF- ADHESIVE FILMS



## BASIC

This course is recommended for any professional planning to work in the field of sign-making and visual communication. It aims to teach the basic principles of self-adhesive films and how they should be handled and applied.

### DURATION

1 to 2 days

### NUMBER OF PARTICIPANTS

4

## PROGRAMME

- > **KNOWLEDGE AND EVALUATION** OF THE DIFFERENT TYPES OF SELF-ADHESIVE FILMS
- > INTRODUCTION TO **TOOLS AND ACCESSORIES**
- > **PREPARATION** OF THE SUBSTRATE
- > **WEEDING** AND USE OF TRANSFER TAPE
- > **USING** THE SQUEEGEE
- > DRY AND WET APPLICATION **METHODS**
- > **APPLICATION TECHNIQUES** DEPENDING ON TYPE OF FILM
- > **CUTTING TECHNIQUES** ON DIFFERENT SUBSTRATES (PANELS, WINDOWS, CARS, ETC.)
- > **FINISHING TOUCHES**





# FULL WRAPS



## BASIC

This course is recommended for novices in self-adhesive film application and/or people intending to start up a full wrap business.

### DURATION

2 days

### NUMBER OF PARTICIPANTS

4 per car, 8 per trainer

### PROGRAMME

- > **LEARN HOW TO RECOGNISE AND ASSESS** DIFFERENT SELF-ADHESIVE FILMS
- > **INTRODUCTION** TO APPLICATION ACCESSORIES
- > **LEARN HOW TO USE** THE SQUEEGEE
- > **PREPARATION** OF THE VEHICLE: CLEANERS TO USE
- > **TIPS** FOR PREPARING THE FILM DESIGN
- > **ANALYSIS** OF THE TARGET SURFACE
- > **APPLICATION TECHNIQUES** FOR VINYL
- > **TECHNIQUES FOR APPLICATION OVER** CURVES AND COMPLEX PARTS
- > **USING** THE HEAT GUN
- > **TECHNIQUES FOR CUTTING** THE VINYL ON THE VEHICLE
- > **FINISHING TOUCHES**



## ADVANCED

This course covers all the tips and tricks needed to handle our self-adhesive films skilfully when performing a full wrap. The trainer will answer any questions and demonstrate the techniques in practice, taking into account the level of knowledge of each participant.

This course is recommended for people who already have some experience in applying self-adhesive films to flat surfaces.

### DURATION

3 days

### NUMBER OF PARTICIPANTS

4 per car, 8 per trainer

### PROGRAMME

- > **INTRODUCTION** TO THE WORLD OF SELF-ADHESIVE FILMS, **HOW TO CHOOSE** A PRODUCT DEPENDING ON ITS APPLICATION, THE TYPES OF ADHESIVES, THE TEMPERATURES
- > **CALCULATING THE AMOUNT OF VINYL** NEEDED TO COVER A VEHICLE
- > **TIPS** FOR PREPARING THE FILM DESIGN
- > **TOOLS AND ACCESSORIES**
- > **PREPARATION** OF THE VEHICLE: LIQUIDS TO USE
- > **APPLICATION TECHNIQUES** FOR FULL-WRAP SELF-ADHESIVE FILMS
- > **CUTTING AND FINISHING TOUCHES**

### INFORMATION



Training sessions are not to be used for full-wrap purposes.

The trainer will remove all films from the substrate at the end of the session.

After the course, each participant will be given a certificate of attendance.



# FULL WRAPS



## TROUBLESHOOTING

In this course, participants practise in detail applying the different parts of a full wrap on a car.

This course is aimed at experienced installers who want to further their knowledge and acquire more advanced application techniques: front and rear bumpers, exterior mirrors, door handles, cutting techniques, etc.

Its focus will depend on requests received and on the previous experience of the participants.

### DURATION

1 to 2 days


### NUMBER OF PARTICIPANTS

4 per car, 8 per trainer

## PROGRAMME

- > **INTRODUCTION** TO THE WORLD OF SELF-ADHESIVE FILMS, **HOW TO CHOOSE** A PRODUCT DEPENDING ON ITS APPLICATION, THE TYPES OF ADHESIVES, THE TEMPERATURES
- > **CALCULATING THE AMOUNT OF VINYL** NEEDED TO COVER A VEHICLE
- > **TIPS** FOR PREPARING THE FILM DESIGN
- > **TOOLS AND ACCESSORIES**
- > **PREPARATION** OF THE VEHICLE: LIQUIDS TO USE
- > **APPLICATION TECHNIQUES** FOR FULL-WRAP SELF-ADHESIVE FILMS
- > **CUTTING AND FINISHING TOUCHES**





# BODYFENCE / PAINT PROTECTION FILM



## BASIC

### DURATION

2 days



### NUMBER OF PARTICIPANTS

4 per car, 8 per trainer

This course is aimed at all professionals currently applying, or intending to start applying, paint protection films. The trainer will support each participant, taking into account their level of knowledge. The objective of the course is to learn how to apply the **BODYFENCE** paint protection film.

## PROGRAMME

- > **PREPARATION** OF APPLICATION ACCESSORIES
- > **PREPARATION** OF THE VEHICLE
- > **DEFINITION** OF AREAS TO BE PROTECTED
- > **ANALYSIS** OF THE TARGET SURFACE
- > **APPLICATION TECHNIQUES** FOR "TRADITIONAL" PAINT PROTECTION FILM
- > **APPLICATION TECHNIQUES** FOR BODYFENCE PAINT PROTECTION FILM WITH PRECUTS
- > **FORMING TECHNIQUES**
- > **CUTTING TECHNIQUES**
- > **FINISHING TOUCHES**





## TROUBLESHOOTING

This course is aimed at people who have already attended the **BODYFENCE** BASIC course. Participants further their knowledge and acquire more advanced techniques for applying precuts. Its focus will depend on requests received and on the previous experience of the participants.

### DURATION

1 to 3 days

### NUMBER OF PARTICIPANTS

4 per car, 8 per trainer

### PROGRAMME

- > **EVALUATION** OF THE PARTICIPANTS' EXPERTISE
- > **DETAILED PRESENTATION** OF THE HEXIS DESIGN SOFTWARE
- > **APPLYING PRECUTS** ON COMPLEX VEHICLES
- > **CUTTING TECHNIQUES**
- > **FINISHING TOUCHES**

### INFORMATION



The Basic and Advanced courses can be combined.  
 All films will be removed from the substrate at the end of the session.  
 Each participant will be given a certificate of attendance.



CUTTING SOFTWARE MORE THAN 60,000  
 PRECUTS AVAILABLE!

[www.bodyfence.net](http://www.bodyfence.net)

# INTERIOR DECORATION

## THE WORLD OF DECORATION AND INTERIOR DESIGN

### DURATION

2 days

### NUMBER OF PARTICIPANTS

4

Interior decoration is practised in a wide range of settings: homes, shops, restaurants, hotels, places of work or leisure... Based on your artistic and technical expertise, you will be able to suggest ideal decorations for your customers' needs. Above all else, this course is creative, but you will also acquire essential professional know-how and techniques. Our aim: to help you assert your creative personality and master the tricks of the trade that will make you a leading professional.

### PROGRAMME

- > **INTRODUCTION** TO VINYL (MONOMERIC, POLYMERIC, CAST)
- > **UNDERSTANDING** DIFFERENT SUBSTRATES (PLASTIC, GLASS, WOOD, PLASTER, CONCRETE...)
- > **APPEARANCE AND CHARACTERISTICS OF SUBSTRATES** (FLAT, ROUNDED AND ANGULAR SURFACES)
- > **DETERMINING** WHICH PRODUCT TO USE FOR WHICH SUBSTRATE
- > **PREPARING AND CLEANING** SUBSTRATES
- > **INTRODUCTION** TO APPLICATION ACCESSORIES
- > **APPLICATION TECHNIQUES** FOR SPECIFIC CASES (FURNITURE, FURNISHINGS, WINDOWS...)
- > **IDENTIFYING** POTENTIAL RISKS AND PROBLEMS ASSOCIATED WITH REMOVAL
- > **CUTTING AND FINISHING TOUCHES**



1  
PET75CG1  
AGENCE MANYMANY | FRANCE

2  
VCXR200WG1  
GSDI | FRANCE

3  
PET75CG1  
AGENCE STARCK BORRIONE | FRANCE



# FILMS FOR WINDOW GRAPHICS



## WINDOW GRAPHICS

DURATION

NUMBER OF PARTICIPANTS

2 days

4

This course is designed for companies aiming to expand into the fields of architectural and shop window films. Participants learn the basics of transparent films and how they should be handled and applied.

### PROGRAMME

- > **APPLICATION TECHNIQUE** FOR SOLAR PROTECTION FILMS FOR BUILDINGS
- > **DISTINGUISHING AND ANALYSING** VARIOUS GLAZING TYPES USING MEASURING DEVICES
- > **AWARENESS** OF THE RISKS OF THERMAL SHOCKS
- > **COMPOSITION** OF SOLAR AND SAFETY FILMS
- > **APPLICATION TECHNIQUE** FOR TRANSPARENT WINDOW FILMS
- > **APPLICATION TECHNIQUE** FOR ETCHED GLASS, CRISTAL C4000 AND MICROPERFORATED FILMS
- > **CUTTING TECHNIQUES**
- > **FINISHING TOUCHES**



1  
VCLARCG1  
AGENCE MANYMANY  
FRANCE

2  
PET75CG1  
AGENCE MANYMANY  
FRANCE



## BASIC

This course covers application techniques, tools required and hands-on exercises for special automotive films. The trainer will take into account the level of knowledge of each participant, answering any questions they may have.

### DURATION

2 days

### NUMBER OF PARTICIPANTS

4

### PROGRAMME

- > **PRESENTATION** OF THE RANGE OF SOLAR FILMS
- > APPLICATION **TOOLS** AND **ACCESSORIES**
- > **DIFFERENT TECHNIQUES** FOR APPLYING SOLAR FILMS
- > **THERMOFORMING TECHNIQUES** (ON WINDOWS, QUARTER PANELS AND THE REAR WINDOW)
- > **CLEANING METHODS**
- > **CUTTING** AND **FINISHING TOUCHES** (DEPENDING ON THE SHAPE AND ON THE RUBBER SEAL)

## TROUBLESHOOTING

This course focuses on advanced application techniques for automotive solar films and, more specifically, thermoforming practice on curved windows.

### DURATION

2 days

### NUMBER OF PARTICIPANTS

4

### PROGRAMME

- > **PREPARATION** OF RUBBER SEALS
- > **APPLICATION TECHNIQUES** FOR SHAPES
- > SHAPE **OVERLAPPING TECHNIQUES**
- > **OPTIMISATION** OF CUTS
- > **MASTERING** THERMOFORMING



# DIGITAL PRINTING

## OPTIMISATION

This course is for digital printing professionals seeking to enhance their production by better controlling the various elements (peripherals and software) of their workflow.

### DURATION

2 days

### NUMBER OF PARTICIPANTS

1 to 2

### PROGRAMME

- > **INTRODUCTION** TO DIGITAL IMAGING
- > **DIGITAL IMAGING** IN THE GRAPHICS CHAIN
- > **MASTERING** THE PRINTING WORKFLOW

### GRAPHICS TRAINING

- > **HOW** TO ACHIEVE BEST RESULTS IN DIGITAL PRINTING
- > **CALIBRATING** AN LCD SCREEN
- > **DIGITAL IMAGING** IN PHOTOSHOP
- > **COLOUR MANAGEMENT** IN DTP SOFTWARE
- > **TECHNIQUES** AND **EXERCISES FOR COLOUR CORRECTION** IN PHOTOSHOP, IMAGE ENHANCEMENT
- > **PRINTER CALIBRATION**
- > **FACTORY TOUR**
- > **SOFTWARE CALIBRATION** AND ICC PROFILE CREATION
- > **PRACTICAL CASE STUDIES**

## ADVANCED

This course is for digital printing professionals seeking to enhance their production by better controlling the various elements (peripherals and software) of their workflow.

### DURATION

3 days

### NUMBER OF PARTICIPANTS

4

### PROGRAMME

- > **INTRODUCTION** TO DIGITAL IMAGING
- > **DIGITAL IMAGES** IN THE GRAPHICS CHAIN
- > **MASTERING** THE PRINTING WORKFLOW (BASIC AND ADVANCED)

### GRAPHICS TRAINING

- > **HOW** TO ACHIEVE BEST RESULTS IN DIGITAL PRINTING
- > **CALIBRATING** AN LCD SCREEN
- > **DIGITAL IMAGES** IN PHOTOSHOP
- > **COLOUR MANAGEMENT** IN DTP SOFTWARE
- > **TECHNIQUES** AND **EXERCISES IN COLOUR CORRECTION** IN PHOTOSHOP, IMAGE ENHANCEMENT
- > **PRINTER CALIBRATION**
- > **SOFTWARE CALIBRATION** AND ICC PROFILE CREATION
- > **USING ICC PROFILES** IN THE GRAPHICS CHAIN
- > **CREATION** AND **OPTIMISATION** OF ICC PROFILES
- > **CASE STUDY** BASED ON PARTICIPANTS' EXPERIENCES

# DIGITAL PRINTING

## ICC PROFILES

This course is intended for digital printing professionals seeking to obtain optimum colour accuracy.

### DURATION

1 day

### NUMBER OF PARTICIPANTS

1 to 2

### PROGRAMME

- > **CREATING THREE ICC PROFILES:**  
PRINTER CALIBRATION, SOFTWARE CALIBRATION AND ICC PROFILE EDITING

### GRAPHICS TRAINING

- > **HOW TO ACHIEVE BEST RESULTS IN DIGITAL PRINTING**
- > **CALIBRATION OF AN LCD SCREEN**
- > **DIGITAL IMAGING IN PHOTOSHOP**
- > **COLOUR MANAGEMENT IN DTP SOFTWARE**
- > **INTRODUCTION TO COLOUR CORRECTION IN PHOTOSHOP AND IMAGE ENHANCEMENT**



## HEXIS CERTIFICATION PROGRAMMES

### WHAT IS CERTIFICATION AND WHO CAN BE CERTIFIED?

Our aim is to provide a formal framework for professionals in our field to validate their skills as film application and/or vehicle wrap specialists. To be certified, installers must demonstrate skills on several levels, including the technical knowledge, the practical skills and the know-how to tackle all known situations as well as to overcome new challenges.

The skill set required is highly specific. It takes experience (including learning from trial and error), practice, training, a passion for this field, an eye for detail, the will to constantly progress and a natural aptitude for manual work. It also requires discipline and a logical approach to problem solving.

### NETWORK

Becoming part of the HEX'Perts network means you will be able to rely on other members when big jobs call for extra hands. In addition, HEXIS may also require your expertise, whether for product demos, trade shows, new customers, problem-solving or large-scale jobs.

### REPUTATION

Being part of the HEX'Perts network is a compelling argument when it comes to building customer trust and winning new business.

### GUARANTEES

Offer your clients the assurance of quality work. Your expertise in this field will have been refined, tested, qualified and certified. You will be able to better guarantee each new job with confidence.

### INFORMATION



HEXIS certified installers are listed in the worldwide network of the HEXIS APPLICATION DIVISION:

[www.hexis-training.com](http://www.hexis-training.com)

Any questions?

Contact us:

[application.division@hexis.fr](mailto:application.division@hexis.fr)



# HEXIS OFFER 3 CERTIFI- CATIONS

## SIGN CERTIFICATION



Designed for professional installers wishing to be certified for all types of flat and simple curved substrates such as signs, windows, walls, trucks and trains as well as special films.

### DURATION

1 day  
(PRACTICAL TEST)

### NUMBER OF PARTICIPANTS

4 HEX'Perts

Mandatory online test, evaluated before the practical test.  
<http://www.hexis-training.com/certification-request.html>

## FULL WRAP CERTIFICATION



Designed for professionals wishing to be certified for applying self-adhesive films on 2D and 3D surfaces.

### DURATION

2 days (PRACTICAL TEST)

### NUMBER OF PARTICIPANTS

4 HEX'Perts

1 day

If sign certification passed

4 HEX'Perts

Mandatory online test, evaluated before the practical test.  
<http://www.hexis-training.com/certification-request.html>

## BODYFENCE CERTIFICATION



Aimed at experienced installers of paint protection films. HEX'Perts will be evaluated on their "traditional" application techniques as well as their precut film expertise.

### DURATION

1 day (PRACTICAL TEST)

### NUMBER OF PARTICIPANTS

4 HEX'Perts

Mandatory online test, evaluated before the practical test.  
<http://www.hexis-training.com/certification-request.html>



**Ready to join the HEXIS adventure?**

## BODYFENCE CORNER, AN INNOVATIVE CONCEPT

BODYFENCE CORNER is a workshop designed specifically for the application of paint protection film.

### HOW DO I OPEN A BODYFENCE CORNER?



#### 1/ TRAINING

You must have attended at least one BODYFENCE training session.

#### 2/ CERTIFICATION

Once training is over, apply for certification online. The purpose of the certification is to validate your technical knowledge and skills.

#### 3/ CONDITIONS FOR OPENING

Finally, to open a BODYFENCE CORNER, you must:

- Comply with the graphics charter
- Apply the specifications
- Master the application techniques

### WHAT ARE THE BENEFITS OF A BODYFENCE CORNER?

BODYFENCE CORNER is not just a name, it's an entire work philosophy, supported by professionals who will provide you with the necessary tools for your shop.


- Discounts on materials and accessories
- Listing on our website
- Communication tools reserved for the network
- Access to a special catalogue
- Free ongoing training
- Featured on social networks
- Support for trade shows and events

### INFORMATION



For more information about  
BODYFENCE CORNER,  
please write to:


[contact@hexis-design.com](mailto:contact@hexis-design.com)





# IN THE OFFICE OR ON THE MOVE WWW.HEXIS-TRAINING.COM

VIDEOS SHARING APPLICATION TIPS  
NEWS FROM OUR TRAINING CENTRES  
TECHNICAL DATA SHEETS AND APPLICATION GUIDES FOR HEXIS FILMS



**DISCOVER A WHOLE RANGE OF VIDEOS  
ILLUSTRATING OUR TRAINING SESSIONS:**

FOUNDATION OF SELF-ADHESIVE FILMS – FULL WRAPS  
BODYFENCE – INTERIOR DECORATION  
DIGITAL PRINTING – ICC PROFILES  
SOLAR & AUTOMOTIVE PROTECTION FILMS  
WINDOW GRAPHICS – CERTIFICATIONS

**f @HEXISTRAININGACADEMY**

**THE  
HEXIS  
PLUS**

## HEXIS KNOW-HOW

Since 1989, HEXIS® have been providing professionals in sign and advertising marking with our expertise in the production of media for visual communication.

The only French manufacturer specialised in the adhesive coating of PVC and non-PVC films, HEXIS® also produces our own cast films with globally acclaimed conformability and durability qualities.

HEXIS® export our products to some 50 countries across all the continents.

Our team of chemists are constantly improving our product formulations. They innovate to fine-tune the products of tomorrow. In 2010 in particular, their research enabled Hexis to launch "green" PVC-free and plasticiser-free cast films and a film with antimicrobial properties, boosting the fight against nosocomial diseases. The latest development from HEXIS® R&D is a self-healing furniture and paint protection film (PPF), available in an ultra-transparent or matt finish, called BODYFENCE.

HEXIS® have been ISO 9001 certified for our quality management system since June 2005.

## WHAT HAS MADE OUR FILMS SO SUCCESSFUL?

For 30 years, HEXIS® films have proven their quality, in particular due to:

- > Their performance and the stringent selection of raw materials
- > Total traceability of the production batches
- > Easy weeding and cutting
- > The quality of our adhesives
- > High durability levels

## CALENDERED OR CAST FILMS?

At HEXIS®, every film has its purpose and its market.

We have perfected the manufacture of cast films offering high deformation potential, extreme conformability and long durability. Our calendered films are perfect for applications on flat and slightly curved substrates.

Smooth or rough surfaces; applications on floors, walls, windows, boards; cars, trains or boats; for lifespans ranging from 2 months to 12 years, HEXIS® have the solution!

Our decorative effects (chrome, sparkle and leather) are also ideal for enhancing everyday objects (electronics, household appliances), for refurbishments and for wall decoration.

## THE AND HEX'PRESS LINERS

The TAKE HEAT EASY® (THE) and HEX'Press liners are innovations that HEXIS® use for our high-performance films specially designed for full wrap applications.

TAKE HEAT EASY® (THE) is the result of a new structured liner combined with a novel solvent-based adhesive which reduces the film's initial tack, making it easier to apply. All installers, including beginners, will love it.

The HEX'Press liner consists of a polyethylene-coated silicone kraft paper with an embossed surface structure offering unrivalled adhesive properties: thanks to the air egress system, the film remains repositionable during application, and bubbles and creases can be eliminated with much greater ease. Application is easier and a considerable amount of time can be saved. The HEX'Press and THE products are readily identifiable: ranges with a product code starting with the initials "HX" carry a structured HEX'Press liner, and those starting with "THE" carry a TAKE HEAT EASY® liner.

## THE HEXIS NETWORK, A TEAM OF EXPERTS AT YOUR SERVICE

Our partners are ready to assist you with your projects. In addition, a HEXIS® team consisting of professionals in application, colorimetry and digital imaging, are also here to help you. They can provide the essential training needed to master new professions like full wraps and large-format digital printing; professions that demand greater expertise to make the very most of the full potential of our media.

To support our experts, the "Professionals" section of our website, [www.hexis-graphics.com](http://www.hexis-graphics.com), provides all the technical information you could ever need: data sheets, application guides, ICC profiles, application photos, etc.

## MADE IN FRANCE

HEXIS products are manufactured in France at our production sites located in Frontignan (Hérault) and Hagetmau (Landes). All our packaging bears a "Made in France" label.

By doing our bit to promote French know-how, we are able to both save jobs and protect the environment.

## PRODUCT SAMPLES AND SWATCHBOOKS

To receive samples of some of our products in A4 or A5 size, documentation or swatchbooks and colour charts, please contact your local distributor.

## TECHNICAL DATA SHEETS AND PRACTICAL APPLICATION GUIDES

Technical data sheets for our products can be downloaded free of charge from our website:  
<http://www.hexis-graphics.com> under the "Professionals" section

They contain precise technical descriptions of our products. Product specifications are subject to change so we recommend you check this section regularly.

## ICC PROFILES

Obtain optimal results from our digital imaging media by downloading the ICC profiles corresponding to your RIP/printer set-up. Check the list of new profiles available regularly at this address:  
[www.hexis-graphics.com](http://www.hexis-graphics.com) under the "Professionals" section

For any queries regarding ICC profiles, please contact: [profil@hexis.fr](mailto:profil@hexis.fr)

## CUSTOM COLOURS

Custom colours are available for our colour plotter and wrap vinyls.

Note: please enquire for further details on pricing and lead times. For all enquiries, please contact your local distributor.

## TRAINING COURSES

Whether you are interested in training in digital imaging, solar films, full wraps, BODYFENCE or the application methods for adhesive films, HEXIS® have a solution to meet your needs.

For all training enquiries, please send an e-mail to the following address: [application.division@hexis.fr](mailto:application.division@hexis.fr)

## IMPORTANT INFORMATION

• Thicknesses and dimensions of the products:

Thicknesses are given for information and for comparison with products from equivalent ranges available on the market. The dimensional tolerances of the rolls conform to the HEXIS® processing and cutting technical data sheets available on our website: [www.hexis-graphics.com](http://www.hexis-graphics.com) under the "Professionals" section

• Durabilities:

The durabilities indicated are provided for information purposes only and relate to specific colours under defined climatic conditions. For further information, please refer to the technical data sheets available on our website.

• Colours:

Colours presented in our catalogue are for guidance only and are not contractual. Please do not hesitate to contact your local distributor for the corresponding swatchbooks and colour cards.

• Media for cutting plotters:

Cutting plotter vinyls may have splices and if so, this will be indicated on the packaging.

• Digital imaging media:

Our media are developed and tested for machines using original manufacturer inks.

• Photos and illustrations:

All illustration images, especially the photos of accessories, are non-contractual. The actual appearance of the accessory may vary.

## THE REACH REGULATION (REGISTRATION, EVALUATION, AUTHORISATION AND RESTRICTION OF CHEMICALS)

This regulation was adopted by the European Parliament and the Council of the European Union on 18 December 2006. It updates the European legislation with regard to chemical substances, and sets up a unique integrated system for registering, evaluating and authorising chemical substances within the European Union.

Its aim is to improve the protection of both human health and the environment while maintaining competitiveness and enhancing the spirit of innovation within the European chemicals industry.



# GENERAL TERMS AND CONDITIONS OF SALE

## PRICES

All prices are net in EUR, unless otherwise agreed in writing. The prices applied are those published in the International Price List valid on the date of invoicing. They are valid until further notice. Prices are exclusive of any applicable sales tax, value added tax or assimilated taxes, fees, import duties or other duties, insurance, transport and handling charges.

## PAYMENT

The net invoice amount is payable in full within 30 days following the date of invoice unless other terms are agreed in writing. Invoices not paid within 30 days of the due date shall thereafter bear overdue charges at the rate of 2% per month on the unpaid balance until paid in full. If in HEXIS S.A.'s opinion the purchaser's financial situation does not justify performance, production or shipment on the terms of payment specified, HEXIS S.A. may require full or partial payment in advance before shipment. HEXIS S.A. may discontinue or delay continuance of performance or production if the purchaser fails to pay any moneys due. If an unpaid amount is deemed uncollectable and transferred to a third party for the purpose of collection, any fees incurred are the responsibility of the purchaser and must be paid in full to HEXIS S.A. or its assigned agent. The amount of any present or future taxes applicable to the sale of products or services shall be added to the price and be paid by the purchaser unless the purchaser provides HEXIS S.A. with a valid exemption certificate acceptable to HEXIS S.A. and the appropriate tax authority.

## TITLE RETENTION

The transfer of ownership of the sold goods is subject to the payment of the price by the purchaser on the due date. Should the goods not be paid for on the due date, they will remain HEXIS property until the total amount due is paid by the purchaser. Payment is the cash collection of the full amount due; cheque or other securities deposit which create the obligation to pay are not considered as payment. However, the transfer of risk shall pass to the purchaser at the moment of shipment where the purchaser shall bear all the risks the goods might undergo or cause. Should the purchaser fail to pay, HEXIS is entitled to demand by registered letter with recorded delivery the goods to be returned at the expense and risk of the purchaser, thus HEXIS shall not lose any other of their rights. HEXIS is entitled unilaterally and immediately to get an inventory done of the unpaid goods held by the purchaser, without the latter being entitled to object; the purchaser shall bear any expenses arising from potential legal and judicial services. These goods will give rise to the payment of an indemnity of lost value fixed at 3% of the product price (incl. VAT) per month of holding of goods from delivery to return date. The purchaser shall ensure that the identification of the goods remains possible. The goods in stock are assumed to match with the most recent deliveries (FIFO rule), these goods shall be considered as the unpaid ones. The purchaser can resell the goods within the course of normal business activities of their company, however he shall lose this right in case of suspension of payment or in case he fails to pay the amount within the due date.

## TITLE TO GOODS AND RISK OF LOSS

All prices are ex works (EXW Hagetmau, France; ICC INCOTERM 2000) unless otherwise agreed in writing. Title and risk of loss for all products shall pass to the purchaser upon delivery by HEXIS S.A. to a freight forwarder or purchaser's designate, regardless of shipping terms, method of payment or transport cost.

## TRANSIT DAMAGE CLAIMS

Ex works is our term of sale. Therefore, once the goods have been loaded for shipping, they become the responsibility of the purchaser. It is the responsibility of the purchaser to receive the entire shipment as tendered and file a claim with the carrier if the shipment or any part thereof is missing or damaged upon delivery. If there is any loss or damage at the time of delivery, it is essential to make the appropriate statement on the delivery receipt. Prompt inspection is of essence. Any concealed damage should be reported to the delivering carrier within 15 days of receipt of the shipment. Prompt filing of the claim with all necessary documents is required for fast settlement. All claims must be accompanied by the following documents: Original paid freight bill - Certified copy of original bill of lading - Duplicate of invoice covering shipment - Duplicate of destination inspection report - Duplicate of delivery receipt noting shortage or damage.

## ACCEPTANCE

Goods and services offered or quoted for are subject to availability. Orders are subject to acceptance by HEXIS S.A.



## **CANCELLATION**

Modifications and add-ons to orders can only be accepted within the next working day after the original time of order placement. Thereafter add-ons will be considered as new orders. Orders cannot be cancelled by the purchaser except upon terms that will fully compensate HEXIS S.A. against loss or by HEXIS S.A.'s prior written agreement.

## **RETURNS**

Any products sold by HEXIS S.A. may be returned only in accordance with the warranty provisions applicable to the product concerned. Before returning any product for whatever reason, the purchaser must obtain HEXIS S.A.'s prior written approval and instructions.

## **FORCE MAJEURE**

HEXIS S.A. shall not be liable for any loss, damage, delay, changes in shipment schedules or failure to deliver caused by accident, fire, earthquake, flood, meteorological exigency, animal or human disease, strike, lock-out, labour disputes, industrial action, riot, hooliganism, civil commotion, insurrection, revolution, terrorist acts, war whether declared or not, the elements, natural catastrophe, boycott, embargo, mutiny, failure of carriers, unavailability of transport facilities, exchange rates, fuel prices, power failures, government requirements or prohibitions, import or export restrictions, law enforcement, computer virus, software failure, acts of God or public enemy, prior orders from customers or limitations of HEXIS S.A.'s, its suppliers' or its subcontractors' production, marketing activities or services, or any other causes or contingencies beyond HEXIS S.A.'s control. HEXIS S.A. shall in no event be liable for direct, indirect, ordinary or extraordinary, special, incidental damages or consequential loss including without limitation lost profits or loss of use or production or capital, whether based on contract, tort or any other legal theory.

## **LIABILITY**

HEXIS S.A. shall in no event be liable for direct, indirect, ordinary or extraordinary, special, incidental damages or consequential loss including without limitation lost profits or loss of use or production or capital, whether based on contract, tort or any other legal theory. The remedies of the purchaser set forth herein are exclusive and the liability of HEXIS S.A. with respect to any contract, or anything done in connection therewith such as the performance of breach hereof, or from the manufacture, sale, delivery, resale, installation or use of any products whether arising out to contract, negligence, strict tort, or under any warranty or otherwise, shall not exceed the purchase price of the products upon which liability is based.

## **SEVERABILITY**

Each portion and provision of the present terms is severable and if any provision is held invalid or unenforceable the remainder shall nevertheless remain valid and in full force and effect.

## **APPLICABLE LAW AND JURISDICTION**

All sales, agreements and contracts shall be governed by and construed in accordance with the laws of France. Any disputes or litigations without exception fall exclusively under the jurisdiction of the Commercial Court of the registered office of HEXIS S.A., even in the event of plurality of defendants, incidental claims or guarantee call and even in case of conferring a different jurisdiction by the customer. This clause applies first and foremost.

# INDEX

## #

100 SERIES	68, 82
200 SERIES	70, 84
240 SERIES	73
280 SERIES	72
300 SERIES	74, 85
3000 SERIES	76
4000 SERIES	78

## A

A5000	20
ACCESSORIES FOR FULL WRAPS	186
ACCESSORIES FOR SOLAR FILMS	188
ADHESIVE REINFORCED	85
AG436M	125
AG700	125
AG800	125
AG900	125
AGCR700	125
AIMANT2	186
AIMANTXL	186
ANTI-GRAFFITI LAMINATES	125
ANTIMICROBIAL LAMINATES	119
ANTI-SLIP LAMINATES	127
APPLIC15	174
APPLICATION TAPES	60, 61, 62
APPLICATION TOOLS	172, 174, 176
APPROVED MARKING	50, 51
AUTO05CH	158
AUTO10TI	159
AUTO15CH	158
AUTO20CH	158
AUTO20TI	159
AUTO30CH	158
AUTO35CH	158

## B

B0006	192, 196
B00065L	192, 196
B3000	32
BACKLITS	95
BACS1	51
BACS4	51
BACS44	51
BANNER TOOLS AND ACCESSORIES	190
BBNOIR	46
BCUTTERMAR	183
BERLAP	188
BERLNET	188
BLACK	175
BLACKBOARD	46
BLACKLIGHT	154
BLADECAN	182
BLADESOFT	181
BLAKSQUEEG	173
BLOCK-OUT	41
BLUESQUEEG	173
BOBLANC	41
BODYFENCE	154
BODYFENCE CORNER	218
BODYFENCEM	154
BODYKNIFE2	187, 188
BONNOIR	41
BSE50I	165
BSE100IV2	165
BSE100XV2	165
BSOAT40I2	166
BSOB20I2	164
BSOB20X2	164
BSO180X2	166
BSOM15I2	166
BSON20X2	165
BSON50I2	165
BSOR15X2	164
BSOR20I2	164
BSOR35I2	164
BSOR35X2	164
BSOR50I2	164
BSOR50X2	164
BSORD60I2	166
BSOT35I2	165
BUBBLETOOL	176

## C

C4000	34
CANTAP	192
CANVAS	99
CANVAS3	99
CAR100B	156
CAR MAINTENANCE PRODUCTS	194
CARPRO300	156
CARPROTECT	156
CARSCRAPER	178

CAST LAMINATES	114
CEINTOUTIL	176
CERTIFICATIONS	216
CHEVS7	50
CHEVS77	50
CHOOSE THE RIGHT BUILDING SOLAR FILM	167
CHOOSE YOUR TAPE	63
CLEANING ACCESSORIES	196
CLEANING LIQUIDS	192
CLEAR85CR	160
CLEAR86CR	160
CONQUER	189
COVSEAT4	186
CRISTAL	34
CSR25	86
CURVBLADE	183
CURVCUTTER	183
CURVPADS	183
CUTBLADE	183
CUTFLEX	132, 134
CUTLAME	182
CUTOLFA25	181
CUTOLFA30	182
CUTOLFASIL	182
CUTSHOES	183
CUTSOFT	181
CUTTER	183
CUTTING TOOLS	181, 182, 184, 185
CUTVINYL	183
CUTVINYLXL	183
CUTVITRE	181

## D

DEROULANT	176
DIF450	98
DIFFUSING TEXTILE	97
DISPLAYS	100
DMTRUBFR	175
DOUBLEF25	176
DOUBLEF50	176
DOUBLE-SIDED	56, 57, 58
DRAWING PAPER	52
DRY ERASE	44
DRY ERASE LAMINATE	128
DSERBORPM	180
DSVG180	42
DWPO01B	44
DWPO02B	44, 128

## E

E3GIVMV2	39
E3000+	26
EASYPOSE2L	193
EASYPOSE5L	193
EASYSEAL	173
ECOTAC	26, 28
EFRONTOPAC	98
EGALITE	170
ERASMARKE	175
ETCHED GLASS	36, 37, 38, 92

## F

F610	33
FERROUS FILMS	55, 104
FEUTGRIS	173
FEUTRE	172
FEUTROUGE1	173
FEUTROUGE2	173
FF480	55
FILFLEX	151
FINAL1L	192
FLATTWEEZ	185
FLEX200	138
FLEX300	140
FLEX400	142
FLOCK200	136
FLUO	33
FM580	54
FPC50MICP2	91
FPG836	91
FRATERNITE	170
FRENCHBOX	170
FRONT2	96
FRONT2V2B	96
FRONT2V2M	96
FRONT2V3S	96
FRONT3V2	96
FRONT4V4	96
FRONT5M1	96
FRONTM1EV2	96
FRONTOPAC	98
FROSTED GLASS	39

## G

GANTSCOV	187
GANTSCOV	175
GCBLADE	182
GFLI130	126, 127
GFLI170	
GFLIR170	127
GFLX210	127
GFLX230	127

GFLXR210	127
GRAPHTEC	181
GRATLAM100	178, 188
GRATTOIR	178, 188
GRATTOIR10	178, 188
GUIDEDCUT	182

## H

HARDEYELET	190
HEX100	61
HEX100I	61, 152
HEX750	62, 152
HEX860	62, 152
HEX900	61
HEX900I	61
HEX901	61
HEX902	61
HEX902I	61
HEX904	60
HEX909	61
HEX910	60
HEX915	60
HEX930	60
HEX960	62, 152
HEXAG	195
HEXCROCH	185
HEXFELT	173
HEXISGEL1L	193
HEXISGEL5L	193
HEXISO2L	193
HEXISO5L	193
HEXMAGNET	171
HEXNOTE	180
HEXSTRAP	171
HFLEX100P	132
HFLEX1000P	134
HIGH-PERFORMANCE LAMINATES	114
HX5DEPM	37
HX5DP03	38
HX190WG2	68
HX200NTWG2	70
HX200WG2	70
HX201WG2	70
HX240WG2	73
HX240WM2	73
HX500WG2	81
HX3000WG2	76
HX3001WG2	76
HX3001WM2	76
HX20000	14
HX30000	12
HX45000	10
HXR101WG2	83
HXR150BGR	156
HXS5000	24
HYBRID LAMINATES	116

## J

JEUSERT10	190
JEUSERT12	191
JEUSERT15	191
JT300M1	98

## K

KG15DEPM	36
KG8000	
KITPRESSE	190

## L

LAMBREQUIN	47
LAME100	178, 188
LAMEVITR15	179, 189
LAMEVITR30	179
LAMEVITRE	179
LAMINATES FOR DISPLAYS	126
LAMINATES REINFORCED ADHESIVE	115
LAMOLF25	181
LAMOLFA30	182
LAMOLFA510	182
LAMOLFA550	182
LAMOLFAXBL	182
LASERWASH	194
LIBERTE	170
LIGHTSTICK	102
LILCHIZ	189
LONG TERM LAMINATE	128

## M

M1000	47
M2000	30
MAGICSPRAY	193
MAGNETIC FILM	53, 54, 104
MALETTE	187
MANCHETTE3	186
MARBLEU	152, 172, 189
MARBLEUF	172, 189
MARJO	189
MARMAGN	172
MARNOIR	172, 189
MAROR	172, 189
MARVITRE	172, 189
MASKING FILMS	47

MATCLEAN.....	194
MAXBLUE.....	189
MAXBLUE.....	170, 179
MAXHANDLE.....	179, 189
MB810.....	53
MBX.....	179
MFKIT.....	192, 196
MIAMI.....	166
MICRO1.....	88
MICRO2.....	88
MICRO6.....	89
MICRO170UV.....	89
MICROCGUV.....	90
MICROINSID.....	90
MICROPERFORATED.....	89, 90, 91, 124
MICROTAC.....	30
MIMAKI / SUMMAGRAPHIC (REF 3D).....	181
MLG48512.....	104
MONOMERIC LAMINATES.....	117
MUTOH / EMBOSSTRAC.....	181
<b>N</b>	
N2PAPECRI.....	52
N2PAPSILI.....	52
NINJATOOL.....	170
<b>O</b>	
OEILLET10L.....	190
OEILLET10N.....	190
OEILLET12L.....	190
OEILLET12N.....	190
OEILLET15L.....	191
OEILLET15N.....	191
<b>P</b>	
P130.....	105
P135.....	105
P210.....	105
P6000.....	32
P8100.....	48
P13003.....	101
P13004.....	101
PAEZAC.....	151
PAINTRUB.....	192
PANTONE.....	180
PAP120JF.....	105
PAP132DB.....	105
PAPM861.....	107
PAPPERDU.....	129
PC30G2.....	114
PC30M3.....	114
PC50MICP2.....	124
PC190G2.....	114
PC190M3.....	114
PC190S.....	114
PC500G2.....	118
PC500M.....	118
PCAMPGB.....	120
PCBRUSHED.....	121
PCCARBON.....	121
PCGATOR.....	121
PCSTAR01G.....	121
PCSTAR01S.....	121
PCSTAR02G.....	121
PCSTAR03G.....	121
PCSTAR04G.....	121
PCWALL.....	121
PCWOOD01.....	120
PET75CG1.....	94
PG450.....	98
PG836.....	124, 125
PG3036UVB.....	124, 125
PIADZGREY.....	188
PIADZROUGE.....	188
PISTHERMIO.....	186
PISTLASER3.....	186
PLASMOYEN.....	172
PLASSOUPLE.....	172
PM150.....	105
POD130SOLV.....	95
POD220SOLV.....	95
POIGNIVTR.....	171, 179, 189
POP190ECOS.....	100
POP200ECOS.....	100
POP310ECOS.....	100
POPNC400.....	100
POPPRIMO.....	100
PORTECOV.....	188
PRECLE60CL.....	192
PRECLEANERSL.....	192
PRIVACY FILM.....	42
PROCASE.....	196
PROTECTIVE FILMS.....	164, 166
PSPOP.....	126
PULVERISAT.....	175
PURZON060B.....	119
PURZON060M.....	119
PVC BANNERS.....	96, 98
PVC-FREE.....	80, 108, 118

<b>R</b>	
RAL.....	180
REFLECTIVE FILMS.....	48, 49, 104
REGLET30.....	184
REGLET50.....	184
REGLET100.....	184
REINFORCED ADHESIVE.....	82, 84, 86, 87
REMOVAL TOOLS.....	178
REMOVER1L.....	192, 195
REMOVLOGO.....	186
REPOSITIONABLE FILMS.....	102
REPOSTICK.....	102
RIVETBRUSH.....	186
ROLAND CAMM1.....	181
ROLL ACCESSORIES.....	180
ROLLCOV.....	186
ROLLRIV.....	72
<b>S</b>	
S5DEPM.....	37
S5DPO3.....	38
S6DE00.....	37
S5000.....	22
SAFERUL050.....	184
SAFERUL100.....	184
SAFERUL150.....	184
SCRUBBLADE.....	178
SCRUBFLOOR.....	178
SEALIT.....	174
SERIES 100.....	68
SHAG.....	170
SHAGBODY.....	170
SHAGCHIZ.....	170
SHAGCUT.....	171
SHAGDRILL.....	171
SHAGFELT.....	171
SHAGFENCEM.....	170
SHAGFENCES.....	170
SHAGKNIFE.....	171
SHAGWIRE.....	171
SHAMPCAR.....	194
SHARPTOOL.....	172
SILICONED PAPER.....	52
SKINTAC.....	10, 12, 14, 66
SMARTAC.....	18, 20
SOLAR FILMS.....	158, 160
SPECIAL LAMINATES.....	130
SPECIAL LAMINATES.....	120, 122
SPRAYBOX.....	171
SQUEEBAND.....	171
SQUEEGEEXL.....	173
STEAMERSC1.....	187
STENCIL.....	47
STICKNRIDE.....	87
STOCKNROLL.....	177
STORAGE ACCESSORIES.....	177
STRIKERSET.....	186
STRONGBAN3.....	191
SUPTAC.....	22, 24
<b>T</b>	
T5000.....	40
TAPIS.....	183
TE25B.....	128
TEFLEX.....	151
TEXAIR.....	101
TEXWALLV2.....	101
THE190EVO.....	66, 68
TINT05CH.....	159
TINT15CH.....	159
TINT35CH.....	159
TINT50CH.....	159
TINT60CH.....	159
TIRO19X50.....	174
TIRO25X50.....	174
TIRODECO.....	187
TRAINING - BODYFENCE.....	208
TRAINING - DIGITAL PRINTING.....	214, 215
TRAINING - FULL WRAPS.....	206
TRAINING - FULL WRAPS.....	204
TRAINING - FOUNDATION OF SELF-ADHESIVE FILMS.....	202
TRAINING - INTERIOR DECORATION.....	210
TRAINING - PROTECTION FILMS.....	213
TRAINING - WINDOW GRAPHICS.....	212
TRANSLUCENT FILMS.....	40, 92
TRANSPARENT FILMS.....	93, 94
TT13088.....	58
TT21516.....	57
TT21536.....	57
TT21546.....	57
TT32611.....	56
TT32613.....	56
TT32905.....	56
TT32910.....	56
TWEEZ.....	152, 171, 185
<b>U</b>	
UF1200.....	146
UF1400.....	147
UFLEX5S.....	150

UFLEX7PV2.....	145
UFLEXCLEAR.....	148
UFLEXCOLD.....	149
UFLEXMAXI.....	144
<b>V</b>	
V100WG2.....	68
V200WG1.....	71
V200WM1.....	71
V201TR1.....	92
V201WG1.....	71
V201WM1.....	71
V203EG.....	92
V210WG1.....	71
V211WG1.....	71
V240WG1.....	73
V240WM1.....	73
V280WG1.....	72
V300WG1.....	74
V300WS1.....	74
V301WG1.....	74
V302CG1.....	93
V310WG1.....	74
V311WG1.....	74
V350WG1.....	74
V351WG1.....	74
V362CG1.....	93
V650B.....	117
V650M.....	117
V700B.....	116
V700M.....	116
V700S.....	116
V740B.....	116
V750B.....	114
V750M.....	114
V880WR.....	106
V890WR.....	106
V3000WG.....	77
V3000WM.....	77
V3001WG.....	77
V3001WM.....	77
V3100WG.....	77
V3101WG.....	77
V3101WM.....	77
V4001WG1.....	78
V4002CG1.....	78
V4002CML.....	78
VC104R.....	51
VCLLEARCG1.....	94
VCR650B.....	117
VCR650M.....	117
VCR750B.....	115
VCR750M.....	115
VCRE3000.....	28
VCSR101WG1.....	83
VCSR200WG1.....	84
VCSR201DP.....	84
VCSR201WG1.....	84
VCSR201WM1.....	84
VCSR300WG1.....	85
VCSR300WM1.....	85
VCSR301WG1.....	85
VCSR301WM1.....	85
VXCR101WG1.....	83
VXCR201WG1.....	84
VELCRO FASTENING.....	58
VF180WM.....	104
VM380WM.....	104
VR7077.....	174
VRK300B.....	130
VRK300M.....	130
VRK480B.....	130
WWOOD.....	120
<b>W</b>	
WALLPAPER2.....	101
WEEDER3.....	152
WEEDER3.....	185
WHEEL.....	179
WHITE.....	175
WRAPBELT.....	171
WRAPKNIFE.....	187
<b>Y</b>	
YELSPARE.....	173
YELSQUEEG.....	173




CUSTOM WRAPPING ADHESIVE | FRANCE



CAR DESIGN HAMBURG | GERMANY



CLEAN CAR | FRANCE



CCG AUTOMOTIVE | GERMANY



SIGN HOUSE | DENMARK



DIOSKI | FRANCE



THOMA FOLIERUNGEN | SWITZERLAND



SCHRIFTEN MULLER | SWITZERLAND



FÉROCE GRAPHICS | FRANCE




PRESS CITRON | FRANCE



WRAPPATTACK GOA | INDIA




GSDI | FRANCE



COVER ART | IRAN



AGENCE TREIZE | FRANCE



DEVITA DESIGN | GERMANY



HAGETMAU PRODUCTION FACILITIES | LANDES | FRANCE



FRONTIGNAN PRODUCTION FACILITIES | HÉRAULT | FRANCE



**HEXIS FRONTIGNAN  
SIÈGE SOCIAL**

Z.I. Horizons Sud  
CS 970003  
34 118 FRONTIGNAN CEDEX

**T.** +33 467 186 686

**F.** +33 467 183 698

**M.** export@hexis.fr

**HEXIS HAGETMAU**

Z.I. Montplaisir  
187, Route de Saint Cricq Chalosse  
40700 HAGETMAU



[www.hexis-graphics.com](http://www.hexis-graphics.com)



GRAPHICS DIVISION.

