


INTERIOR DECORATION

Self-adhesive films





WHO IS HEXIS?

HEXIS is a leading manufacturer of self-adhesive films intended for visual communication

In 2014 the company celebrated its 25th anniversary, a quarter of a century of innovation!

HEXIS invests 3% of its turnover for R&D and employs 350 staff members worldwide. In 2005 HEXIS has been ISO 9001 certified for its Quality management system.

The company specializes in high-performance cast PVC, polyurethane and latex films. These films are made for professionals in digital printing, signage, visual communication, vehicle wrapping and textile marking.

The HEXIS Group has an international presence throughout its subsidiaries in the French West Indies, Germany, Italy, Spain, Sweden, the USA and a distribution network over the five continents.

The technical innovations developed by HEXIS for the sign industry professionals now extend to the world of interior decoration. This catalogue showcases among the most original and beautiful projects made by our clients.

Our know how is at your service, your imagination does the rest!

GOOD REASONS TO CHOOSE HEXIS SELFA D H E S I V E F I L M S F O R DECORATION


- + The HEXIS films are versatile and can be applied on any standard surfaces (walls, floors, windows), furniture and objects
- + Curved shapes can be wrapped thanks to our ultraconformable technology
- + HEXIS offer a large selection of colours and effects, opaque or textured (alligator skin, leather, brushed aluminium, carbon fibre, wood), gloss or matt finish
- + For windows, you will find a selection of transparent, translucent, etched or frosted glass effects
- + Our overlamination films protect graphics and surfaces against scratches, graffiti and microbes
- + Once the film is applied, the surface become water-resistant and can easily be cleaned
- + Our films protect against wear and tear, even bacteria (PURE ZONE)
- + Unlike paint, HEXIS films do not require any drying time and do not leave any unpleasant odours
- + The ease of installation of our films allows fast refurbishment, without the need for major upheaval to your living or office space and no shutdown period
- + HEXIS quality: our films are made using only high quality materials and pigments to ensure colour fastness and long durability



NEW CORPORATE COLOURS
TO APPLY, REFURBISHMENT
OR RESTYLING PROJECTS?
HEXIS OFFERS A WIDE
COLOUR AND FILM
SELECTION ALLOWING YOU
TO PUSH THE BOUNDARIES
OF CREATIVITY











Whiteboard erasable film DWP002B

(DÉCOPHANIE)



High tack printable film VCR3000WG1

+ Matt laminate

V700M

(OXYGRAVURE)




Hybrid printable film with HEX'press adhesive

HX240WG2 + Gloss hybrid laminate

V740B

(Photo : Pascal HELAINE)





























+ matt laminate V750M

(CREACOM)













High tack printable film for flat surface VCR3000WG1+ anti-slip floor laminate GSOL170 (HEXIS)



High tack printable film for flat surface VCR3000WG1 + anti-slip floor laminate GSOL170 (EXHIBIT GROUP)




High tack printable film for flat surface VCR3000WG1 + anti-slip floor laminate GSOL170
(HEXIS)















White SUPTAC **\$5001B** (MEGAMARK)



Coloured transparent CRISTAL
C4398 (blue) - C4410 (green) - C4433 (green)
(PUBLISIGN)



Etched glass film with glitter effect **KG15DEPM** (DÉCOPHANIE)


















Brown alligator effect **HX30ALMMIB**



Brown alligator effect **HX30ALMMIB**



White alligator effect **HX30AL003B**




























































APPLICATION GUIDE

PRÉPARATION

You can apply HEXIS films on a wide variety of substrates, provided that surfaces are clean, dry, smooth and non-porous (unless otherwise specified). Ensure there are no traces of oil, grease, wax, silicone or other contaminants. To avoid surprises, assume that all surfaces are contaminated and should be cleaned.

Clean surface appearance - For all non-porous surfaces: before applying the film on the surface to be covered, we recommend you clean it with a mild solution FINAL CLEANER No.3 Dry with a clean, lint-free cloth.

Soiled or old surfaces: clean the surface with a cloth soaked in cleaning solvent CLEANER No.2 and dry with a cloth before evaporation.

Caution: never spray the liquid directly on the surface, always on a cloth.

ELAT SLIDEACES

- + Wear cotton gloves (GANTCOV)
- + Position the film on the surface
- + With the help of masking tape or magnets, make a horizontal hinge on the top part, preferably on a flat surface
- + Pull off 10 cm of liner and start applying the vinyl with a squeegee protected with a felt [MARBLEUF], making a 45° angle and applying from the centre to the edges
- + When applying on flat surfaces, press down hard over the entire surface, pay extra attention to the edges
- Some products are available with HEX'PRESS liner: it offers easy and fast application especially useful for non-professionals

CLIRVED SLIREACES

- + Remove the liner
- + Heat the vinyl between 40° and 50°C (104° and 122° F), then stretch it to wrap the convex surface
- + Apply the vinyl over the whole surface using a plastic felt-covered plastic squeegee [MARBLEUF], making sure to gently brush it on the convex area to eliminate all tensions and folds
- Cut if necessary and reheat all the edges to 80°- 90°C (176°-194° F) for the finishing

More videos and tutorials on: www.hexis-training.com/videos-photos.html

Films						aces	s Type of surface				\neg		
HEXIS Series	Colours	Characteristics	Finish	Durability	Curved	Flat	Window	Aluminium	Melamine	Paint ⁽¹⁾	Brick wall	Tiles	Plastic
HX30000	73	Wrap films with special colours and textured effects	variochrome, matt, carbon fibre, leather, alligator	+++	✓	✓	✓	✓	✓	✓			
HX20000	85	Full or partial wrap, solid colours	gloss & matt	+++	✓	✓	✓	√	✓	✓			Y_
KG8000	78	Cast for cutting and decoration	gloss & matt	++++	✓	✓	✓	✓	✓	✓			
SMARTAC EVOLUTION	16	PVC-free "green" cut film	gloss	++++			✓	V	✓				
SUPTAC S5000	96	Partial wrap and cutting for decoration	gloss all colours matt (only B/W, transparent)	++++		✓	✓	✓	✓	✓			
ECOTAC E3000	78	Cutting film for decoration	gloss & matt	+++			✓		✓				
VCRE3000	5	Film for wall stickers, high tack adhesive	matt	+++		✓				✓	✓	✓	✓
CRISTAL C4000	16	Coloured transparent film	-\ /	++			✓						
CLASSIC ETCH	3	Etched glass effects	matt	++++		✓	✓						
OTHER ETCHED FILMS	5	Frosted, glitter, coloured etch	matt & gloss	++		✓	✓				1		







													100	
	Films					Surfaces			Type of surface					
HEXIS Series	References	Lamination	Finish	Durability	Curved	Flat	Window	Aluminium	Melamine	Paint ⁽¹⁾	Brick wall	Tiles	Plastic	
100	V100WG2, HX190WG2	PC30, PC190	gloss & matt	+++	✓	✓	✓	✓	✓	✓				
100	High tack adhesive (VCR100, VCSR100)	PC30, PC190	gloss & matt	+++	✓			✓	✓	√	v	✓	✓	
200	V200WG1, HX200WG2, V240WG1, HX240WG1	V750B, V750M	gloss & matt	+++		✓	✓	√	✓	✓				
200	High tack adhesive (VCR200, VCXR200)	V750B, V750M	gloss & matt	+++				✓	✓		v	✓	✓	
300/3000	V300WG1, V3000WG, V3000WM, HX3000WG2	V700B, V700M, V700S	gloss, matt, satin	++		✓	✓	✓	✓	✓				
300/3000	High tack adhesive (VCR3000WG1, VCR3000WM1)	V700B, V700M, V700S	gloss, matt, satin	++				V	✓		v	✓	✓	
MICRO PERFORATED	MICRO1, MICRO2, MICRO6	PC50MICP2, PG836	gloss	+		✓	✓							
TRANSPARENT	V202CG1, V302CG1	-)	gloss	++		✓	√							

Films					aces	Type of surface						
HEXIS Serie	References	Finish	Durability	Curved	Flat	Window	Aluminium	Melamine	Paint ⁽¹⁾	Other HEXIS films	Tiles	Floor
FLOOR	GS0L170	anti slip	+		✓					✓		✓
WHITEBOARD	White (DWP001B) Transparent (DWP002B)	erasable, gloss	+		✓	√	V	✓	✓	v		
BLACKBOARD	BBNOIR	chalkboard effect	+		✓	✓	✓	✓	✓			
WOOD	VWOOD	wood effect	++				V	✓		✓		
LEATHER	PCAMPGB	leather effect	++		✓		✓	✓	✓	✓		
ANTI-GRAFFITI / ANTI-SCRATCH	AG800, PG836	gloss	++			✓	V	✓	✓	√		

Our films can be applied on various substrates. This chart specifies the main applications for every range.

The durabilities of our films are mentioned on our data sheets. Please refer to our website www.hexis-graphics.com



HEXIS HEAD OFFICE

Z.I. Horizons Sud CS 970003 34118 FRONTIGNAN CEDEX

T. +33 - 467 1866 86

F. +33 - 4 67 48 38 79 export@hexis.fr



