

GRAPHICS DIVISION.





INTERNATIONAL EDITION

CATALOGUE  
**2023**



## FIND A DISTRIBUTOR

FULL LIST ON: [WWW.HEXIS-GRAPHICS.COM/EN/DISTRIBUTION/](http://WWW.HEXIS-GRAPHICS.COM/EN/DISTRIBUTION/)






HEXIS NEW ANTIMICROBIAL FILM

# PUREZONE<sup>®</sup>

24/7 protection against bacteria and viruses

ACTIVE AGAINST  
**CORONAVIRUS\***  
INCLUDING  
**SARS-COV-2\***



Contact us for  
more information!

[www.hexis-health.com](http://www.hexis-health.com)



\* SARS-CoV-2 Colcov & HCoV-229E (according to ISO 21702), tested by UB'L3 Laboratory of The University of Bordeaux



# The commitment by HEXIS through partnerships

HEXIS supports many renowned teams in the world of motor sport. Driven by excellence, passion and performance, HEXIS makes French industry shine in this challenging market that requires a constant need for innovation.

HEXIS is proud to be the technical partner of several racing teams by providing self-adhesive product solutions.

Beyond the manufacturing of self-adhesive films, HEXIS has always assisted its customers and partners in the choice of products, the printing and the application of its adhesives.


For this reason, HEXIS operates training centres dedicated to installation in France and abroad.

During each training session, customers and partners have the opportunity to live an integral, unique and immersive experience within our production facility in Frontignan. A 360° vision of the profession that is acclaimed by all!





In parallel to  
**motor sport**,  
HEXIS is also  
involved in  
**cultural, artistic,**  
**environmental,**  
**humanitarian**  
and **medical**  
projects.



Montpellier Reine Run ●  
Dys Mille Pas Race ●  
La Biennale - Lyon ●





## Focus on the Digital Printing Department

HEXIS CUSTOMER SERVICE WELL KNOWN AND RESPECTED

As a manufacturer and distributor of printable self-adhesive films, the HEXIS Digital Printing Division provides a bespoke customer service for printing professionals.

From the provision of personalised profiles to training, our technicians know how to respond precisely to the expectations and needs of each client.

Remember that a personalised ICC profile allows time savings with stable printing results and faithful colour reproduction, as well as a significant reduction in inking costs of at least 15% compared to a generic profile.

In 2022, our duo of experts assisted and advised our customers remotely five days a week on RIPs and ICC profiles. They also supported our customers' personnel directly on their equipment in their workshops and conducted more more than 10 days of training.

The expertise of our team is ensured by continuous training at our partners - machine manufacturers - on printing systems and the RIPs. These partnerships facilitate the regular updating and enrichment of our ICC profile library. More than 2800 profiles are available and accessible from our website [www.hexis-graphics.com](http://www.hexis-graphics.com).





## Customer testimonial:

### PROCOM

"Our team really appreciated Valerie's availability, ability to listen and good humour. She provided a lot of knowledge on the use of Illustrator and tips related to printing, very useful information on ICC profiles and configurations."



**Are you interested in a one-day  
Digital Printing training course?**

Refer to page 260 of the catalogue for the full programme,  
methodology and teaching materials.

# Focus on the Support Centre



Since 2016, a team 100% dedicated to technical and functional support answers your questions on a daily basis to advise you on your projects and bring you satisfactory solutions.

In 2022, the Support Centre recorded a customer satisfaction rate as high as 95% and is doing its utmost to maintain this high level of performance throughout the year. Our consultants are at your disposal to help you with the following issues:

- Regulatory documentation (REACH, certifications etc.)
- Quality of a product BEFORE/DURING/AFTER its application
- Transport/Shipping (lost or damaged package, recipient error, labelling etc.)

In order to simplify the procedures with the HEXIS Support Centre, a number of documents can be accessed from the customer area on [www.hexis-online.com](http://www.hexis-online.com) or from the Support Centre:

- Guide to good practice (the right steps to adopt)
- Goods receipt form
- Support request form



*The Support Centre answers and processes requests from clients who are direct customers of HEXIS. For customers working with a subsidiary or a distributor, please contact your usual sales contacts.*





## Focus on the custom colour service (MALT)

---

For over 30 years, HEXIS has been offering a custom colour service for its ranges of cast PVC, polymeric and monomeric films. A commitment and an expertise which are the fruit of a successful daily cooperation between the sales division and the industrial division in order to respond efficiently and as quickly as possible to MALT requests for France and abroad.

With more than 1,000 successfully completed MALTs, our customers have so far and will in the future complete their custom projects to their entire satisfaction.

In 2023, HEXIS will continue to provide quality support to its clients in order to satisfy the most stringent requirements in terms of graphic identity.

# HEXIS's CSR policy



Since HEXIS is committed to a dynamic of continuous improvement and operational excellence, the company is pursuing its CSR policy in order to come closer to the standards imposed by article 116 of the 2001 law on new economic regulations (NRE), even though the company is not subject to the latter.

The ambition of HEXIS to be transparent to its stakeholders on the challenges of the plastics industry has led it to undertake and monitor actions on the life cycle of its products.

Thanks to its involvement in various CSR initiatives, HEXIS has obtained several awards, which are tokens of excellence and performance.



Renewal of Qualiopi certification for HEXIS training courses in 2022

HEXIS has been ISO 9001 certified since June 2005. This standard certifies the implementation of a quality management system within the company.



HEXIS has been ISO 9001 certified since June 2005. This standard certifies the implementation of a quality management system within the company.

HEXIS has been ISO 14001 certified since July 2020. This standard certifies the implementation of an environmental management system within the company.



In April 2022, HEXIS became a member of the United Nations Global Compact. This initiative sets targets to be achieved on sustainable development issues in the 2030 Agenda. In October 2022, HEXIS finished second in the "CSR team oriented towards sustainable development goals" trophy.

At the beginning of 2022 HEXIS completed the EcoVadis review and received a score of 55/100, which is equivalent to a bronze medal.



HEXIS is certified under the Oeko-Tex label. This label aims to certify the sanitary and ecological qualities of textile and leather products, by guaranteeing the absence of products that are toxic to health and the environment.



**The environmental impact of HEXIS, illustrated in a few examples and targets, includes:**


- A circular economy highlighted through the flange recovery programme: **51,700 end-pieces collected in 2022**, which are **recyclable up to 7 times**.
- A reduction of 141.75 tonnes of diffuse CO2 emissions in 5 years, equivalent to the manufacture of 6,250 jeans.
- A reduction of over 30% in total gas emissions for the purchase of a PVC-free product.
- The installation of 3 thermal oxidisers which avoided the generation of 1,335 tonnes of CO2 in 3 years, i.e. 1,335 return trips from Paris to New York by plane.
- The purchase of 81% bio-sourced cartons.
- Procurement of 81% FSC®/PEFC® liner.
- Achieving the threshold of 0.9kg of CO2 per parcel shipped in 2024.

To find out the full details of the HEXIS CSR policy, we invite you to refer to the 2023 CSR report available on [www.hexis-graphics.com](http://www.hexis-graphics.com).

# Keep a green MIND

WITH OUR PVC-FREE SOLUTIONS

As part of a continuous improvement process, HEXIS puts the development of alternative solutions at the heart of its priorities. Whatever your project may be, HEXIS brings you a PVC-free solution.

Throughout this catalogue, you will find PVC-free products identified by: 

P. 74

## PRINTABLE FILMS

- > **LINPRINT** : Printable self-adhesive PET film
- > **V202CG3** : Alternative version of V202CG1 PET liner
- > **VCSR202CG3** : Clear printable polymeric film with super-reinforced adhesive
- > **KROMPRINT** : Printable chrome with Hex'press liner
- > **EPS135AD** : Self-adhesive printable satin paper - outdoor application
- > **EPS150ADE** : Self-adhesive printable satin paper with structured liner - interior application
- > **CLEARWRAP** : Premium clear cast film
- > **EPBANIN** : PVC-free woven digital printing banner for indoor use
- > **EPBANOUT** : PVC-free woven digital printing banner for outdoor use



P. 175

## BODYWORK PROTECTION

- > **DFENCEONEX** : PPF 130µm - X technology - gloss
- > **DFENCEONEXM** : PPF 130µm - X technology - matt
- > **BFBLACKM** : Deep black PPF - X technology - matt
- > **BODYFENCEXM** : PPF - X technology - matt
- > **BODYFENCEXS** : PPF - X technology - satin
- > **BODYXFAST** : Ultra-soft premium PPF - X technology - gloss
- > **HEXFLARE01** : Yellow headlight decoration film
- > **HEXFLARE02** : Red headlight decoration film
- > **HEXFLARE03** : Blue headlight decoration film
- > **HEXFLARE04** : Grey headlight decoration film
- > **3333SHIELD** : Windscreen protection for cars
- > **4444RACING** : Windscreen protection for racing vehicles

P. 117

## LAMINATES

- > **V750S** : Clear satin polymeric PVC laminate
- > **XTTWICE** : Double-sided film for use in extreme deco kits
- > **PC300** : Gloss PU laminate, permanent clear adhesive
- > **PCR190G2** : Gloss cast laminate with reinforced permanent clear adhesive
- > **PCLEATHER** : Cast PVC laminate with embossed leather effect
- > **PCWOOD02** : Cast PVC laminate with wood effect

P. 135

## DECORATION

- > **New HEX'PERIENCE designs**








P. 23

## PLOTTER FILMS


### > T5000



### > SUPTAC HXS5000



### > S5ICE



P. 193


## TOOLS & ACCESSORIES

- > Find out about a multitude of new SHAG accessories for the best full wraps with SKINTAC films:  
**SHAGBOX, SHAGWHEEL, SHAGPINK...**

P. 15

## VEHICLE CUSTOMISATION

### > SKINTAC HX30000



### > SKINTAC HX20000



P. 149

## FILMS FOR TEXTILES

- > **DTF-H-PEEL :**  
Printable Direct To Film Hot Peel
- > **CC17 :** Orange Red
- > **CC110 :** Platinum
- > **CC44 :** Fluorescent Blue
- > **SC82 :** Light Beige
- > **SC28 :** Water Blue
- > **SC64 :** Pink
- > **SC100 :** Copper
- > **SC44 :** Fluorescent Blue
- > **SC45 :** Fluorescent Red





A new high-performance marking range  
**For each textile, a TEXIS solution!**

**CUTTING FILMS**



**PRINTING FILMS**



[www.hexis-graphics.com](http://www.hexis-graphics.com)























## CONTENTS

FULL WRAPS .....	P. 15
SIGN VINYLs .....	P. 23
SPECIALTIES.....	P. 51
APPLICATION TAPES .....	P. 69
DIGITAL PRINTING .....	P. 74
LAMINATES .....	P. 117
DECORATION SOLUTIONS .....	P. 135
TEXTILE DECORATION .....	P. 149
PROTECTION & SECURITY FILMS.....	P. 175
TOOLS & DISPLAYS .....	P. 193
TRAINING .....	P. 243
THE HEXIS PLUS.....	P. 267



## PICTOGRAM LEGEND

	TAKE HEAT EASY® liner		New product
	White adhesive		Satin finish
	Matt finish		Compatible with <b>eco-solvent inks</b>
	Compatible with <b>solvent-based inks</b>		Compatible with <b>UV inks</b> and <b>protective laminates</b> for UV prints
	Compatible with <b>latex inks</b>		Certified for use with <b>HP Latex printers</b>
	Product rated M1 or NF EN 13501-1		<b>Product rated R7 according to standard EN-45545</b> (Contact your sales representative for more information)
	Product rated R1 according to standard EN-45545 (Contact your sales representative for more information)		Product <b>without PVC</b>
<b>EN 13501-1</b>	<b>EUROPEAN CLASSIFICATION</b> <b>ACCORDING TO NF EN 13501-1</b> (fire resistance rating)		PVC product with a corresponding product <b>without PVC</b>
	HEX'Press liner		Wet finish



### Short rolls sales policy: new advantages

- **Short rolls from stock available :**
  - Price per sqm will be identical to full rolls sqm price
- **Short rolls on request :**
  - only in 5/10/15/20 linear meters, sqm price of linear meter

# FILMS FOR FULL WRAPS

**SKINTAC HX45000** CAST FILM..... **16 - 17**

**SKINTAC HX30000** CAST FILM..... **18 - 19**

**SKINTAC HX20000** CAST FILM..... **20 - 21**

**HEXIS DAM** ..... **22**



# ● CAST FILM

## SKINTAC HX45000


### 3D

#### LONG-TERM

#### FULL WRAPS

#### AUTOMOTIVE FLEETS & BOATS

Fully conformable, **SKINTAC HX45000** can be easily applied on any indoor or outdoor surface. Its excellent performance and conformability allow it to be used on curved or textured surfaces (welds or rivets). Thanks to its surface sliding properties, it offers easy and time-saving application. Particularly suitable for application on boats.




The **Hex'PRESS** liner is an innovation used by **HEXIS** for our high-performance films.

### INFORMATION



**N** This pictogram shows new colours

This range is available in gloss and satin   
Repositionable **Hex'PRESS** liner



**1**  
**HX45109B**  
PAINT STYLING AG | SWITZERLAND  
**2**  
**HX45109B**  
PAINT STYLING AG | SWITZERLAND



### DATA SHEET

- > **HIGH-PERFORMANCE** MULTILAYERED CAST FILM
- > FROM **100 TO 150 MICRONS (3.9 - 5.9 MILS)** DEPENDING ON PRODUCT CODE
- > **HEX'PRESS** LINER
- > **65 GLOSS** COLOURS
- > **8 SATIN** COLOURS 
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **12 YEARS** DURABILITY
- > WARRANTY OF **2 YEARS** (HORIZONTAL) / **5 YEARS** (VERTICAL) AGAINST YELLOWING AND CRACKING

HX45000	WIDTH MM	LENGTH LM
GAMME 1	1520	25
GAMME 2	1520	25
GAMME 3	1520	25
GAMME 4	1370	25
	1520	25



HEXIS are committed to you and applies a unique principle in the market.

We offer a comprehensive warranty\* against yellowing and cracking:

- > 5 years in vertical / 2 years in horizontal position on all land vehicles
- > 3 years in horizontal position on boats

\* The warranty against yellowing and cracking comes into force from the date of installation by the client according to the terms and conditions specified in "Special Basic Warranty HX45000". Technical data sheet available on [www.hexis-graphics.com](http://www.hexis-graphics.com)



RANGE 1

HX45002B LAPLAND WHITE	HX45003B GLACIER WHITE	HX45008B ICE WHITE	HX45889B COAL BLACK	HX45890B DEEP BLACK	HX45890S DEEP BLACK

RANGE 2


HX45004B LAPP SPARKLE WHITE	HX45006B SATURN WHITE	HX45108B LEMON YELLOW	HX45109B SUN YELLOW	HX45016B HONEY YELLOW	HX45495B URBAN ORANGE	HX45165B MANDARIN RED	HX45485B EMBER RED	HX45186B RUBY RED	HX45200B BLOOD RED
HX45220B FUCHSIA	HX45218B CANDY PINK	HX45008B PLUM VIOLET	HX45V18B DAMSON VIOLET	HX456010B BYZANTINE VIOLET	HX45352B ELDERBERRY PURPLE	HX45266S ACID GREEN	HX45348B EMERALD GREEN	HX45228B WASABI GREEN	HX45375B LIGHT GREEN
HX45V16B DROSENA GREEN	HX45V14B SHERWOOD GREEN	HX45284B NIAGARA BLUE	HX45646B YAS MARINA	HX45B11B SOUTH SEA BLUE	HX45532B ABYSSAL BLUE	HX45281B NIGHT BLUE	HX45033B FIRMAMENT BLUE	HX45905B NIGHT BLUE METAL	HX45236S CELESTIAL BLUE
HX45280B PACIFIC BLUE	HX45300B SAPPHIRE BLUE	HX45293B CURAÇAO BLUE	HX456283B TRITON BLUE	HX45219S ARA BLUE METALLIC	HX45315B PIGEON BLUE	HX456359B APOLLO BLUE	HX45299B MONTPELLIER BLUE	HX45035B TI BLUE	HX45034B TAXI BEIGE
HX45042B ASHEN BEIGE METALLIC	HX45661S CANYON BRONZE METAL	HX45468B IVORY	HX45476B BROWN	HX45MMAB MARRAKESH BROWN	HX45894B COFFEE BROWN	HX45428B CLOUD GREY	HX45877B SILVER	HX45990B METEORITE GREY METAL	HX45445B PEARL GREY
HX45446B ELEPHANT GREY	HX45603S SANTI GREY METAL	HX45604S ARGENTIC GREY	HX45423B SHARK GREY	HX45432B DARK GREY	HX45N03B VAMPIRE BLACK	HX456895B EBONY SPARKLE BLACK	HX45NCAB CATECHU BLACK		

RANGE 3

HX45PE770B NACRE WHITE	HX45PE770S NACRE WHITE	HX456446B CHAMELEON GREY	HX45PE914B NEON BLUE	HX45RW002B LAPLAND RAINBOW WHITE	HX45RW889B COAL RAINBOW BLACK

RANGE 4

HX45CA890B CARBON BLACK	HX45CA891B* RAVEN CARBON BLACK	HX45CA892B PETROLEUM CARBON BLACK



**SWATCHBOOKS / COLOUR CARDS**  
Order our swatchbooks and colour cards by writing to [export@hexisgroup.com](mailto:export@hexisgroup.com) or contact your local distributor.

\* Colour available in 1370 mm only: HX45CA891B

# ● CAST FILM

## SKINTAC HX30000

### 3D

### LONG-TERM

### FULL WRAPS

### AUTOMOTIVE DECORATION

**SKINTAC HX30000**, specially designed for customising vehicles and for decoration, consists of a multilayered cast PVC film and the **Hex'PRESS** liner for easy application.

### DATA SHEET

- > **HIGH-PERFORMANCE** MULTILAYERED CAST FILM
- > FROM **70 TO 280 MICRONS (2.7 - 11 MILS)** DEPENDING ON PRODUCT CODE
- > **Hex'PRESS** LINER
- > **35 GLOSS** COLOURS
- > **16 SATIN** COLOURS
- > **3 MATT** COLOURS
- > **29 CHROME** COLOURS
- > **11 TEXTURED** PRODUCTS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **5 YEARS** DURABILITY

HX30000	WIDTH MM	LENGTH LM
RANGE 1	1520	25
RANGE 2	1370*	25
	1520	
RANGE 3	1370	25

\* Width available only for HX30CANC0B.

### INFORMATION



**N** This pictogram shows new colours.

This range is available in gloss, matt **M** or satin **S**.



To clean and maintain SKINTAC gloss films, we recommend our SHAGFINISH Kit. (See page 220)

Colours available in 1370 mm only: HX30CANC0B, HX30AL003B.







## CUSTOM COLOURS

You didn't find the colour you want in our swatchbook?

HEXIS offer a custom colour service.

**Please contact us for more information.**




- 1 **IRIDESCENT GALACTIC HX30SS22B**  
HEXIS SAS | FRANCE
- 2 **HX30N71M**  
TAYLOR DESIGNS - PHOTO : FOCUS'NFIRE MEDIA, INC
- 3 **HX20NPRS / HX20G04S**  
VINYL LABS | UKRAINE
- 4 **HX20RINB, S5001B**  
OPARUSIC REKLAMBYRÄ AB | SWEDEN


### RANGE 1




### RANGE 2



### RANGE 3



\* While stocks last.



## SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to [export@hexisgroup.com](mailto:export@hexisgroup.com) or contact your local distributor.



# ● CAST FILM SKINTAC HX20000

## 3D

## LONG-TERM

## FULL WRAPS

## AUTOMOTIVE DECORATION

## STANDARD EN 13501-1

Specially designed for full wraps, **SKINTAC HX20000** is a multilayered cast PVC film over 100 microns thick with a **Hex·PRESS** liner. Thanks to its thickness, it preserves its colour even under strong deformation.

## DATA SHEET

- > **HIGH-PERFORMANCE** MULTILAYERED CAST FILM
- > OVER **100 MICRONS (3.9 MILS)**
- > **85 GLOSS** COLOURS
- > **21 MATT** COLOURS
- > **12 SATIN** COLOURS
- > **1 WET** COLOUR
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **6 YEARS** DURABILITY
- > **Hex·PRESS** LINER

M1

HX20000	WIDTH MM	LENGTH LM
RANGE 1	1520	25
RANGE 2	1520	25

## INFORMATION



**N** This pictogram shows new colours  
This range is available in gloss, matt **M**, satin **S** or wet **W**



## HEXIS ADVICE



To install films with a gloss finish, we recommend MagicSpray. (See page 218)



To clean and maintain SKINTAC gloss films, we recommend our SHAGFINISH Kit. (See page 220)





## CUSTOM COLOURS

You didn't find the colour you want in our swatchbook?  
HEXIS offer a custom colour service.

Contact us for more information



1 SKINTAC HX20614B + HX20219S  
RADIN D.O.O | CROATIA

2 SKINTAC HX20614B + PC190M  
GESTALTUNG KOLOURGUARD | AUSTRALIEN

### RANGE 1

HX20001B POLAR WHITE	HX20002B LAPLAND WHITE	HX20002M LAPLAND WHITE	HX20003B GLACIER WHITE	HX20003M GLACIER WHITE	HX20500B ICE WHITE	HX20889B COAL BLACK	HX20890B DEEP BLACK	HX20890W DEEP BLACK	HX20NPRM DEEP BLACK	HX20NPRS DEEP BLACK

### RANGE 2

HX20BSAB SATURN WHITE	HX20BLPB LAPP SPARKLE WHITE	HX20BNCS NACRE WHITE	HX20BTXB TAXI BEIGE	HX20468B IVORY	HX20BCMB ASHEN BEIGE METALLIC	HX20P001B ZEUS GOLD	HX20871B GOLD	HX20613B FLUOR YELLOW	HX20108B LEMON YELLOW	HX20108M LEMON YELLOW
HX20JJAM JAIPUR YELLOW	HX20109B SUN YELLOW	HX20123B DAFFODIL YELLOW	HX20548M FLORIDA YELLOW	HX20JMB HONEY YELLOW	HX20558B YELLOW METALLIC	HX20614B FLUOR ORANGE	HX20495B URBAN ORANGE	HX20165B MANDARIN RED	HX20165M MANDARIN RED	HX20585B ZENITH ORANGE
HX20AUB AURORA ORANGE	HX20615B FLUOR RED	HX20615S FLUOR RED	HX20485B EMBER RED	HX20R05B RACING RED	HX20186B RUBY RED	HX20200B BLOOD RED	HX20200M BLOOD RED	HX20R6RB GARNET RED	HX20196S ALU RED	HX20PCAB CANDY PINK
HX20RDB JELLYBEAN PINK	HX20RNB INDIAN PINK	HX2020B FUCHSIA	HX20220M FUCHSIA MATT	HX20008B PLUM VIOLET	HX20V18B DAMSON VIOLET	HX20352B ELDERBERRY PURPLE	HX20VBYB BYZANTINE VIOLET	HX20B37B POLARIS BLUE	HX20B32B JAZZ BLUE	HX20284B NIAGARA BLUE
HX20646B YAS MARINA	HX20299B MONTPELLIER BLUE	HX20219S ARA BLUE METALLIC	HX20521S LIGHT RACING BLUE	HX20293B CURAÇAO BLUE	HX20P004B APOLLO BLUE	HX20300B SAPPHIRE BLUE	HX20905B NIGHT BLUE METAL	HX20905M NIGHT BLUE METAL	HX20236S CELESTIAL BLUE	HX20280B PACIFIC BLUE
HX20P005B TRITON BLUE	HX20281B NIGHT BLUE	HX20B7B TI BLUE	HX20B7M TURQUOISE BLUE	HX20B11B SOUTH SEA BLUE	HX20B7B FJORD BLUE	HX20315B PIGEON BLUE	HX20033B FIRMAMENT BLUE	HX20532B ABYSSAL BLUE	HX20VNAS VERT NAIADE	HX20612B FLUOR GREEN
HX20V24B TOXIC GREEN	HX20266S ACID GREEN	HX20375B LIGHT GREEN	HX20375M LIGHT GREEN	HX20228B WASABI GREEN	HX20228M WASABI GREEN	HX20369B APPLE GREEN	HX20V16B DROSEIRA GREEN	HX20348B EMERALD GREEN	HX20V14B SHERWOOD GREEN	HX20VAVM ADVENTURE GREEN
HX20VMIM MILITARY GREEN	HX20012B SUMMIT WHITE	HX20428B CLOUD GREY	HX20877B SILVER	HX20990B METEORITE GREY METAL	HX20990M METEORITE GREY METAL	HX20948B BRONZE GREY METAL	HX2066IM FROZEN GREY	HX20612B PLEIADES GREY	HX20606B DUST GREY	HX20445B PEARL GREY
HX20446B ELEPHANT GREY	HX20603S SANTI GREY METAL	HX20607B ASTON GREY	HX20604S ARGENTIC GREY	HX206ANM ANTHRACITE GREY METAL	HX20423B SHARK GREY	HX20432B DARK GREY	HX20437B CINDER ROSE METAL	HX20437M CINDER ROSE METAL	HX20MMAB MARRAKESH BROWN	HX20MMAM MARRAKESH BROWN
HX20661S CANYON BRONZE METAL	HX20731B HAVANE BROWN	HX20476B BROWN	HX20MCAB COFFEE BROWN	HX20N03B VAMPIRE BLACK	HX20NEPB EBONY SPARKLE BLACK	HX20NEPM EBONY SPARKLE BLACK	HX20NCAB CATECHU BLACK	HX20NMYB MYSTERY BLACK		

\* While stocks last.



## SWATCHBOOKS / COLOUR CARDS



Order our swatchbooks and colour cards  
by writing to [export@hexisgroup.com](mailto:export@hexisgroup.com) or  
contact your local distributor.







Explore our new media  
library **HEXIS DAM**




## BROWSE, PUBLISH, SHARE

All resources available for HEXIS Group Partners

<https://media.hexisgroup.com>

**ACCESS**  
**ALL** HEXIS  
RESOURCES  
WITH A SINGLE  
CLICK



# • SIGN VINYL

<b>SMARTAC KG8000</b> CAST FILM .....	<b>24 - 25</b>
<b>SMARTAC EVOLUTION A5000</b> CAST FILM .....	<b>26 - 27</b>
<b>SUPTAC S5000</b> POLYMERIC FILM .....	<b>28 - 29</b>
<b>SUPTAC HXS5000</b> POLYMERIC FILM .....	<b>30 - 31</b>
<b>ECOTAC PLUS E3000+</b> MONOMERIC FILM .....	<b>32 - 33</b>
<b>ECOTAC SUPER + VCRE3000</b> MONOMERIC FILM .....	<b>34</b>
PVC-FREE <b>ECOLOGICAL CUT ECE3000</b> .....	<b>35</b>
<b>MICROTAC M2000</b> MONOMERIC FILM .....	<b>36 - 37</b>
<b>TRUCK BANNER SPECIAL TB9000S</b> PLOTTER FILM .....	<b>38 - 39</b>
<b>BANNER SPECIAL B3000</b> SEMI-POLYMERIC FILM .....	<b>40</b>
<b>P6000</b> POLYESTER FILM .....	<b>40</b>
<b>FLUO F610</b> POLYMERIC FILM .....	<b>41</b>
CAST FILM <b>PHOTOLUMINESCENT HEXGLOW01</b> .....	<b>42</b>
<b>CRISTAL C4000</b> POLYMERIC FILM .....	<b>43</b>
<b>ETCHED GLASS KG15DEPM</b> CAST FILM .....	<b>44</b>
<b>ETCHED GLASS CLASSIC</b> POLYMERIC FILMS .....	<b>45</b>
<b>ETCHED GLASS WHITE SPARKLE</b> POLYMERIC FILMS .....	<b>46</b>
<b>FROSTED GLASS</b> MONOMERIC FILMS .....	<b>47</b>
POLYESTER <b>PRIVACY FILM</b> .....	<b>48</b>
<b>TRANSLUCENT T5000</b> POLYMERIC FILM .....	<b>49</b>
<b>OPACIFYING BLOCK-OUT</b> POLYMERIC FILM .....	<b>50</b>

# SMARTAC KG8000

## CAST FILM

2D+

### LONG-TERM

### PERMANENT

**SMARTAC KG8000** is a cast film offering good conformability on complex surfaces such as rivets or deformations on vans. Great for decorative strips on vehicles as well.

The product is easy to cut and to apply thanks to its good dimensional stability.

### DATA SHEET


- > **HIGH-PERFORMANCE** CAST FILM
- > **50 MICRONS (1.9 MILS)**
- > **45 GLOSS** COLOURS
- > **2 MATT** COLOURS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **10 YEARS** DURABILITY
- > SILICONISED **KRAFT** LINER

M1

KG8000	WIDTH MM	LENGTH LM
RANGE 1	1230	30
RANGE 2	1230	30
RANGE 3	1230	30

### INFORMATION



This range is available in gloss and matt .



<sup>1</sup> **SMARTAC K8002M**  
BÜRKI MOSER GMBH  
SWISS

<sup>2</sup> **SMARTAC KG8187B**  
PUBLIFLASH  
FRANCE







## CUSTOM COLOURS

You didn't find the colour you want in our swatchbook?  
 HEXIS offer a custom colour service.

**Please contact us for more information.**

### RANGE 1




### RANGE 2



### RANGE 3



\* While stocks last.



## SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by  
 writing to [export@hexisgroup.com](mailto:export@hexisgroup.com) or contact  
 your local distributor.



# SMARTAC EVOLUTION A5000

## CAST FILM

2D+

PVC-FREE

LONG-TERM

PERMANENT

Need an eco-friendly solution for your marking and long-term projects?

Choose the **SMARTAC A5000** range of premium PVC-free lettering films. Specially designed for your long-term campaigns, the **A5000** film meets the strictest requirements of sustainable development and calls for tenders requiring the use of environmentally friendly products. Its high technical performance gives it excellent conformability for installations on a wide range of convex, concave and flat surfaces (windows, vehicles, panels etc.).

The **SMARTAC** range is available in 14 gloss colours.

### DATA SHEET

- > **HIGH-PERFORMANCE**  
CAST POLYURETHANE FILM
- > **PVC-FREE**
- > **60 MICRONS**
- > **14 GLOSS** COLOURS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **10 YEARS** DURABILITY
- > SILICONISED **KRAFT** LINER

PVC-FREE

M1

F1



A5000	WIDTH MM	LENGTH LM
RANGE 1	1230	30
RANGE 2	1230	30
RANGE 3	1230	30

### INFORMATION




This range is available in gloss only.



### HEXIS ADVICE

This chlorine-free product is perfect for laser cutters/engravers.





## CUSTOM COLOURS

You didn't find the colour you want in our swatchbook?  
HEXIS offer a custom colour service.

**Please contact us for more information.**

### RANGE 1



A5001B  
POLAR WHITE



A5889B  
COAL BLACK


### RANGE 2



A5293B  
CURAÇAO BLUE




A5280B  
PACIFIC BLUE



A5348B  
EMERALD GREEN



A5445B  
PEARL GREY



A5446B  
ELEPHANT GREY

### RANGE 3




A5109B  
SUN YELLOW



A5136B  
MUSTARD  
YELLOW



A5165B  
MANDARIN




A5485B  
EMBER RED



A5186B  
RUBY RED



A5200B  
BLOOD RED



A5476B  
BROWN



1  
**SMARTAC A5445B**  
ILLIMITED | FRANCE

2

**SMARTAC A5293B**  
**SMARTAC A5280B**  
PHOTO ILLIMITED | FRANCE



## SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by  
writing to [export@hexisgroup.com](mailto:export@hexisgroup.com) or contact  
your local distributor.





# • SUPTAC S5000

## POLYMERIC FILM

2D

LONG-TERM

PERMANENT

The ultimate multi-purpose product!

**SUPTAC S5000** is perfect for panels, totems, outdoor signage, sign boards and vehicle decoration. Application on flat and slightly curved surfaces.



Have you considered the PVC-free equivalent **A5000**

### INFORMATION



This range is available in gloss and matt **M**. Some products are available in **1520** mm.



### HEXIS ADVICE

To transfer **SUPTAC Carbone S5CANB**, we recommend to use **HEX750** tape.

### DATA SHEET

- > **HIGH-PERFORMANCE POLYMERIC FILM**
- > **65 MICRONS**
- > **86 GLOSS** COLOURS
- > **7 MATT** COLOURS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **10 YEARS** DURABILITY
- > 'BLUE CONTRAST' LINER ON WHITE **S5001B/M** FILMS
- > SILICONISED **KRAFT** LINER

M1




S5000	WIDTH MM	LENGTH LM
RANGE 1	1230	30
	1520	
RANGE 2	1230	30
	1520	
RANGE 3	1230	30
	1520	
S5CANB	1520	30



**1**  
SUPTAC  
FREE STYLE IMPRESIONES - SPAIN

**2**  
SUPTAC  
PHOTO PRISMA MEDIENWERK - GERMANY



**1**  
SUPTAC S50002B  
HEXIS SAS  
FRANCE

**2**  
SUPTAC S5048B  
SUPTAC S5001B  
INSTALLATION STICKSONE  
FRANCE



## CUSTOM COLOURS

You didn't find the colour you want in our swatchbook?  
HEXIS offer a custom colour service.

Contact us for more information

### RANGE 1

<b>1520</b>	<b>M</b>	<b>1520</b>	<b>M</b>	<b>1520</b>	<b>M</b>
S5001B POLAR WHITE	S5001M POLAR WHITE MATT	S5899B CRISTAL	S5899M TRANSPARENT	S5889B COAL BLACK	S5889M COAL BLACK MATT

### RANGE 2

<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>
S5108B LEMON YELLOW	S5109B SUN YELLOW	S5123B DAFFODIL YELLOW	S5136B MUSTARD YELLOW	S5137B SAFFRON	S5165B MANDARIN	S50VIF BRIGHT ORANGE	S5048B ORANGE RED	S5179B VERMILION RED	S5795B FIRE RED
<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>
S5485B EMBER RED	S5186B RUBY RED	S5193B CARDINAL RED	S5200B BLOOD RED	S5201B WINE RED	S5605B BURGUNDY	S5214B MAGENTA	S5220B FUCHSIA	S5169B FLAMINGO PINK	S5251B LILAC
<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>
S5490B ANEMONE PURPLE	S5623B AMETHYST	S5655B LAVENDER FIELD	S5527B PURPLE	S5532B ABYSSAL BLUE	S5303B ONYX BLUE	S5295B NAVY BLUE	S5281B NIGHT BLUE	S5280B PACIFIC BLUE	S5N0RB NORDIC BLUE
<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>
S5ELEB ELECTRIC BLUE	S5RFXB REFLEX BLUE	S5288B ADRIATIC BLUE	S5300B SAPPHIRE BLUE	S5293B CURAÇAO BLUE	S5005B OCEAN BLUE	S5299B MONTPELLIER BLUE	S5278B HOLLYHOCK BLUE	S5297B SKY BLUE	S5125B ATOLL BLUE
<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>
S5298B PERIWINKLE BLUE	S5351B LIME BLOSSOM GREEN	S5332B JADE	S5268B DARK JADE GREEN	S5320B TURQUOISE	S5323B FOREST GREEN	S5336B LARCH GREEN	S5348B EMERALD GREEN	S5340B MEDIUM GREEN	S5354B VIVID GREEN
<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>
S5370B GRANNY GREEN	S5360B FERN GREEN	S5375B LIGHT GREEN	S5VACB ACACIA GREEN	S5392B OLIVE GREEN	S5498B CAPER GREEN	S5167B PAPRIKA	S5635B LIGHT BROWN	S5476B BROWN	S5461B SAND
<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>
S5468B IVORY	S5685B MAGNOLIA	S5805B ECRU	S5BPAB PANAMA BEIGE	S568EB BEIGE GREY	S5408B TAUPE BEIGE	S5404B BROWN GREY	S56PEB LIGHT PEARL GREY	S56CLB LIGHT GREY	S5BA01B CREAM
<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>	<b>1520</b>
S5205B CLAY GREY	S5428B CLOUD GREY	S5431B MEDIUM GREY	S5443B GREY	S5430B MOUSE GREY	S5445B PEARL GREY	S5446B ELEPHANT GREY	S5111B FEATHER GREY	S5850B DARK GREY	

### RANGE 3

<b>1520</b>	<b>1520</b>	<b>1520</b>
S5433B ANTHRACITE	S5871B GOLD	S5877B SILVER

### OUT OF RANGE

<b>1520</b>
S5CANB CARBON BLACK



## SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by  
writing to [export@hexisgroup.com](mailto:export@hexisgroup.com) or contact  
your local distributor.



# • SUPTAC HXS5000

## POLYMERIC FILM

### 2D

#### LONG-TERM

#### PERMANENT

The premium range of cutting films, for even greater ease of installation!

Vehicle marking and signs, general signage and window decoration

Find out more about the **HXS5000** range, which combines the characteristics of **SUPTAC** with a **HEX·PRESS** structured liner. Allow your creativity to run free with a palette of over 30 colours.

#### DATA SHEET

- > **HIGH-PERFORMANCE POLYMERIC FILM**
- > **65 MICRONS**
- > **23 GLOSS COLOURS**
- > **7 MATT COLOURS**
- > **CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE**
- > **UP TO 10 YEARS DURABILITY**
- > **HEX·PRESS LINER**

HXS5000	WIDTH MM	LENGTH LM
RANGE 1	1230	30
	1520	
RANGE 2	1230	30
	1520	
RANGE 3	1230	30
	1520	
RANGE 4	1520	30


#### INFORMATION



**N** This pictogram shows new colours.

This range is available in gloss and matt **M**.

This range offers the **HEX·PRESS** liner.



1



2

3






## CUSTOM COLOURS


You didn't find the colour you want in our swatchbook?  
HEXIS offer a custom colour service.

Contact us for more information


### RANGE 1




### RANGE 2



### RANGE 3



### GAMME 4



<sup>1</sup> SUPTAC HXS5001B  
PHOTO ILLIMITED | FRANCE

<sup>2</sup> SUPTAC HXS5200B + HXS5001B  
PHOTO PRPGND | SPAIN

<sup>3</sup> SUPTAC HXS5889B  
INSTALLATION ASAPAL | FRANCE

<sup>4</sup> SUPTAC HXS5001B  
INSTALLATION 4 COLORS | FRANCE

# • ECOTAC PLUS E3000+ MONOMERIC FILM

## 2D

### LONG-TERM

### PERMANENT

A true intermediate marking film for all your communication projects! The **ECOTAC** range offers a perfect price/quality value and is available in 70 colours. It is mainly intended for indoor and outdoor markings on flat surfaces such as panels, windows and stands. It is used to highlight promotional operations at the point of sale, to create signage or displays at exhibitions.



Have you considered the PVC-free equivalent **ECE3000**

## DATA SHEET

- > INTERMEDIATE **MONOMERIC** FILM
- > **80 MICRONS**
- > **37 GLOSS** COLOURS
- > **33 MATT** COLOURS
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **6 YEARS** DURABILITY
- > SILICONISED **KRAFT** LINER
- > "BLUE CONTRAST" LINER ON WHITE **E3829B/M** FILMS



E3000+	WIDTH MM	LENGTH LM
RANGE 1	1230	30
	1520	
RANGE 2	1230	30
	1520	
RANGE 3	1230	30

## INFORMATION




This range is available in gloss and matt **M**. Some products are available in **1520** mm.




### HEXIS ADVICE


You are looking for an **ECOTAC** product with reinforced adhesive? **VCRE3000** is the answer! See page 34




RANGE 1



RANGE 2



RANGE 3



CUSTOM COLOURS

You didn't find the colour you want in our swatchbook?  
HEXIS offer a custom colour service.

Please contact us for more information.



1  
ECOTAC E3297M  
ECOTAC E3300M  
PHOTO PLANET GRAPHIC  
FRANCE

2  
ECOTAC E3829M  
ECOTAC E3151M  
ECOTAC E889M  
PHOTO COM-UNICK  
FRANCE

3  
ECOTAC E3889B  
PHOTO LA BORNE  
FRANCE



SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by  
writing to [export@hexisgroup.com](mailto:export@hexisgroup.com) or contact  
your local distributor.





# • ECOTAC SUPER + VCRE3000 MONOMERIC FILM

## 2D

### MEDIUM-TERM

### REINFORCED ADHESIVE

### PERMANENT

Thanks to its reinforced adhesive, **VCRE3000** is particularly recommended for indoor application on walls (such as Placoplatre® BA13, smooth or slightly textured walls) or on low-energy surfaces (polyethylene or polypropylene, e.g. waste containers). Matt and gloss finish.

## DATA SHEET


- > INTERMEDIATE **MONOMERIC** FILM
- > **80 MICRONS**
- > UP TO **6 YEARS** DURABILITY
- > **2 GLOSS** COLOURS
- > **8 MATT** COLOURS
- > CLEAR REINFORCED SOLVENT-BASED ACRYLIC ADHESIVE
- > SILICONISED **KRAFT** LINER

M1


VCRE3000	WIDTH MM	LENGTH LM
RANGE 1	1230	30
RANGE 2	1230	30

## INFORMATION




This range is available in gloss and matt .

### RANGE 1



### RANGE 2



<sup>1</sup>  
**ECOTAC VCRE3889B**  
INSTALLATION ILLIMITED I FRANCE



### CUSTOM COLOURS

You didn't find the colour you want in our swatchbook?  
HEXIS offer a custom colour service.

**Please contact us for more information.**

## 2D

### LONG-TERM

### REMOVABLE



The Ecological Cut **ECE3000** film is perfect for indoor and outdoor signage.

Free of PVC, chlorine and plasticiser, it offers an eco-friendly solution for projects having to meet ever stricter specifications.

This film is rated B-s1,d0 (**EN 13501-1**).

Designed for flat and smooth surfaces, it enables a wide variety of applications, including signs and windows.

### DATA SHEET

- > **POLYOLEFIN FILM FREE OF PVC,**  
CHLORINE AND PLASTICISERS
- > **70 MICRONS**
- > CLEAR REMOVABLE SOLVENT-BASED ACRYLIC ADHESIVE
- > DURABILITY UP TO **5 YEARS**
- > REMOVABLE FOR UP TO **6 MONTHS WITH NO MAJOR TRACES**
- > AVAILABLE IN BLACK AND WHITE **MATT**
- > SILICONISED **KRAFT** LINER

PVC-FREE

M1

F1


N

WIDTH  
MM


1230

LENGTH  
LM

30



**1**  
ECOLOGICAL CUT ECE3004M  
INSTALLATION ILLIMITED | FRANCE



### SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to [export@hexisgroup.com](mailto:export@hexisgroup.com) or contact your local distributor.



# • MICROTAC M2000 MONOMERIC FILM

## 2D

### PROMOTIONAL

### PERMANENT & REMOVABLE

A tailored solution for your short- and medium-term projects.

Temporary signage, promotional advertising, one-off decorations, exhibitions and more...

Rediscover and choose the **MICROTAC M2000** film to guarantee a successful execution at the right price!

## DATA SHEET


- > **MONOMERIC** FILM
- > **80 MICRONS**
- > UP TO **5 YEARS** DURABILITY
- > **MG2000/MM2000: 28 GLOSS** COLOURS, **2 MATT** COLOURS
- > **ME2000: 2 MATT** COLOURS

PERMANENT MICROTAC MG2000 MM2000	WIDTH MM	LENGTH LM
RANGE 1	1230	50
RANGE 2	1230	50

REMOVABLE MICROTAC ME2000	WIDTH MM	LENGTH LM
BLACK / WHITE	1230	30

## INFORMATION



Some products are available in matt .



<sup>1</sup> **MICROTAC MG2829**  
INSTALLATION LA BORNE | FRANCE

<sup>2</sup> **MICROTAC MG2889**  
INSTALLATION ILLIMITED | FRANCE





2


RANGE 1



RANGE 2



NO REMOVABLE OPTIONS



CUSTOM COLOURS

You didn't find the colour you want in our swatchbook?  
HEXIS offer a custom colour service.

Please contact us for more information.

# • TRUCK BANNER SPECIAL TB9000S

## PLOTTER FILM

2D

### MEDIUM-TERM

### PERMANENT

With excellent flexibility, making it easy to weed, the **TB9000S** film is perfect for creating large lettering (logos, graphics, decorative strips and more).

This film offers superior resistance to adverse weather and mechanical stress (e.g. automatic wash programs).

Designed for fast application, it also offers strong immediate adhesion, allowing the tape to be removed straight after application.



### DATA SHEET

- > **CAST** PVC FILM
- > **80 MICRONS**
- > ACRYLIC ADHESIVE & **KRAFT** LINER
- > UP TO **5 YEARS** DURABILITY
- > **13 SATIN** COLOURS

WIDTH  
MM

1230

LENGTH  
LM

30

### INFORMATION



Durability of **TB9990S** & **TB9873S** films: up to 4 years.



### HEXIS ADVICE

The superior quality **TB9000S** film adapts perfectly to ripples in the banner, working with its deformations and sections that pass under straps. We recommend using **HEX904** (see page 70) tape for transferring the film.
















1



## CUSTOM COLOURS

You didn't find the colour you want in our swatchbook?  
HEXIS offer a custom colour service.

**Please contact us for more information.**

 S	 S	 S	 S	 S	 S	 S	 S	 S
TB9003S GLACIER WHITE	TB9115S KLEE YELLOW	TB9123S DAFFODIL YELLOW	TB9165S MANDARIN RED	TB9186S RUBY RED SATIN	TB9221S GLADIOLUS PINK	TB9299S MONTPELLIER BLUE	TB9300S SAPPHIRE BLUE	TB9369S APPLE GREEN
 S	 S	 S	 S					
TB9873S PYRITE GOLD	TB9889S COAL BLACK	TB9990S METEORITE GREY	TB98MES MEDITERRANEAN BLUE					



<sup>1</sup>  
MICROTAC MG2368  
HEXIS | FRANCE

<sup>2</sup>  
TB9873S - TB9003S  
CREATEM | FRANCE



## BANNER SPECIAL B3000

### SEMI-POLYMERIC FILM

#### 2D

#### SHORT-TERM

#### PERMANENT

Very smooth, **B3000** is the ideal product for banners and canopies.

It can be used for communications announcing cultural or sports events, or at the POS, etc.

#### INFORMATION



Note: **B3000** is not suitable for truck banners

#### DATA SHEET

- > **SEMI-POLYMERIC FILM**
- > **80 MICRONS**
- > **2 SATIN COLOURS**
- > UP TO **3 YEARS** DURABILITY
- > SILICONISED **KRAFT** LINER

#### WIDTH MM

1230

#### LENGTH LM

30



B3889  
BLACK

B3829  
WHITE

## POLYESTER FILM

### P6000

#### SHORT-TERM

#### PERMANENT

#### WINDOW GRAPHICS

#### DECORATION

Are you looking for a mirror effect film to brighten up your shop windows?

The polyester film **P6000** is sure to offer a stylish and glamorous solution to embellish all types of glass surfaces!

Window graphics, interior design, exhibition stands and signage.

Decorators, designers, architects... do not wait any longer to bring an elegant metallic touch to all your renovation or furnishing projects. Here is a dazzling idea for transforming your offices, meeting rooms, lounges, glass façades, shop windows and more!

#### DATA SHEET

- > **POLYESTER FILM**
- > **50 MICRONS**
- > **5 CHROME COLOURS**
- > **1 BRUSHED ALUMINIUM COLOUR**
- > UP TO **1 YEAR** DURABILITY
- > SILICONISED **KRAFT** LINER



#### P6000

#### WIDTH MM

#### LENGTH LM

ROSE GOLD  
AND SILVER


1230

30

BRUSHED  
ALU

1230

30



P6877B  
SILVER

P6871B  
GOLD

P6871SB  
GOLD SUPER

P6872SB  
ROSE GOLD

P6872B  
ROSE GOLD  
SUPER

P6870B  
BRUSHED  
ALUMINIUM

# • FLUO F610

## POLYMERIC FILM

### 2D

### SHORT-TERM

### PERMANENT

These fluorescent vinyls are ideal for creating short-term promotional visuals such as trestles, store windows or stands. The 5 colours on offer ensure instant visual impact.

### DATA SHEET

- > **POLYMERIC** FILM
- > **80 MICRONS**
- > UP TO **6 MONTHS** DURABILITY
- > **5 FLUORESCENT** COLOURS
- > SILICONISED **KRAFT** LINER

WIDTH  
MM

1230

LENGTH  
LM


30



- P6877B**  
INSTALLATION PUBLIFLASH | FRANCE
- P6871B**  
INSTALLATION HEXIS S.A.S. | FRANCE




**F612**  
FLUO GREEN



**F613**  
FLUO YELLOW



**F614**  
FLUO ORANGE



**F615**  
FLUO RED



**F616**  
FLUO MAGENTA



# • CAST FILM PHOTOLUMINESCENT HEXGLOW01

2D

MEDIUM TERM

PERMANENT

## FICHE TECHNIQUE

- > CAST PVC FILM
- > **100 MICRONS**
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > SILICONISED **KRAFT** LINER

You want to create a surprising atmosphere when it gets dark? Find out about the new **HEXGLOW01** film. At last, a bright idea for communicating in daylight and particularly at night! The photoluminescent film **HEXGLOW01** has been designed to re-emit light. It recharges after exposure to natural or artificial light, and then illuminates in the dark.

This film allows to offer a beautiful luminous effect, for original interior decoration or customised signage that remains visible in a dark environment (museums, discotheques, POS, shops, children's rooms, meeting rooms, car parks...)

HEXGLOW01

LAIZE  
MM

1230

LENGTH  
LM

30



HEXGLOW01



1



2



1 BEFORE  
**HEXGLOW01**  
INSTALLATION HEXIS S.A.S.  
FRANCE

2 AFTER  
**HEXGLOW01**  
INSTALLATION HEXIS S.A.S.  
FRANCE



### 2D

#### MEDIUM-TERM

#### PERMANENT

Our range of PVC films guarantees you a homogeneous transparent colouring!  
Our **C4000** range is specially designed for shop windows, bars and restaurants.

This ultra transparent colour marking film is useful for window decorations and illuminated signs.

The polyester liner gives the transparent film a very high transparency and avoids visual distortion of objects placed behind glass.

Find out more about our range of bright colours!

#### DATA SHEET














- > **POLYMERIC FILM**
- > **80 MICRONS**
- > **13 GLOSS COLOURS**
- > CLEAR PERMANENT SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **5 YEARS** DURABILITY
- > SILICONISED **PET** LINER

#### WIDTH MM

1230

#### LENGTH LM

30

						
C4168 LIGHT YELLOW	C4210 SAFFRON YELLOW	C4232 BRIGHT ORANGE	C4288 PERMANENT RED	C4249 RED	C4281 RASPBERRY	C4387 DARK BLUE
						
C4354 STEEL BLUE	C4398 PALE BLUE	C4433 MOSS GREEN	C4429 LICHEN GREEN	C4080 GREY	C4497 LIGHT GREY	



#### HEXIS ADVICE BEFORE APPLICATION

For better results, apply transfer paper to the **CRISTAL C4000** film before you start.

#### APPLICATION

For even greater transparency, use the **SHAGFENCEM** squeegee (see page 194) and **HEXISGEL** application gel (see page 218).



1 AVANT  
**CRISTAL C4000**  
INSTALLATION MAF SRL  
ITALY

# • ETCHED GLASS KG15DEPM

## CAST FILM

2D

LONG-TERM

PERMANENT

The **KG15DEPM** film offers real sparkles and a clearer finish than other products from our etched glass range.

### DATA SHEET

- > **VERY HIGH-PERFORMANCE** CAST FILM
- > **80 MICRONS**
- > **ETCHED GLASS CLEAR MATT FINISH** WITH SPARKLES
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **7 YEARS** DURABILITY
- > SILICONISED **KRAFT** LINER

WIDTH  
MM

1230

LENGTH  
LM

30



<sup>1</sup>  
**KG15DEPM**  
INSTALLATION TNV DESIGN  
FRANCE

<sup>2</sup>  
**SSDEPM**  
INSTALLATION BECKER PUBLICITÉ  
FRANCE



**KG15DEPM**  
ETCHED GLASS  
CLEAR MATT  
FINISH WITH  
SPARKLES





### 2D

#### LONG-TERM

#### PERMANENT & REMOVABLE (S6DE00)

The **S5DEPM** is the ultimate etched glass film. Suitable for wet application.

The **HX5DEPM** film comes with a textured adhesive **HEX'PRESS** for better air egress and faster application. This product is for dry application.

The **S6DE00** is a removable etched glass film for temporary applications.

The **S5ICE** frosted glass offers a white frosted look on your windows.

#### DATA SHEET

- > **HIGH-PERFORMANCE POLYMERIC FILMS**
- > **80 MICRONS**
- > **ETCHED GLASS MATT FINISH**
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **8 YEARS** DURABILITY
- > **S5DEPM/S6DE00/S5ICE**: SILICONISED **KRAFT** LINER
- > **HX5DEPM**: **HEX'PRESS** LINER

**SAME FINISH**  
**3 DIFFERENT ADHESIVES**





CODES	WIDTH MM	LENGTH LM
<b>S5DEPM</b> <b>M1</b>	1230	30
	1520	
<b>HX5DEPM</b>	1230	30
	1520	
<b>S6DE00</b>	1230	30
<b>N</b> <b>S5ICE</b>	1230	30

#### INFORMATION



**S6DE00** can be removed for up to 6 months without adhesive residue.



#### SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to [export@hexisgroup.com](mailto:export@hexisgroup.com) or contact your local distributor.



# • POLYMERIC FILMS

## ETCHED GLASS WHITE WITH SPARKLES

### 2D

#### LONG-TERM

#### PERMANENT

These etched glass films are ideal for indoor decorations and signage.

They have the same type of finish

but two different adhesives.

The **HX5DP03** film comes with a textured adhesive

**Hex'PRESS** for better air egress and faster application. This product is for dry application.

#### DATA SHEET

- > **POLYMERIC FILMS**
- > **80 MICRONS**
- > UP TO **4 YEARS** DURABILITY
- > **ETCHED GLASS CLEAR MATT FINISH** WITH SPARKLES
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > **S5DP03**: SILICONISED **KRAFT** LINER
- > **HX5DP03**: **Hex'PRESS** LINER

**SAME FINISH**  
**2** DIFFERENT ADHESIVES



PRODUCT CODE	WIDTH MM	LENGTH LM
<b>S5DP03</b>	1230	30
<b>HX5DP03</b>	1230	30



**S5DP03**  
ETCHED GLASS WHITE  
WITH SPARKLES



**HX5DP03**  
Hex'PRESS ETCHED  
GLASS WHITE WITH  
SPARKLES



<sup>1</sup>  
**S5DP03**  
PHOTO  
TNV DESIGN  
FRANCE



## 2D

### LONG-TERM

### PERMANENT

This self-adhesive film with a frosted glass finish is perfect for all short- to medium-term applications.  
The **HXE3GIVMV2** film comes with a textured adhesive **HexiPRESS** for better air egress and faster application. This product is for dry application.

#### DATA SHEET


- > **MONOMERIC** FILM
- > **80 MICRONS**
- > UP TO **3 YEARS** DURABILITY
- > **FROSTED GLASS MATT** FINISH
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > **E3GIVMV2**: SILICONISED **KRAFT** LINER
- > **HXE3GIVMV2**: **HexiPRESS** LINER

M1

PRODUCT CODE	WIDTH MM	LENGTH LM
<b>E3GIVMV2</b>	1230	50
	1520	
<b>HXE3GIVMV2</b>	1230	50
	1520	



**E3GIVMV2**  
PHOTO  
FOLIENWERK7  
GERMANY



#### SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to [export@hexisgroup.com](mailto:export@hexisgroup.com) or contact your local distributor.



## POLYESTER PRIVACY FILM

### 2D

#### LONG-TERM

#### PERMANENT

**DSVG180** is a decorative film for indoor applications on glass.

It has a 'Venetian blinds' look with etched glass, greyed 18 mm wide stripes, spaced by 6 mm.



#### DATA SHEET

- > **POLYESTER** FILM
- > **40 MICRONS**
- > UP TO **10 YEARS** DURABILITY
- > **GREYED ETCHED GLASS** STRIPES

**M1**

#### PRODUCT CODE

#### WIDTH MM

#### LENGTH LM


**DSVG180**

1523

**30**

#### HEXIS ADVICE

This film is applied just like protective films for buildings.  
For advice on application, we recommend reading our building film application sheet.

**1**  
**DSVG180**

# • TRANSLUCENT T5000

## POLYMERIC FILM

### 2D

### LONG-TERM

### PERMANENT

**T5000** is specially designed for decorating light boxes. Its slightly grained finish ensures perfectly uniform light diffusion for your signs. Thanks to excellent dimensional stability, it can be easily installed. Equally suitable for both Plexiglas® and light diffusing banners. Combine this translucent film with Block-Out to create opaque effects.

B-S1d0 CLASSIFICATION



















EN 13501-1

### DATA SHEET

- > **INTERMEDIATE TRANSLUCENT POLYMERIC FILM**
- > **80 MICRONS**
- > UP TO **7 YEARS** DURABILITY
- > **18 SATIN** COLOURS
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > SILICONISED **KRAFT** LINER

M1

T5000	WIDTH MM	LENGTH LM
COLOURS	1230	30

						
T5015 MIMOSA YELLOW	T5116 BUTTERCUP	T5045 PUMPKIN ORANGE	T5053 CHERRY RED	T5033 POPPY RED	T5186 TOMATO RED	T5227 FREESIA PINK
						
T5274 OCEAN BLUE	T5288 CHINA BLUE	T5127 ADRIATIC BLUE	T5167 AEGEAN BLUE	T5355 PRAIRIE GREEN	T5369 MANZANA GREEN	T5476 CHESTNUT BROWN
						
T5549 ELEPHANT GREY	T5001 POLAR WHITE	T5871 GOLD	T5877 SILVER			



1  
T5127 - T5053 - T5001  
INSTALLATION  
STICKSONE  
FRANCE

2  
T5127 - T5053 - T5001  
INSTALLATION  
STICKSONE  
FRANCE



# • OPACIFYING BLOCK-OUT POLYMERIC FILM

2D

LONG-TERM


PERMANENT


**BLOCK-OUT** is used to make light boxes opaque. It works hand in hand with Translucent **T5000**.

## DATA SHEET

- > COLAMINATED **POLYMERIC** FILM
- > **165 MICRONS**
- > MAKES LIGHT BOXES OPAQUE
- > UP TO **5 YEARS** DURABILITY
- > **2 MATT** COLOURS
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > SILICONISED **KRAFT** LINER

PRODUCT CODE	WIDTH MM	LENGTH LM
<b>BOBLANC BONOIR</b>	1230	30

  
BONOIR  
BLOCK-OUT  
BLACK

  
BOBLANC  
BLOCK-OUT  
WHITE



1  
**BONOIR**  
INSTALLATION  
VISIPUB  
FRANCE





# • SPECIALTIES

LONG-TERM <b>DRY ERASE FILMS</b> .....	<b>52</b>
SELF-ADHESIVE <b>BLACKBOARD FILM</b> .....	<b>53</b>
<b>MASKING</b> FILM .....	<b>54</b>
<b>ULS800</b> PERMANENT RETRO-REFLECTIVE FILMS FOR ROAD SIGNS.....	<b>55</b>
<b>ULX800</b> PERMANENT RETRO-REFLECTIVE FILMS FOR ROAD SIGNS.....	<b>56</b>
<b>P8100</b> PERMANENT RETRO-REFLECTIVE .....	<b>56</b>
<b>APPROVED MARKINGS</b> FOR EMERGENCY VEHICLES.....	<b>57</b>
<b>APPROVED MARKINGS</b> FOR VEHICLES.....	<b>57</b>
PRECUT <b>MARKINGS</b> .....	<b>58 - 57</b>
<b>APPROVED REFLECTIVE STRIPES</b> FOR HEAVY GOODS VEHICLE SAFETY .....	<b>60</b>
<b>R3000</b> DECORATIVE RETRO-REFLECTIVE FILMS .....	<b>61</b>
<b>N2PAPSILI</b> SILICONISED PAPER.....	<b>62</b>
<b>MB800</b> MAGNETIC FILM .....	<b>63</b>
<b>FM580</b> SELF-ADHESIVE MAGNETIC FILM .....	<b>64</b>
<b>FF480</b> SELF-ADHESIVE FERROUS FILM.....	<b>65</b>
<b>DOUBLE-SIDED</b> TAPE .....	<b>66 - 68</b>
<b>VELCRO</b> FASTENING .....	<b>68</b>

## LONG TERM DRY ERASE FILMS

### LONG-TERM

### PERMANENT

### WRITING WITH ERASABLE MARKERS

Writing on these dry-erase films can be erased even after several months. They feature a special varnish coating on top of the PVC. Indoor applications only.

#### DATA SHEET

DWP001B

- > **DRY ERASE WHITE** POLYMERIC FILM
- > **100 MICRONS**
- > IDEAL FOR **CREATING WRITING BOARDS**
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **5 YEARS** DURABILITY
- > ERASABLE FOR UP TO **3 MONTHS**
- > **PE LINER**
- > **STANDARD EN 13501-1**

WIDTH  
MM

1370

LENGTH  
LM

30

#### DATA SHEET

DWP002B

- > **DRY ERASE TRANSPARENT** MONOMERIC FILM
- > **90 MICRONS**
- > IDEAL FOR **TRANSFORMING A PRINTOUT OR DESIGN INTO A WRITING BOARD**
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **2 YEARS** DURABILITY
- > ERASABLE FOR UP TO **3 MONTHS**
- > **PE LINER**

WIDTH  
MM

1370

LENGTH  
LM

30



#### HEXIS ADVICE

We recommend to use BIC Velleda® markers. Get a list of compatible markers by downloading the data sheet from our website: [www.hexis-graphics.com](http://www.hexis-graphics.com).



## LONG-TERM

## PERMANENT

## WRITING WITH TRADITIONAL CHALK

A true classic!  
The BBNOIR blackboard film can be used to create school-style or slate-type boards.

It can be cut with a plotter to create original shapes.

## DATA SHEET

- > **MONOMERIC** FILM WITH A **BLACK SLATE** FINISH
- > **170 MICRONS**
- > SOLVENT-BASED ACRYLIC ADHESIVE
- > UP TO **2 YEARS** INDOOR DURABILITY
- > CAN BE CUT WITH A PLOTTER
- > **KRAFT** LINER

PRODUCT CODE	WIDTH MM	LENGTH LM
BBNOIR	1230	30



1  
**BLACKBOARD**  
INSTALLATION  
ILLIMITED  
FRANCE


2  
**BLACKBOARD**  
INSTALLATION EXAMPLE



## HEXIS ADVICE

The **BBNOIR** film can be erased easily with a damp, non-abrasive cloth or sponge.  
Do not use with chalk markers.  
Indoor use only.

For painted substrates, apply to undamaged, original paintwork only.



## • MASKING FILMS

The **M1000** stencil is specially designed for sandblasting granite, marble and glass.

The **STENCIL** version is for smooth surfaces: sheets, walls, etc.

For masking canvas, use the **LAMBREQUIN** version. Its flexibility and special adhesive allow it to adapt perfectly to the fibres of the canvas, avoiding paint bleeding.

### DATA SHEET

### M1000

- > **MONOMERIC** FILM
- > **230 MICRONS**
- > GREEN COLOUR
- > **SEMI-REMOVABLE** ADHESIVE

### DATA SHEET

### STENCIL

- > **SEMI-POLYMERIC** FILM
- > **80 MICRONS**
- > **GREY COLOUR**
- > **REMOVABLE** ADHESIVE

### DATA SHEET

### LAMBREQUIN

- > CADMIUM-FREE **POLYMERIC CALENDERED** PVC
- > **70 MICRONS**
- > **WHITE COLOUR**
- > **SEMI-REMOVABLE** ADHESIVE

PRODUCT CODE	WIDTH MM	LENGTH LM
<b>M1000</b>	1230	30
<b>STENCIL</b>	1230	30
	1520	
<b>LAMBREQUIN</b>	1230	30



1  
**M1000**  
HEXIS UK

2  
**STENCIL**  
COPYRIGHT BÜRKI  
MOSER GMBH -  
SWISS

3  
**LAMBREQUIN**  
MATHEUS  
COMMUNICATION





## CLASS 2 – STANDARD EN 12899-1

## CLASS 2 RETRO-REFLECTIVE FILM

## MEDIUM LEVEL OF VISIBILITY

## VISIBLE UP TO 250 METRES

Made with a honeycomb microbead structure, it is used:

In **open countryside**, for all signs **more than 2 metres high** and signs on **motorways and trunk roads**, whatever their height.

In **urban environments**, for all signs in **areas where the maximum speed limit is 70km/h** and at type AB priority roads and junctions (see sign graphic). Road signs covered with **ULS800** films are highly visible both day and night and are especially recommended for sinuous roads.



### HEXIS ADVICE

Class 2 films can be used instead of Class 1 films.

For more information on reflection coefficients, download our technical data sheets from our website.

Looking for a printable retro-reflective film?

Take a look at the **R85120** film on page 114.

### DATA SHEET



- > **RETRO-REFLECTIVE FILM** WITH MICROBEADS
- > **6 GLOSS** COLOURS
- > UP TO **10 YEARS** DURABILITY

WIDTH MM	LENGTH LM
610	23
1220	46



\* Width 1220 mm x 46 lm unavailable

### ILLUSTRATION



- AB1, AB2, AB25, AB3a, AB4, AB6, AB7 ILLUSTRATION
- ULS800 PHOTO NIPPON CARBIDE
- ULX804 VISIPUB FRANCE

# PERMANENT RETRO-REFLECTIVE FILMS FOR ROAD SIGNS

## ULX800

### CLASS 2 – STANDARD EN 12899-1

#### CLASS 2 RETRO-REFLECTIVE FILM

#### SUPERIOR LEVEL OF VISIBILITY

#### VISIBLE UP TO 500 METRES

Thanks to its micro-prismatic technology, the **ULX800** range significantly improves the perception and visibility of road signs.

Providing over 500 metres of visibility both day and night, it is ideal for areas with difficult traffic conditions.

The retro-reflective signs can be seen up to 800 metres ahead on main roads running straight.

#### DATA SHEET

- > MICROPRISMATIC **RETRO-REFLECTIVE** FILM
- > **5 COLOURS**
- > UP TO **10 YEARS** DURABILITY

WIDTH MM	LENGTH LM
610	23
1220	46



ULX812  
BLANC

ULX804  
JAUNE

ULX805  
ROUGE

ULX806  
BLEU

ULX818  
VERT



## P8100

### CLASS 1 – STANDARD EN 12899-1

#### CLASS 1 RETRO-REFLECTIVE FILM

#### LOWEST LEVEL OF VISIBILITY

#### VISIBLE UP TO 100 METRES

Made from acrylic resin and glass microbeads, this multilayered film is used for **roads in open countryside and in urban areas where Class 2 films are not mandatory.**

Road signs covered with **P8100** films are visible both day and night.

#### DATA SHEET

- > MULTILAYERED **RETRO-REFLECTIVE** FILM
- > **175 MICRONS**
- > **7 GLOSS** COLOURS
- > UP TO **7 YEARS** DURABILITY

WIDTH MM	LENGTH LM
610	25
1220	50



P8104  
YELLOW

P8106\*  
BLUE

P8107  
ORANGE

P8108\*  
GREEN

P8109\*  
BROWN

P8112  
WHITE

P8135\*  
RED

\* Unavailable in 1220 mm width

## APPROVED MARKINGS FOR EMERGENCY VEHICLES

### FLUO YELLOW / RED REFLECTIVE CHEVRONS

#### CLASS B

#### STANDARD TPESC B 06014

Yellow and red reflective stripes for marking emergency and rescue vehicles, such as fire engines and police cars

Class B TPESC B 06014

The microprismatic technology provides high visibility at long distance (over 800 metres)

#### INFORMATION



Each kit contains 2 rolls:  
left and right.

Never combine different  
types of film on the same  
vehicle.

PRODUCT CODE	WIDTH MM	LENGTH LM
<b>CHEVS7</b>	140	9 X 2
<b>CHEVS77</b>	280	9 X 2

#### TPESC B 06014 approval / Class B

Honeycomb microprismatic technology for excellent daytime visibility and long-distance reflective performance.



## FOR VEHICLES APPROVED MARKINGS

### WHITE / RED REFLECTIVE CHEVRONS

#### CLASS A & B

#### STANDARDS TPESC-A 19112 & TPESC-B 5098

#### Approved by UTAC.

Light and commercial vehicles marked with our approved reflective stripes are highly visible both day and night, improving road traffic safety.

**Class A / TPESC-A 19112**  
Multilayered microbead  
technology

**Class B / TPESC-B 5098**  
Honeycomb microbead  
technology

**Class A** stripes can be used for all works and service vehicles and machinery moving slowly or parked on public roads. More specifically, they are for security and works vehicles travelling in urban areas or on roads with a speed limit below 90 km/h.

**Class B** stripes ensure visibility from at least 250 metres away. Their honeycomb microbead technology provides a reflection coefficient over and above the minimum legal requirement. Highly visible, they are used on roads where the speed limit is 90 km/h or above.

PRODUCT CODE	WIDTH MM	LENGTH LM
<b>BACS1</b> CLASS A	140	9 X 2
<b>BACS4</b> CLASS B	140	9 X 2
<b>BACS44</b> CLASS B	280	9 X 2



**1**  
REFLECTIVE CHEVRONS  
YELLOW | RED  
CLASS B



# YOUR VISIBILITY / OUR / PRIORITY

*Fitting your vehicle with  
with reflective striping has  
never been so easy!*

HEXIS offers approved  
conspicuity marking kits,  
precut in its French factories.

*Find out about our  
precut conspicuity  
marking kits*

Easy to install, adapted to the  
shape of your vehicle, our kits  
are available in **Class A\*** or **Class  
B\***



## **Class A**

Multi-layered  
microbead  
technology



## **Class B**

Honeycombed  
microbead  
technology

\* UTAC approval



*1 vehicle = 1 kit*

Over **150 templates** for kits available



### What are the advantages of our conspicuity marking kits?



**ADAPTABILITY //**

Classe A or Classe B according to requirements



**APPROVAL //**

Marking film with UTAC\* approval



**VISIBILITY //**

Day and night up to 500 meters



**RESISTANCE //**

Durability of up to 7 years



**EASY INSTALLATION //**

No cutting on the vehicle bodywork



**COST-EFFECTIVE SOLUTION //**

No DTP, no proofreading or production

Available in 2023

For further information, please visit our website: [www.hexis-graphics.com](http://www.hexis-graphics.com)


# Precut conspicuity marking kits

HEXIS conspicuity marking films are cut to size and applied directly to the bodywork of your vehicle.

They make your vehicle more visible because of their reflective finish that works at night.

## *Which vehicles are subject to conspicuity warning signs?*

Emergency vehicles, whether stationary or moving slowly along the road, must be equipped with approved signs.



## APPROVED MARKINGS

### REFLECTIVE STRIPES FOR HEAVY GOODS VEHICLE SAFETY

#### CLASS C - STANDARD ECE104

PRODUCT CODE	WIDTH MM	LENGTH LM
<b>VC104R-21</b> WHITE	51	50
<b>VC104R-41</b> YELLOW	51	50
<b>VC104R-51</b> RED	51	50

**Highly visible conspicuity markings play a crucial role in improving road traffic safety.** The **VC104R** range has been approved and meets the legal requirements for the marking of heavy goods vehicles.

Types of vehicle affected: vehicles registered from 1 April 2016 over 3.5 tonnes belonging to one of the following international categories:

**M (transport of passengers),  
N (transport of goods),  
O (trailers) exceeding 3.5 tonnes.**

These HGVs must be equipped with high-visibility, class C conspicuity markings, which is the highest reflection level.

Available in 3 colours:

**YELLOW** to be applied on entire vehicle,

**WHITE** to be applied on the sides of the vehicle only,

**RED** to be applied on the rear of the vehicle only.


#### Where to attach the reflective stripes




Minimum 80%  
60% for difficult cases



Minimum 150 cm  
Minimum 25 cm



Rigid surface



Cylindrical outline

Since 1 January 2021, a measure to improve the safety of vulnerable road users on public roads has been mandatory in France. A warning notice regarding blind spots must be visibly attached to the sides as well as the rear of HGVs over 3.5 tonnes.

There are several products available for this new measure. Please contact the HEXIS sales team.



# • DECORATIVE RETRO-REFLECTIVE FILMS R3000

## 2D

### LONG-TERM


### PERMANENT

The particularity of these films is that they reflect light. They are perfect for **decorative lettering** on flat or very slightly curved surfaces. The polyethylene liner offers better dimensional stability and thus avoids curling.


#### DATA SHEET

- > MULTILAYERED **RETRO-REFLECTIVE** FILM
- > **100 MICRONS**
- > **5 COLOURS**
- > UP TO **3 YEARS** DURABILITY

PRODUCT CODE	WIDTH MM	LENGTH LM
<b>R3000</b>	1230	<b>30</b>



\* Available while stocks last



1 VC104R-41  
ISTOCKPHOTO  
2 3  
R3000  
STICKSONE  
FRANCE

## ● SILICONISED PAPER **N2PAPSILI**

### ASSEMBLY OF LETTERING

Siliconised liner for kit  
preparation.

#### DATA SHEET

- > **SILICONISED** PAPER
- > **137 G/M<sup>2</sup>**
- > UP TO **10 YEARS** DURABILITY

PRODUCT CODE	WIDTH MM	LENGTH LM
N2PAPSILI	1230	30



## REMOVABLE ARTWORK

**MB800** is a white magnetic film with a magnetised black back. Repositionable, it has a strong magnetic force and will adhere magnetically to a variety of substrates such as vehicle bodies.

### DATA SHEET

- > WHITE **MAGNETIC** FILM WITH MAGNETISED BLACK BACK
- > **850 MICRONS**
- > UP TO **2 YEARS** INDOOR DURABILITY

PRODUCT CODE	WIDTH MM	LENGTH LM
<b>MB800</b>	620	5 - 10 - 15
	1000	



### HEXIS ADVICE

Cut by hand only, not suitable for cutting plotters. Please refer to the product data sheet before use. Handle with care.



<sup>1</sup>  
**MB800**  
PHOTO SHUTTERSTOCK

# SELF-ADHESIVE MAGNETIC FILM FM580

## EASY MAGNETIC MARKING

This film makes any flat surface magnetic. It can be used with the **VF180WM** printable ferrous film (see page 114).

### DATA SHEET

- > **SMOOTH MAGNETIC** NON-PRINTABLE FILM
- > **500 MICRONS**
- > COLOUR **BLACK**
- > UP TO **2 YEARS** INDOOR DURABILITY

PRODUCT CODE	WIDTH MM	LENGTH LM
<b>FM580</b>	1000	5 - 15




HEXIS HAS DEVELOPED A FULL, INNOVATIVE RANGE FOR YOU TO COMMUNICATE IN AN ORIGINAL MANNER.



Want to **make a surface magnetic** so you can apply customised ferrous objects/films?

Use the **FM580** self-adhesive magnetic film to make any flat surface magnetic together with the **VF180WM** printable ferrous film



<sup>1</sup>  
**FM580 - FF480**  
TECNIMARC - SPAIN



## EASY MAGNETIC MARKING

This film makes any flat surface ferrous. It can be used with the **VM380WM** printable magnetic film (see page 114) or any other light magnetic substrate of your choice.

### DATA SHEET


- > **SMOOTH** NON-PRINTABLE FERROUS FILM
- > **400 MICRONS**
- > COLOUR **CHARCOAL**
- > UP TO **2 YEARS** INDOOR DURABILITY

PRODUCT CODE	WIDTH MM	LENGTH LM
<b>FF480</b>	1270	<b>10</b>




Want to **make a surface ferrous** so you can apply customised magnetic objects/films?

Use the **FF480** self-adhesive ferrous film to make any surface ferrous together with **VM380WM** printable magnetic film



NEUTRAL  
SUBSTRATE



SUBSTRATE MADE **FERROUS**  
USING FF480 (magnetic  
receptivity 16 g/cm<sup>2</sup>)



**VM380WM**  
PRINTABLE **MAGNETIC**  
FILM (magnetic force  
5 g/cm<sup>2</sup>)



# • DOUBLE-SIDED TAPE

## ACRYLIC TAPES

Suitable for structural bonding on **various surfaces: wood, metal, glass and most synthetic materials.**

High initial tack and very high ultimate adhesion. These double-sided tapes replace screws and rivets. Perfect sealing. Resistant to UV rays, solvents and humidity.

**Applications:** advertising totems, mounting beadings, mouldings, emblems and reinforcement parts.

Typical applications for transparent tapes: light boxes, applications on Plexiglas®.

### DATA SHEET

**TT32611**

- > **GREY TAPE**
- > **THICKNESS 1.1 MM**

### DATA SHEET

**TT32613**

- > **WHITE TAPE**
- > **THICKNESS 1.1 MM**

### DATA SHEET

**TT32905**

- > **TRANSPARENT TAPE**
- > **THICKNESS 0.5 MM**

### DATA SHEET

**TT32910**

- > **TRANSPARENT TAPE**
- > **THICKNESS 1 MM**

WIDTH MM	LENGTH LM			
	TT32611	TT32613	TT32905	TT32910
9	-	-	30	30
12	30	30	30	30
19	30	30	30	30



1



2



3



4



- 1 TT32611
- 2 TT32613
- 3 TT32905
- 4 TT32910



## PE FOAM TAPES

Suitable for various surfaces: wood, metal, glass and most synthetic materials.

**TT21516** is especially suitable for low-energy surfaces like PE and PP.

**TT21536** has a rubber adhesive with very high initial tack.

Resistant to UV rays, solvents and humidity.

Applications: mounting beadings, emblems, displays, hooks, cable guides, mirrors.

### DATA SHEET

#### TT21516

- > **ANTHRACITE TAPE**
- > **THICKNESS 1 MM**

### DATA SHEET

#### TT21536

- > **WHITE TAPE**
- > **THICKNESS 1 MM**

### DATA SHEET

#### TT21546

- > **WHITE TAPE**
- > **THICKNESS 0.95 MM**

WIDTH MM	LENGTH LM		
	TT21516	TT21536	TT21546
9	–	–	50
12	50	50	50
19	50	50	50
25	50	–	–



- 1 TT21516
- 2 TT21536
- 3 TT21546



1



2



3

## • DOUBLE-SIDED TAPE

### ACRYLIC FILM TAPE

Suitable for structural bonding on **various surfaces: wood, metal, glass and most synthetic materials.**

High initial tack and very high ultimate adhesion.

These double-sided tapes replace screws and rivets. Perfect sealing. Resistant to UV rays, solvents and humidity.

**Applications:** advertising totems, mounting beadings, mouldings, emblems and reinforcement parts.

Typical applications for transparent tapes: light boxes, applications on Plexiglas®.

#### DATA SHEET

- > **TRANSPARENT TAPE**
- > **THICKNESS 0.25 MM**

PRODUCT CODE	WIDTH MM	LENGTH LM
TT13088	12	50
	19	
	25	



## • VELCRO FASTENING

### DUO GRIP

Fastening with a re-adjustable clip: optimal fastening is achieved by pressing the hook structures into each other.

Suitable for both high and low loads. Can hold loads up to 5 times higher than conventional "hook and loop" fasteners.

Easy to release, but resistant to shearing.

**Resistant to UV rays and humidity.**

**Applications:** fixing boards, name plates and emblems.

#### DATA SHEET

- > **BLACK TAPE**
- > **THICKNESS 3.1 MM**
- > **FASTENING THAT CAN BE OPENED AND CLOSED BY PRESSING**

PRODUCT CODE	WIDTH MM	LENGTH LM
TTGRIP	25	12.5 LM X 2 - 1 LM X 2



# APPLICATION TAPES

APPLICATION **TAPES** ..... **70 - 72**

**CHOOSING THE RIGHT TAPE** ..... **73**

## TRANSPARENT TRANSFER FILMS

CODE	THICKNESS MICRONS	TYPE OF TAPE	TYPE OF ADHESION	RECOMMENDED FOR	WIDTH MM	LENGTH LM
HEX904	150	smooth thick	HIGH	Large and small lettering Wet application	610	100
					1000	
					1220	
HEX905*	110	grained standard	MEDIUM	Small lettering Wet application	610	100
					1000	
					1220	
HEX910	98	grained special	MEDIUM Special Kit	Vinyl transfer with reinforced adhesive	610	100
					1000	
					1220	
					1500	
HEX915	90	grained standard	MEDIUM	Large, medium and small graphics, excl. structured and fluo	610	100
					1000	
					1220	
HEX930	86	grained special	MEDIUM Special Kit	ETCHED GLASS DRY APPLICATION	610	100
					1220	

\* Available while stocks last





## TRANSFER PAPERS

CODE	THICKNESS MICRONS	TYPE OF TAPE	TYPE OF ADHESION	RECOMMENDED FOR	WIDTH MM	LENGTH LM
<b>HEX100 HEX100I</b>	110	Special Kit HEX100I branded with HEXIS logo	HIGH	Creating kits and transferring digital prints	610	100
					1220	
					1500	
<b>HEX900 HEX900I*</b>	83	HEX900I branded with HEXIS logo	HIGH	Small lettering	610	100
					1000*	
					1220	
<b>HEX901</b>	83	–	LOW	Applying non-laminated digital prints	610	100
					1220	
<b>HEX902 HEX902I</b>	83	HEX902I branded with HEXIS logo	MEDIUM	Large lettering	610	100
					1000	
					1220	
					1500	
<b>HEX909</b>	135		Very high	Difficult & delicate transfers	610	100
					1220	
					1500	

\* Width 1000 mm unavailable for HEX900I.

## INFORMATION



Product codes that end in an "i" have a liner printed with HEXIS in a VERY HIGH grey.


Further cutting possible for specified widths, from 50 mm onwards and by increments of 50 mm, based on original widths.

Special Kit tapes provide better dimensional stability and are intended for markings that need to be stored.



## SPECIAL TRANSFERS

CODE	THICKNESS MICRONS	TYPE OF TAPE	TYPE OF ADHESION	RECOMMENDED FOR	WIDTH MM	LENGTH LM
HEX750	100	smooth	LOW	FLUO F610, SUPTAC CARBONE S5CANB, FLEX BLOCKPRINT	500	25
HEX860	50	smooth	HIGH	FLEX UFLEX5S FLEX NYLPRINT FLEX SILKPRINT FLEX UFLEX7PV2 TRANSFER of UV prints	500	25
					750	
					1000	
					1500	
HEX960	100	smooth	HIGH	FLEX UFLEX5S FLEX NYLPRINT FLEX SILKPRINT FLEX UFLEX7PV2	500	25
					750	
					1000	
					1500	





## BASIC APPLICATION TIPS

Transfer papers are for wet application.  
Transfer films are for dry application.

## TRANSFERRING SMALL LETTERING (SMALLER THAN 1 CM)?

Use a medium-tack tape such as HEX915.

## APPLYING IN COLD WEATHER (UNDER 10°C)?

We recommend a high-tack tape.

## TRANSFERRING DIGITAL PRINTS?

Use HEX100i transfer paper for kits. You can use it for transferring digital prints with solvent, eco-solvent and UV inks.

## TRANSFERRING S5DEPM ETCHED GLASS FILM?

Use HEX100i and HEX930 tapes.

## TRANSFERRING LIGHT COLOURED LETTERING?

You can use HEX910. A transparent transfer film is preferable so you can better see the light colours.

## WANT TO MAKE A KIT?

Use HEX100i, HEX910 or HEX930.

## TRANSFERRING FLUO VINYL?

You can use the HEX750.

## APPLYING ON A WALL?

HEX910 is perfect for transferring vinyl with reinforced adhesive.  
Tip: leave a frame of vinyl on the tape around your cutout.

# DIGITAL PRINTING

CLEAR PREMIUM CAST FILM <b>CLEARWRAP</b> .....	<b>76</b>
CHROME <b>CAST FILM</b> .....	<b>77</b>
<b>BANNER SPECIAL</b> PREMIUM CAST FILM .....	<b>78</b>
<b>SKINTAC THE190EVO</b> PREMIUM CAST FILM.....	<b>79</b>
<b>100 SERIES</b> PREMIUM CAST FILMS .....	<b>80 - 81</b>
<b>200 SERIES</b> POLYMERIC FILMS.....	<b>82 - 83</b>
<b>240 SERIES</b> POLYMERIC FILMS.....	<b>84</b>
<b>280 SERIES</b> POLYMERIC FILMS.....	<b>85</b>
<b>300 SERIES</b> MONOMERIC FILMS .....	<b>86</b>
<b>300 SERIES</b> FILM AND FLOOR SOLUTION .....	<b>87</b>
<b>3000 SERIES</b> MONOMERIC FILMS.....	<b>88 - 89</b>
<b>PVC-FREE</b> FILMS.....	<b>90 - 91</b>
<b>100 SERIES</b> CAST FILMS WITH REINFORCED ADHESIVE .....	<b>92 - 93</b>
<b>200 SERIES</b> POLYMERIC FILMS WITH REINFORCED ADHESIVE .....	<b>94</b>
<b>300 SERIES</b> MONOMERIC FILMS WITH REINFORCED ADHESIVE.....	<b>95</b>
SEMI-RIGID MONOMERIC FILM <b>WITH REINFORCED ADHESIVE</b> .....	<b>96</b>
<b>MICROPERFORATED</b> POLYMERIC FILMS .....	<b>97</b>
<b>MICROPERFORATED</b> MONOMERIC FILMS .....	<b>98</b>



SPECIAL <b>MICROPERFORATED</b> FILMS.....	99
TOOLS FOR <b>MICROPERFORATED</b> FILMS.....	100
<b>ETCHED GLASS</b> POLYMERIC FILM.....	102
<b>TRANSLUCENT</b> POLYMERIC FILM.....	102
<b>TRANSPARENT</b> POLYMERIC FILMS.....	103
<b>TRANSPARENT</b> MONOMERIC FILMS.....	103
<b>TRANSPARENT</b> REMOVABLE FILMS.....	104
<b>NON-ADHESIVE</b> BACKLIT FILMS.....	105
<b>PRINTABLE</b> POLYESTER BANNERS.....	106
<b>PRINTABLE DIFFUSING</b> POLYESTER BANNERS.....	107
<b>LINPRINT</b> .....	108 - 109
<b>CANVAS</b> .....	110
MEDIA FOR <b>DISPLAYS</b> .....	111
<b>WALLPAPERS &amp; PAPERS</b> .....	112
<b>REPOSITIONABLE</b> FILMS.....	113
<b>MAGNETIC &amp; FERROUS</b> FILMS.....	114
<b>REFLECTIVE</b> FILM.....	114
<b>NON-ADHESIVE</b> PAPERS.....	115
<b>PRINTABLE GLOSS FILMS FOR EXTREME DECO KITS</b> .....	116

# CLEAR PREMIUM CAST FILM

## CLEARWRAP



### LONG-TERM

### PERMANENT

### MICRO-EMBOSSSED PE LINER

**CLEARWRAP** is a clear gloss cast film specially designed for vehicle wraps. It preserves the colour of the vehicle body paintwork.

It comes with a micro-**embossed** liner making installation quick and easy.

### DATA SHEET

- > CLEAR PRINTABLE FILM, **GLOSS**
- > **HIGH PERFORMANCE** CAST PVC
- > THICKNESS **50 MICRONS (1.9 MILS)**
- > CLEAR ACRYLIC SOLVENT-BASED ADHESIVE WITH MICRO **EMBOSSSED PE LINER**
- > COMPATIBLE INKS: ECOSOLVENT, SOLVENT, LATEX AND UV
- > DURABILITY: UP TO **5 YEARS**

CODE	FINISH	COMPATIBILITY				WIDTH MM	LENGTH LM
		SOLV	ECO-S	LATEX	UV		
<b>CLEARWRAP</b>	gloss	✓	✓	✓	✓	1370	<b>25</b>

### RECOMMENDED LAMINATE

**PC50MCP2**

gloss



SEE PAGE 126




**1**  
CLEARWRAP  
HEXIS USA  
USA



### HEXIS ADVICE

Remember to clean your vehicle's bodywork with our liquid products before applying **CLEARWRAP**.  
See page 220



**1**  
CLEARWRAP  
HEXIS USA  
USA



## LONG-TERM

## PERMANENT

And if you dared to go for a 100% chrome look?

Stand out and let yourself be surprised by our new **KROMPRINT** printable chrome film!

The **KROMPRINT** film was specifically designed to enhance your prints with a metallic shine.

This film prints remarkably well with both latex and UV ink technologies; and it can adapt to the most complex shapes: 2D/3D (mirrors, rivets, furniture corners etc.). There is no better way to create eye-catching designs with chrome highlights. And whatever your total wrapping or decoration project, you can now demonstrate your individuality.

### DATA SHEET

- > PRINTABLE CHROME FILM, **GLOSS**
- > CAST PVC **HIGH PERFORMANCE**
- > THICKNESS **125 MICRONS (4.9 MILS)**
- > ACRYLIC ADHESIVE & PET LINER PET
- > COMPATIBLE INKS: ECO-SOLVENT, SOLVENT, LATEX AND UV
- > DURABILITY / UNPRINTED FILM: UP TO **5 YEARS**
- > AVAILABLE IN WIDTH **1370 MM BY 25 LM**

CODE	FINISH	COMPATIBILITY				WIDTH MM	LENGTH LM
		SOLV	ECO-S	LATEX	UV		
<b>KROMPRINT</b>	gloss	✓	✓	✓	✓	1370	25

### RECOMMENDED LAMINATES

<b>PC300</b>	gloss	<p>SEE PAGE 120 &amp; 122</p>
<b>PC500G2</b>	gloss	
<b>V750B</b>	gloss	
<b>V750M</b>	matt	
<b>V750S</b>	satin	
<b>VCR750B</b> <i>reinforced adhesive</i>	gloss for UV printing	
<b>VCR750M</b> <i>reinforced adhesive</i>	matt for UV printing	



## HEXIS ADVICE

For 3D use, it is recommended to print the **KROMPRINT** with latex inks and to laminate with **PC500G2** or **PC300**. For 2D use, all printing technologies are suitable and can achieve equally spectacular effects. It is recommended to laminate with **V750** or **VRC750**.



1  
**KROMPRINT**  
HEXIS SAS  
FRANCE

# BANNER SPECIAL

## PREMIUM CAST FILM



### LONG-TERM

### PERMANENT

The **VTB901WG1** film is equipped with a PE liner for superior **print quality**. Its excellent opacity and adhesion over time ensure perfect, durable results. This film offers a **high resistance to adverse weather and mechanical stress** (e.g. automatic cleaning). Designed for **quick application**, it minimizes vehicle downtime.

### DATA SHEET

- > PRINTABLE WHITE FILM, **GLOSS**
- > **HIGH-PERFORMANCE** CAST PVC
- > THICKNESS **80 MICRONS**
- > ACRYLIC ADHESIVE & PE LINER
- > COMPATIBLE INKS: ECO-SOLVENT, SOLVENT, LATEX AND UV
- > DURABILITY OF UNPRINTED FILM: UP TO **5 YEARS**
- > AVAILABLE IN WIDTHS OF **1520 MM X 45 LM** (OTHER LENGTHS AVAILABLE)



PRODUCT CODE	FINISH	COMPATIBILITY				WIDTH MM	LENGTH LM
		SOLV	ECO-S	LATEX	UV		
VTB901WG1	gloss	✓	✓	✓	✓	1520	45

### CREATE YOUR OWN 130-micron PRINTED COMPOSITE

Combined with **VTB901WG1**, the **PTB900** laminate extends the composite's durability to up to **5 years**.  
**PTB900**: Transparent cast PVC laminate, 50 microns

- Gloss (G), matt (M) and satin (S) finish
- Acrylic adhesive & PE liner
- Available in 1520 mm width x 50 lm

### THE HEXIS PLUS



Products compatible with HEXIS banners (**FRONTM1EV2**, **FRONT2V3S**, etc.)



### HEXIS ADVICE

For easy installation, the **VTB901WG1** offers a strong and immediate adhesion. Make sure to use our **HEX904** tape. Once the film is installed, you can remove the tape immediately.

### RECOMMENDED LAMINATES

<b>PTB900G</b>	gloss
<b>PTB900M</b>	matt
<b>PTB900S</b>	satin



1  
VTB901WG1 + PTB900  
PHOTO  
MONDO ADESIVO  
PORTUGAL

2  
THE190EVO + PC30B + HX200  
PHOTO  
OPARUSIC REKLAMBYRÅ AB  
SWEDEN






## LOOKING FOR A HIGH QUALITY CAST FILM THAT'S EASY TO APPLY?

Hexis has developed **THE190EVO**, the next generation of digital printing films, for people just like you.

It offers properties like conformability, adaptability and an **excellent gloss finish**, making it suitable for use in all sorts of scenarios: wraps, vehicle fleets, interior decoration, boat wraps, etc.

The **THE190EVO** is used with our range of **PC190** high performance cast laminates in gloss, satin or matt finish but can also be combined with other cast laminates.



### THE HEXIS PLUS



For optimum durability of the composite, the **laminates** we recommend the most is **PC190**.

Other laminates that can be combined with **THE190EVO**: the **PC300**, **PC500**, range (PVC-free, very high protection, UV-resistant), the structured **PCCARBON** range (structured carbon effect) / **PCSTAR** (sparkle effect), etc.

### DATA SHEET

- > PRINTABLE WHITE FILM, **GLOSS**
- > **HIGH-PERFORMANCE** CAST PVC
- > PERMANENT SOLVENT-BASED GREY ACRYLIC ADHESIVE, WITH A **TAKE HEAT EASY® MICRO-STRUCTURE**
- > THICKNESS **50 MICRONS**
- > FOR INDOOR AND OUTDOOR APPLICATION
- > COMPATIBLE INKS: ECO-SOLVENT, SOLVENT, LATEX AND UV
- > DURABILITY OF UNPRINTED FILM: **10 YEARS** (VERTICAL OUTDOOR APPLICATION)
- > AVAILABLE IN WIDTHS OF **1370** AND **1520 MM** X **45 LM** (OTHER LENGTHS AVAILABLE)

PRODUCT CODE	FINISH	COMPATIBILITY				WIDTH MM	LENGTH LM
		SOLV	ECO-S	LATEX	UV		
THE190EVO	gloss	✓	✓	✓	✓	1370	45
						1520	

**TAKE HEAT EASY**

New technology providing **low initial tack** thanks to the combination of a **new solvent-based adhesive** and textured liner.



Cast PVC offering **extreme conformability** for installations on 'tricky' surfaces such as rivets, rear-view mirrors, etc.



- **Low initial tack**  
- **Repositionable**, printable cast film



## THE190EVO: The Benefits

**TAKE HEAT EASY® (THE)** combines a **new textured liner** with a **new solvent-based adhesive** to reduce the film's initial tack, making it easier to apply. All installers, including beginners, will love it.

Our printable film itself has also been optimised. Like our **HX190WG2** it is still a 50-micron film, but our chemists have integrated a special layer to make it more opaque.

**Try it - you'll love it!**

# 100 SERIES

## PREMIUM CAST FILMS



3D

LONG-TERM

FULL WRAPS  
PRINTED

PERMANENT

### PRINTABILITY

Compatible with all printing systems  
Optimised ink coverage  
Alleviates printing flaws due to inaccuracies of the printing system

### INSTALLATION PROPERTIES

Multilayered film. Regardless of ink coverage, the tack perceived during installation remains the same.  
Thanks to their composition, these films lower the risks associated with installation quality.

### EASE OF APPLICATION

You can choose a 30- or 50-micron laminate to optimise the handling and get an easier installation.

## 100 SERIES

## WHITE PVC FILM - 50 MICRONS - PE LINER

PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
V100WG2	gloss	permanent, grey	✓	✓	✓	✓	1370	45

## 190 SERIES

## WHITE PVC FILM - 50 MICRONS - HEXIPRESS & TAKE HEAT EASY LINERS

PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
THE190EVO	gloss	permanent grey or transparent	✓	✓	✓	✓	1370 1520	45
HX190WG2	gloss	permanent grey	✓	✓	✓	✓	1370 1520	25-45



Certified for  
HP Latex Inks

## RECOMMENDED LAMINATES

PC190G2	gloss
PCR190G2	gloss
PC190S	satin
PC190M3	matt
PC30G2	gloss
PC30M3	matt

SEE PAGE 118



Have you considered the  
PVC-free equivalent  
**HX500WG2**



1




1  
HX190WG2 + PC190G2  
PHOTO THOMA  
WERBETECHNIK  
SWEDEN

2  
HX190WG2 + PC190M3  
APPLICATION  
OPARUSIC REKLAMBYRÅ AB  
SWEDEN


3  
THE200EVO + V850G  
APPLICATION:  
BÜRKI MOSER GMBH  
GERMANY



How to install a film  
on highly irregular  
surfaces



WHAT NOT TO DO



WHAT TO DO



## • 200 SERIES

### POLYMERIC FILMS



2D





LONG-TERM

PERMANENT &  
REMOVABLE





#### EASE OF APPLICATION

Thanks to the Take Heat Easy technology applied to the Polymeric 200 series, our new **THE200EVO** will provide considerable time savings for your large-format printing,

making it an ideal solution for any 2D projects, particularly those that require fast and accurate fitting of printed graphics.

THE200 SERIES		WHITE PREMIUM PVC FILM - 70 MICRONS - <small>TAKE HEAT EASY</small> LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
								
THE200EVO	gloss	permanent grey	✓	✓	✓	✓	1370 1600	45





EN13501-1 tested and valid for composite **THE200EVO** and **V750B**

HX200 SERIES		WHITE PVC FILM - 70 MICRONS - <span>HEX'PRESS</span> LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
								
HX200WG2	gloss	permanent low tack grey	✓	✓	✓	✓	1370 1600	45
HX200NTWG2	gloss	permanent standard tack grey	✓	✓	✓	✓	1050 1370 1600	45
HX201WG2	gloss	permanent clear	✓	✓	✓	✓	1050 1370	45







V200 SERIES		WHITE PVC FILM - 70 MICRONS - PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
								
<b>V200WG1</b> <div>Certified for HP Latex Inks</div>	gloss	permanent grey	✓	✓	✓	✓	1050 1370 1600	<b>45-100</b>
<b>V200WM1</b>	matt	permanent grey	✓	✓	✓	✓	1370 1600	<b>45</b>
<b>V201WG1</b>	gloss	permanent clear	✓	✓	✓	✓	1050 1370 1600	<b>45</b>
<b>V201WM1</b>	matt	permanent clear	✓	✓	✓	✓	1370	<b>45</b>
<b>V210WG1</b>	gloss	removable black	✓	✓	✓	✓	1370	<b>45</b>
<b>V211WG1</b>	gloss	removable clear	✓	✓	✓	✓	1370	<b>45</b>

RECOMMENDED LAMINATES		
<b>V750B</b>	gloss	 <b>SEE PAGE 119</b>
<b>V750M</b>	matt	
<b>N V750S</b>	satın	
<b>VCR750B</b> <i>reinforced adhesive</i>	gloss for UV printing	
<b>VCR750M</b> <i>reinforced adhesive</i>	matt for UV printing	

## INFORMATION




For lengths longer than the standard, please contact your local distributor.



1  
HX200NTWG2  
INSTALLATION  
VISUEL PUB  
FRANCE

2  
V200WG1  
PHOTO  
PUBLIFLASH  
FRANCE



## • 240 SERIES

### POLYMERIC FILMS



2D

LONG-TERM

PERMANENT

You need a durable and printable polymeric film at a fair price?

Our promotional polymeric **240 SERIES** is designed for long-term visual communication on both indoor and outdoor flat surfaces.



1

#### V240 SERIES

#### WHITE PVC FILM - 70 MICRONS - PE LINER

PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
V240WG1	gloss	permanent grey	✓	✓	✓	✓	1050 1370 1600	45
V240WM1	matt	permanent grey	✓	✓	✓	✓	1050 1370 1600	45

#### HX240 SERIES

#### WHITE PVC FILM - 70 MICRONS - HEX'PRESS LINER

PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
HX240WG2 <small>Certified for HP Latex Inks</small>	gloss	permanent grey	✓	✓	✓	✓	1050 1370 1600	45
HX240WM2	matt	permanent grey	✓	✓	✓	✓	1050 1370 1600	45

#### RECOMMENDED LAMINATE

V740B	gloss
V740M	matt
VCR740B	gloss for UV printing
VCR740M	matt for UV printing

  
SEE PAGE 120

# 280 SERIES

## POLYMERIC FILM







### EASE OF APPLICATION

With a thickness of 100 microns, the **280 SERIES** offers easy application combined with the durability specific to polymeric films.

2D

LONG-TERM

PERMANENT

V280 SERIES		WHITE PVC FILM - 100 MICRONS - PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
								
V280WG1	gloss	permanent grey	✓	✓	✓	✓	1370	45

### RECOMMENDED LAMINATES

V750B	gloss	 <a href="#">SEE PAGE 123</a>
V750M	matt	
<b>N</b> V750S	satin	
VCR750B <i>reinforced adhesive</i>	gloss for UV printing	
VCR750M <i>reinforced adhesive</i>	matt for UV printing	



1  
HX240WG2  
RÉALISATION GG WERBETECHNIK  
SWISS

2  
HX240WG  
RÉALISATION GOLD COAST WRAPS  
AUSTRALIA

3  
V240WG1  
RÉALISATION GÉNÉRATION IDCO  
FRANCE



## • 300 SERIES

### MONOMERIC FILMS



#### MEDIUM-TERM

#### FLAT SURFACES

#### PERMANENT & REMOVABLE

#### STANDARD EN 13501-1\*

\* This standard has been tested and is valid for use with laminate V700M for all films from the 300 series



V300 SERIES		WHITE PVC FILM - 100 MICRONS - PE LINER					
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				LENGTH LM
			SOLV	ÉCO-S	LATEX	UV	
V300WG1	gloss	permanent grey	✓	✓	✓	✓	45
V300WS1	satin	permanent grey	✓	✓	✓	✓	45
V301WG1	gloss	permanent clear	✓	✓	✓	✓	45
V310WG1	gloss	removable black	✓	✓	✓	✓	45
V311WG1	gloss	removable clear	✓	✓	✓	✓	45

V350 SERIES*		WHITE PVC FILM - 80 MICRONS - PE LINER					
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				LENGTH LM
			SOLV	ÉCO-S	LATEX	UV	
V351WG1*	gloss	permanent clear	✓	✓	✓	✓	45

\* Available while stocks last

RECOMMENDED LAMINATES		
V700B	gloss	 SEE PAGE 120
V700M	mat	
V700S	satin	





ANTI-SLIP

SHORT-TERM

FLAT SURFACES





STANDARD EN 13501-1

REMOVABLE

Film for indoor application on smooth floors with light to moderate footfall. This hexagonal textured film provides extra security against the risk of slipping.



3

300 SERIE		WHITE PVC FILM - 150 MICRONS - PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
								
HW301WM1	Matt	removable	✓	✓	✓	✓	1370	30

DIN 51130\*\*  
R10

\*\* DIN 51130  
Standard used in Europe, slip resistance class for SHOD feet



- 1 V300WG1  
INSTALLATION  
ILLIMITED EDITION  
FRANCE
- 2 V301WS1  
INSTALLATION  
PUBLIFLASH  
FRANCE
- 3 HW301WM1  
INSTALLATION  
HEXIS SAS  
FRANCE
- 4 V351WG1  
INSTALLATION  
ILLIMITED  
FRANCE



4

# MONOMERIC FILMS

## 3000 SERIES







1D

SHORT-TERM


FLAT SURFACES

PERMANENT &  
REMOVABLE

**TOR** top opacity range

TOP OPACITY RANGE		WHITE PVC FILM - 100 MICRONS - KRAFT LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
								
TOR3001WG	gloss	permanent clear	✓	✓	✓	✓	1050 1370 1600	45

HX3000 SERIES		WHITE PVC FILM - 100 MICRONS - <span>HEX</span> PRESS LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
								
HX3000WG2	gloss	permanent grey	✓	✓	✓	✓	1050 1370 1600	45
HX3001WG2	gloss	permanent clear	✓	✓	✓	✓	1370	45
HX3001WM2	matt	permanent clear	✓	✓	✓	✓	1370	45










1  
**TOR3001WG**  
INSTALLATION HEXIS S.A.S.  
FRANCE

2  
**V3100WG**  
INSTALLATION OPARUSIC REKLAMBYRÅ  
SWEDEN

3  
**V3000WG**  
INSTALLATION PERSONNALIZ  
LA RÉUNION



V3000 SERIES		WHITE PVC FILM - 100 MICRONS - KRAFT LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
								
<b>V3000WG</b>  	gloss	permanent grey	✓	✓	✓	✓	1050 1370 1520 1600	<b>45</b>
<b>V3000WM</b> 	matt	permanent grey	✓	✓	✓	✓	1050 1370 1600	<b>45</b>
<b>V3001WG</b>	gloss	permanent clear	✓	✓	✓	✓	1050 1370 1600	<b>45</b>
<b>V3001WM</b>	matt	permanent clear	✓	✓	✓	✓	1050 1370 1600	<b>45</b>
<b>V3100WG</b>	gloss	removable black	✓	✓	✓	✓	1050 1370 1600	<b>45</b>
<b>V3101WG</b>	gloss	removable clear	✓	✓	✓	✓	1050 1370 1600	<b>45</b>
<b>V3101WM</b>	matt	removable clear	✓	✓	✓	✓	1370	<b>45</b>



2

### RECOMMENDED LAMINATES

<b>V700B</b>	gloss
<b>V700M</b>	matt
<b>V700S</b>	satin
<b>V650B</b>	gloss
<b>V650M</b>	matt
<b>VCR650B</b> reinforced adhesive	gloss for UV printing
<b>VCR650M</b> reinforced adhesive	matt for UV printing


SEE  
PAGES 120 & 121


3



**2D+**

**LONG-TERM**

**PERMANENT**

**M1 FIRE RATING\***

**PVC-FREE**

**What are the benefits of PVC-free films?**

These products reduce the impact on the environment thanks to their specific manufacturing process. HEXIS consumes less energy during production. Furthermore, fewer petroleum-based organic materials are used.

The **HX500WG2** is a 50-micron PVC-free film for 2D+ surfaces. The highly conformable **PC300** and **PC500** laminates allow for very long term customisation of many materials.

**Recommended laminates**  
The **PC500G2** and **PC500M**, due to their formulation, allow an optimised installation. The **PC300**, with its thickness of 30µm, allows you to obtain a particularly flexible compound. Your squeegee glides easily over the lamination and saves you time during installation.

**PL300CG2** is a 30-micron clear latex laminate coated with an acrylic pressure sensitive adhesive.

\*tested and applicable for the **HX500WG2** with **PC500M** compound



1

**HX500WG2 + PC500G2**  
INSTALLATION HEXIS SAS  
FRANCE



2

**HX500WG2**  
INSTALLATION ILLIMITED  
FRANCE




3

**HX500WG2 + PC500M**  
INSTALLATION HEXIS SAS



HX500 SERIES		WHITE PVC-FREE FILM - 50 MICRONS - Hex'PRESS LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
<b>HX500WG2</b>  	gloss	permanent grey	✓	✓	✓	✓	1520	<b>45</b>

RECOMMENDED LAMINATES		
<b>PC300</b>	gloss	 <b>SEE PAGE 122</b>
<b>PC500G2</b>	gloss	
<b>PC500M</b>	matt	

ECOLOGICAL PRINT SERIES		WHITE PP FILMS 80 MICRONS					HEX'PRESS	
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
<b>HXR301EPS</b>  EN 13501-1	satin	clear reinforced			✓		1370	<b>45</b>
<b>HX301EPS</b>  	satin	permanent, clear			✓		1230	<b>45</b>

ECOLOGICAL PRINT SERIES		ADHESIVE PAPERS						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
<div>EPS135AD</div> <div><div><div>N</div><div>leaf</div></div><div>FSC</div></div>	satin	permanent, clear	✓	✓	✓	✓	1370	<div>30</div> <div></div>
<div>EPS150ADE</div> <div><div><div>N</div><div>leaf</div></div><div>FSC</div></div>	satin	structured permanent clear	✓	✓	✓	✓	1372	<div>35</div> <div></div>

## • 100 SERIES

### CAST FILMS WITH REINFORCED ADHESIVE



#### WALL WRAPS

#### LONG-TERM

#### LOW-ENERGY & COMPLEX SURFACES

These products are especially suited for **wall wraps**, complex surfaces (rivets, corrugated metal, etc.) and low-energy surfaces (e.g. waste containers).

The combination of ultra-conformable cast vinyls and **Hex·PRESS** technology enables you to achieve the highest quality while reducing installation times.

Get even better results by using our high-performance **PC190** and **PC30** laminates available in matt, gloss or satin finish.



1

VCXR101WG1  
INSTALLATION STUDIO JAFAR / ATC GROUPE  
FRANCE





2

VCXR101WG1  
INSTALLATION G&G WERBETECHNIK  
SWITZERLAND

3


VCXR201WG1  
INSTALLATION R-EVOLUTION ART  
ITALY



100 SERIES		WHITE PVC FILM WITH REINFORCED ADHESIVE - 50 MICRONS							
PRODUCT CODE	FINISH	ADHESIVE	LINER	COMPATIBILITY				WIDTH MM	LENGTH LM
									
HXR101WG2	gloss	permanent, reinforced, clear	Hex <sup>®</sup> PRESS	✓	✓	✓	✓	1370	45
VCSR101WG1	gloss	permanent, super-reinforced, clear	PE	✓	✓	✓	✓	1370	45
VCXR101WG1	gloss	permanent, super-reinforced, clear	PE	✓	✓	✓	✓	1370	45

RECOMMENDED LAMINATES	
PC190G2	gloss
PC190S	satin
PC190M3	matt
PC30G2	gloss
PC30M3	matt

  
SEE PAGE 118



## • 200 SERIES


### POLYMERIC FILMS WITH REINFORCED ADHESIVE











#### WALL WRAPS

#### LONG-TERM

#### LOW-ENERGY & COMPLEX SURFACES



200 SERIES		WHITE PVC FILM WITH REINFORCED ADHESIVE - 70 MICRONS - PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
								
VCSR200WG1	gloss	permanent, super-reinforced, grey	✓	✓	✓	✓	1050 1370	45
VCSR201WG1	gloss	permanent, super-reinforced, clear	✓	✓	✓	✓	1050 1370 1600	45
VCSR201WM1	matt	permanent, super-reinforced, clear	✓	✓	✓	✓	1370	45
VCXR201WG1	gloss	permanent, extra-reinforced, clear	✓	✓	✓	✓	1050 1370	40
VCSR201DP	gloss	permanent, super-reinforced, clear	✓	✓	✓	✓	1370	45

200 SERIES		WHITE PVC FILM WITH REINFORCED ADHESIVE - 70 MICRONS - PET LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
								
VCSR202CG3	gloss	permanent, super-reinforced, clear	✓	✓	✓	✓	1370 1600	45

#### RECOMMENDED LAMINATES

V750B	gloss
V750M	matt
<b>N</b> V750S	satin
VCR750B	gloss for UV printing
VCR750M	matt for UV printing

SEE PAGE 119





WALL WRAPS

MEDIUM-TERM

LOW-ENERGY &  
COMPLEX SURFACES













1  
VCSR200WG1  
INSTALLATION PUBLIFLASH  
FRANCE

2  
VCSR201DP  
INSTALLATION TMS38  
FRANCE

3  
VCXR201WG1  
INSTALLATION AGENT GRAPHIQUE  
FRANCE

Specifically designed for covering grained, porous, concrete and brick surfaces, our new monomeric film VCXR301WG1 is suitable for all your indoor and outdoor projects.

300 SERIES		WHITE PVC FILM WITH REINFORCED ADHESIVE 100 MICRONS - PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
								
<b>VCSR300WG1</b> 	gloss	permanent super-reinforced, grey	✓	✓	✓	✓	1050 1370 1600	<b>45</b>
<b>VCSR300WM1</b> 	matt	permanent super-reinforced, grey	✓	✓	✓	✓	1050 1370 1600	<b>45</b>
<b>VCSR301WG1</b> 	gloss	permanent super-reinforced clear	✓	✓	✓	✓	1050 1370 1600	<b>45</b>
<b>VCSR301WM1</b> 	matt	permanent super-reinforced clear	✓	✓	✓	✓	1050 1370 1600	<b>45</b>
<b>VCSR301WS1</b> 	satin	Permanent extra-reinforced clear	✓	✓	✓	✓	1370 1600	<b>45</b>
<b>VCXR301WG1</b>	gloss	Permanent extra-reinforced clear	✓	✓	✓	✓	1370	<b>30</b>
<b>VCXR301WS1</b> 	satin	Permanent extra-reinforced clear	✓	✓	✓	✓	1370	<b>30</b>



RECOMMENDED LAMINATES

V700B	gloss
V700M	mat
V700S	satin
V650B	gloss
V650M	matt
VCR650B	gloss for UV printing
VCR650M	matt for UV printing



SEE PAGES  
120 & 121



# SEMI-RIGID MONOMERIC FILM WITH REINFORCED ADHESIVE

## WALL WRAPS

## SHORT-TERM OR PROMOTIONAL

## LOW-ENERGY & COMPLEX SURFACES

The reinforced adhesive ensures adhesion to irregular, grained and textured substrates or low-energy surfaces (waste containers, concrete, bricks).

CSR25		SEMI-RIGID WHITE PVC FILM - 200 MICRONS - KRAFT LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
CSR25	matt	permanent, reinforced, clear	✓	✓			1370	30



2D+

LONG-TERM

PERMANENT



- 1  
CSR25  
PHOTO G&G  
WERBETECHNIK
- 2  
MICRO1  
INSTALLATION  
AB NÉON  
FRANCE
- 3  
MICRO2 + PC50MICP2  
PHOTO  
X-PRESS PRINT & SIGNS  
SPAIN



DIGITAL  
PRINTING

## POLYMERIC FILMS

## WHITE GLOSS PVC FILM WITH BLACK BACK

PRODUCT CODE	THICKNESS MICRONS	MICRO PERFORATION	ADHESIVE	LINER	COMPATIBILITY				WIDTH MM	LENGTH LM
					SOLV	ECO-S	LATEX	UV		
<b>MICRO1</b> M1	160	30%	permanent, clear	PE	✓	✓	✓		1050	30
									1370	
									1520	
<b>MICRO2</b> M1 Certified for HP Latex Inks	165	32%	permanent, clear	Kraft	✓	✓	✓		1000	10-30-120
									1370	10-30-90
									1520	10-30

## RECOMMENDED LAMINATE

PC50MICP2

gloss



SEE PAGE 126



## HEXIS ADVICE

Use polymeric microperforated vinyl so the film adapts perfectly to the curved shape of the rear window.





# • MICROPERFORATED MONOMERIC FILMS

2D

FLAT GLASS  
SURFACES

SHORT-TERM

PERMANENT &  
REMOVABLE

MONOMERIC FILMS			WHITE GLOSS PVC FILM WITH BLACK BACK							
PRODUCT CODE	THICKNESS MICRONS	MICRO PERFORATION	ADHESIVE	LINER	COMPATIBILITY				WIDTH MM	LENGTH LM
					SOLV	ECO-S	LATEX	UV		
MICRO170UV	180	40%	removable, clear	PE				✓	1370	30
MICRO6	160	30%	permanent, clear	PE	✓	✓			1370 1520	50

## RECOMMENDED LAMINATE

<b>PC50MICP2</b>	gloss	 SEE PAGE 126
------------------	-------	---



- 1  
MICRO2  
PHOTO SIGNARAMA  
FRANCE
- 2  
MICROINSID  
INSTALLATION BA  
ENSEIGNE





## 2D

### FLAT GLASS SURFACES

### PERMANENT & REMOVABLE

SPECIAL FILMS	WHITE GLOSS PVC FILMS WITH BLACK BACK (MICROINSID) & TRANSPARENT GLOSS (MICROCGUV)							
	PRODUCT CODE	THICKNESS MICRONS	MICRO PERFORATION	ADHESIVE	LINER	COMPATIBILITY	WIDTH MM	LENGTH LM
						<div><div>SOLV</div><div>ECO-S</div><div>LATEX</div><div>UV</div></div>		
MICROINSID <div>M1</div>	140	40%	semi-permanent, clear	PET	<div><div>✓</div><div>✓</div></div>		1370	25
MICROCGUV	145	40%	removable, clear	PET	<div><div></div><div></div><div>✓</div></div>		1372	50

## INFORMATION



**MICROINSID** is designed for indoor use (glass windows and doors). The printable side is the adhesive side. Thus, it is protected from vandalism and bad weather.

The transparent **MICROCGUV** film is mirror-printed.

For further information regarding these products, please refer to the data sheets available on our website.



2

**PROTECTIVE MESH  
FOR THE EDGES OF  
ARTWORK**

PRODUCT CODE	THICKNESS MICRONS	TYPE	ADHESIVE	LINER	WIDTH MM	LENGTH LM
<b>FPG836</b>	36	Polyester	permanent	PET	14	<b>30</b>
<b>FPC50MCP2</b>	50	cast PVC	permanent	PET	14	<b>30</b>



1

MICROINSID  
INSTALLATION BA  
ENSEIGNE






*The material experience by HEXIS*



**CHOOSE AND CREATE YOUR OWN FULLY CUSTOMISABLE  
& PRINTABLE ANTI-MICROBIAL DECORATION COMPOSITE!**



[www.hexis-graphics.com](http://www.hexis-graphics.com)



**HEXIS S.A.S** – ZI Horizons Sud – CS970003 – 34118 FRONTIGNAN CEDEX – FRANCE – Tel: +33 (0) 4 67 18 08 88

## POLYMERIC FILM ETCHED GLASS



### WINDOW DECORATION

ETCHED GLASS FINISH		PVC FILM - 80 MICRONS - KRAFT LINER				
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY			
			SOLV	ÉCO-S	LATEX	UV
V203EG	matt	permanent, clear	✓	✓	✓	✓
<b>N</b> HX203EG	matt	permanent, clear	✓	✓	✓	✓

## TRANSLUCENT POLYMERIC FILM



### LIGHT BOXES

EN 13501-1



- 1  
V203EG  
INSTALLATION  
ILLIMITED  
FRANCE
- 2  
V201TR1  
INSTALLATION  
BÜRKI & MOSER GMBH  
SWISS



### TRANSLUCENT EFFECT

### PVC FILM - 80 MICRONS - PE LINER

PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ÉCO-S	LATEX	UV		
<b>M1</b> V201TR1	translucent satin	permanent, clear	✓	✓	✓	✓	1370	45



# POLYMERIC FILMS TRANSPARENT



## WINDOW GRAPHICS

## WINDOWS

## LIGHT BOXES

TRANSPARENT EFFECT		PVC FILM - 70 MICRONS				
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY			
			SOLV	ECO-S	LATEX	UV
V202CG1	gloss	permanent, clear	✓	✓	✓	✓
V202CG3 N	gloss	permanent, clear	✓	✓	✓	✓

# TRANSPARENT MONOMERIC FILMS



## WINDOW GRAPHICS

## WINDOWS

## LIGHT BOXES

## SHORT-TERM



3  
V201TR1  
INSTALLATION  
PUBLIFLASH  
FRANCE




TRANSPARENT EFFECT		PVC FILM - 80 MICRONS - PE LINER				
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY			
			SOLV	ECO-S	LATEX	UV
V302CG1	gloss	permanent, clear	✓	✓	✓	✓
V362CG1	gloss	permanent, clear	✓	✓	✓	✓

# • TRANSPARENT REMOVABLE FILMS

## WINDOW DECORATION

### TRANSPARENT EFFECT

### PVC FILM - 80 MICRONS - PET LINER



PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
 <b>VCLEARCG1</b>	gloss	removable, clear	✓	✓	✓	✓	1220	<b>50</b>
							1370	
							1520	



Have you considered the PVC-free equivalent  
**PET50CG1 / PET50CG1**

### ULTRA-TRANSPARENT EFFECT

### PET FILM - 75 MICRONS - PET LINER

PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
 <b>PET75CG1*</b>	gloss	removable, clear				✓	1520	<b>30</b>
 <b>PET50CG1</b>	gloss	removable, clear				✓	1520	<b>30</b>

\* To be replaced by **PET50CG1** later in 2023





1  
**VCLEARCG1**  
INSTALLATION  
ILLIMITED EDITION  
FRANCE


2  
**PET75CG1**  
INSTALLATION  
NEW MEDIA FAB  
FRANCE

3  
**PET75CG1**  
INSTALLATION  
HEXIS  
S.A.S  
FRANCE

**LIGHT BOXES & BUS  
SHELTERS**

DIFFUSING OPAQUE EFFECT		NON-ADHESIVE PET FILM - 220 MICRONS			
PRODUCT CODE	FINISH	COMPATIBILITY			
		SOLV	ECO-S	LATEX	UV
<b>POD225SOLV</b> 	satin	✓	✓		
				1372	30

DIFFUSING OPAQUE EFFECT		NON-ADHESIVE PET FILM - 230 MICRONS			
PRODUCT CODE	FINISH	COMPATIBILITY			
		SOLV	ECO-S	LATEX	UV
<b>POD220SOLV</b> 	gloss	✓	✓	✓	✓
				1067	30
				1370	



# • PRINTABLE POLYESTER BANNERS

## PVC FREE POLYESTER BANNER



PRODUCT CODE	VERSION	FINISH	GRAMMAGE G/M <sup>2</sup>	PRINTABLE SIDE	COMPATIBILITY				WIDTH MM	LENGTH LM
					SOLV	ECO-S	LATEX	UV		
<b>EPBANIN</b> <b>M1</b>	PVC-free polyester fabric	satin	280	intérieure	✓	✓	✓	✓	1060	<b>30</b>
									1370	
									1620	
<b>EPBANOUT</b> <b>M1</b>	PVC-free polyester fabric	satin	250	inside	✓	✓	✓	✓	1060	<b>30</b>
									1370	
									1620	

## FIRE RATING **M1**

## PVC-COATED POLYESTER BANNER

PRODUCT CODE	VERSION	FINISH	GRAMMAGE G/M <sup>2</sup>	PRINTABLE SIDE	COMPATIBILITY				WIDTH MM	LENGTH LM
					SOLV	ECO-S	LATEX	UV		
<b>FRONTM1EV2</b> <b>M1</b>	promotional	satin	450	outside	✓	✓	✓	✓	1370	<b>25</b>
									1600	
<b>FRONT5M1</b> <b>M1</b>	promotional	satin	340	inside	✓	✓	✓	✓	1100	<b>50</b>
									1370	
<b>FRONT2V3S</b> <b>M1</b>	high-performance	satin	510	inside	✓	✓	✓	✓	1100	<b>50</b>
									1370	
									1600	

## CLASSIC

## PVC-COATED POLYESTER BANNER

PRODUCT CODE	VERSION	FINISH	GRAMMAGE G/M <sup>2</sup>	PRINTABLE SIDE	COMPATIBILITY				WIDTH MM	LENGTH LM
					SOLV	ECO-S	LATEX	UV		
<b>FRONT2</b> 	high-performance	satin	560	outside	✓	✓	✓	✓	760	<b>30</b>
									1060	
									1370	
									1620	
<b>FRONT2V2B</b>	high-performance	gloss	550	inside	✓	✓		✓	1060	<b>50</b>
									1370	
									1600	
<b>FRONT2V2M</b>	high-performance	matt	550	inside	✓	✓		✓	1060	<b>50</b>
									1370	
									1600	
<b>FRONT3V2</b>	intermediate	matt	450	outside	✓	✓	✓	✓	1060	<b>25</b>
									1370	
									1600	
<b>FRONT4V4</b>	promotional	satin	440	inside	✓	✓	✓	✓	1100	<b>50</b>
									1370	
									1600	

\* Available while stocks last



## DOUBLE-SIDED

## PRINTABLE ON BOTH SIDES

## BACKLIT APPLICATIONS



1

JT300M1  
INSTALLATION  
OPARUSIC REKLAMBYRÅ  
SWEDEN



1

## PVC-COATED POLYESTER BANNER

PRODUCT CODE	VERSION	FINISH	GRAMMAGE G/M <sup>2</sup>	PRINTABLE SIDE	COMPATIBILITY				WIDTH MM	LENGTH LM
					SOLV	ECO-S	LATEX	UV		
FRONTOPAC	high-performance	satin	680	inside outside	✓	✓	✓	✓	1020 1370 1620	25
EFRONTOPAC	promotional	matt	610	inside outside	✓	✓	✓	✓	1120 1370	30

## SPECIAL RANGE

## PVC-COATED POLYESTER BANNER

PRODUCT CODE	TYPE	FINISH	GRAMMAGE G/M <sup>2</sup>	PRINTABLE SIDE	COMPATIBILITY				WIDTH MM	LENGTH LM
					SOLV	ECO-S	LATEX	UV		
PG450	small mesh banner	satin	450	outside	✓	✓		✓	1370 1600	30
DIF450	backlit diffusing banner	satin	450	outside	✓	✓	✓	✓	1370	30

## PVC-FREE POLYESTER BANNER

<b>JT300M1</b>  	eco-friendly soft light fabric, PVC- and phthalate-free, anti-curling, flame retardant, anti-reflective	satin	280	outside	✓	✓	✓	✓	1020	30
									1370	
									1620	



## PRINTABLE WOVEN FABRIC INTERIOR DESIGN & WINDOW DECORATION




### POLYESTER LINER

Take a look at our printable woven fabric **LINPRINT**. You can use it with or without printing, to decorate your windows and give your interiors a stylish makeover: shops, restaurants, offices, open spaces, public or private places etc.

The **LINPRINT** fabric is suitable for a variety of glass surfaces (windows, doors or partitions). Due to its natural-coloured, semi-transparent appearance, it allows to bring privacy to your interior, without reducing the luminosity.

### DATA SHEET

- > SELF-ADHESIVE PRINTABLE WOVEN POLYESTER FABRIC
- > **SEMI-TRANSPARENT LINEN** COLOUR AND FINISH
- > WATER-BASED ACRYLIC ADHESIVE
- > **245-MICRONS** THICKNESS
- > POLYESTER LINER
- > INDOOR APPLICATION, ONLY ON FLAT GLASS SURFACES
- > COMPATIBLE INKS: ECO-S, SOLV, LATEX, UV
- > PRODUCT RATED **B-S1, d0** ACCORDING TO EUROCLASS **EN 13501-1** FIRE CLASSIFICATION
- > DURABILITY: UP TO **5 YEARS** FOR INDOOR USE (VERTICAL EXPOSURE)
- > AVAILABLE IN **1370 MM X 30 M** (OTHER RETAIL OPTIONS ARE POSSIBLE, DEPENDING ON STOCK AVAILABILITY)

PRODUCT CODE	FINISH	COMPATIBILITY				WIDTH MM	LENGTH LM
		SOLV	ECO-S	LATEX	UV		
  <b>LINPRINT</b>	semi-transparent	✓	✓	✓	✓	1370	15 - 30 




1

**LINPRINT**  
INSTALLATION HEXIS S.A.S  
FRANCE

### HEXIS ADVICE



Be sure to experiment with the textures and customisation available within the HEX'PERIENCE collection.



1



# What if you enhanced your glass surfaces to blend in perfectly with the surroundings?

Take a look at our printable woven fabric **LINPRINT**.  
A great way to combine function, style and design!





## REPRODUCTION OF OIL PAINTINGS

### CANVAS FOR SHORT-TERM DESIGNS

PRODUCT CODE	FINISH	GRAMMAGE G/M <sup>2</sup>	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
 <b>CANVAS3</b>	matt	300	✓	✓	✓	✓	1067	20



1



2



1  
CANVAS  
INSTALLATION  
FL DESIGN  
REUNION ISLAND

2  
PG450  
INSTALLATION  
ILLIMITED  
FRANCE

3  
PG450  
INSTALLATION  
HEXIS SAS  
FRANCE



3



## POP UP

These media are designed for self-supporting displays or roll-up displays. They can also be used for folding display stands. POP200ECOS can be used without lamination. compatible displays: see our range on pages 221 to 222









## OPAQUE FILMS FOR DISPLAYS


PRODUCT CODE	COMPATIBLE DISPLAYS	FINISH	THICKNESS MICRONS	COMPATIBILITY				WIDTH MM	LENGTH LM
				SOLV	ECO-S	LATEX	UV		
<b>POPPRIMO</b> 	ROLLFIRST ROLLSHOW85 ROLLSHOW10 ROLLDOUBLE	satin	220	✓	✓	✓	✓	914	<b>30</b>
								1067	
<b>POP190ECOS</b> 	ROLLFIRST ROLLSHOW85 ROLLSHOW10 ROLLDOUBLE	satin	190	✓	✓	✓		914	<b>20</b>
								1067	
<b>POP200ECOS</b>	ROLLFIRST ROLLSHOW85 ROLLSHOW10 ROLLDOUBLE	satin	195	✓	✓	✓	✓	914	<b>30</b>
								1067	
<b>POP310ECOS</b>	STANDC3X3	satin	315	✓	✓	✓		914	<b>20</b>
								1370	
<b>POPNC400</b>		gloss	420	✓	✓		✓	1270	<b>20</b>








## WALL DECORATION


### INDOOR APPLICATION

WALL COVERINGS		DIGIFORT® PAPER-BASED, NON-ADHESIVE WALLPAPERS						
PRODUCT CODE	PROPERTIES	GRAMMAGE G/M²	COMPATIBILITY				WIDTH MM	LENGTH LM
								
 <b>P13003</b>	Dust pattern satin finish	300	✓	✓	✓	✓	1300	<b>50</b>
 <b>P13004</b>	Mellow pattern satin finish	300	✓	✓	✓	✓	1300	<b>50</b>

WALL COVERINGS		PRINTABLE PVC-FREE WALLPAPER - PRE-PASTED						
PRODUCT CODE	PROPERTIES	THICKNESS MICRONS	COMPATIBILITY				WIDTHS MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
<div>WALLPAPER2*</div> <div></div>	permanent adhesive pre-pasted paper	330	✓	✓	✓	✓	1067 1372	51

\* STANDARD EN 13501-1

WALL COVERINGS		'TEXTILE' EFFECT SELF-ADHESIVE FABRIC						
PRODUCT CODE	PROPERTIES	THICKNESS MICRONS	COMPATIBILITY				WIDTH MM	LENGTH LM
								
 <b>TEXWALLV2</b>	Removable adhesive PET textile	240	✓	✓	✓	✓	1370	<b>20</b>



1  
TEXWALLV2  
GRAFICA METELLIA-  
NA ITALY



**REMOVABLE  
COMMUNICATION**

**ULTRA EASY  
INSTALLATION**

**SHORT-TERM**

REPOSITIONABLE FILMS								
PRODUCT CODE	FINISH	THICKNESS MICRONS	LINER	COMPATIBILITY				WIDTH MM
				SOLV	ÉCO-S	LATEX	UV	
<b>LIGHTSTICK*</b>	Transparent gloss	175	PET	✓	✓	✓	✓	1370
<b>EASYSTIKWS</b>	White satin	175	PET	✓	✓	✓	✓	1370
								1600
<b>EASYSTIKCG</b>	Transparent gloss	175	PET	✓	✓	✓	✓	1370
								1600

\* Available while stocks last.



**1**  
REPOSTICK  
CREATEM | FRANCE

## • MAGNETIC / FERROUS FILMS

### CREATION OF REMOVABLE INDOOR MARKINGS

#### PRINTABLE FERROUS FILM FOR APPLICATION ON FM580

PRODUCT CODE	FINISH	THICKNESS MICRONS	PRINTABLE SIDE	COMPATIBILITY				WIDTH MM	LENGTH LM
				SOLV	ECO-S	LATEX	UV		
<b>VF180WM</b>	matt	180	outside	✓	✓	✓		1270	<b>30</b>

#### PRINTABLE MAGNETIC FILM FOR APPLICATION ON FF480 AND FERROUS SUBSTRATES

PRODUCT CODE	FINISH	THICKNESS MICRONS	PRINTABLE SIDE	COMPATIBILITY				WIDTH MM	LENGTH LM
				SOLV	ECO-S	LATEX	UV		
<b>VM380WM</b>	matt	300	outside	✓	✓	✓	✓	1270	<b>15</b>

## • REFLECTIVE FILM

### FOR PROMOTIONAL MESSAGES THAT CAN BE SEEN DAY AND NIGHT







#### MULTILAYERED WHITE FILM MADE OF AN ACRYLIC RESIN AND GLASS MICROBEADS

PRODUCT CODE	FINISH	THICKNESS MICRONS	PRINTABLE SIDE	COMPATIBILITY				WIDTH MM	LENGTH LM
				SOLV	ECO-S	LATEX	UV		
<b>MLG48512*</b>	gloss	117	reflective	✓		✓	✓	1220	<b>10</b>
									<b>50</b>
<b>R85120</b>	gloss	140/160	reflective	✓	✓	✓	✓	1220	<b>20</b>

\* Available while stocks last



## RECOMMENDED FOR INDOOR POSTERS AND NOTICES

NON-ADHESIVE PAPERS									
PRODUCT CODE	APPLICATION	FINISH	GRAMMAGE G/M <sup>2</sup>	COMPATIBILITY				WIDTH MM	LENGTH LM
				SOLV	ECO-S	LATEX	UV		
<b>PM150V2</b>  Certified for HP Latex Inks	for posters	matt	150	✓	✓	✓		1372	<b>76</b>
								1600	
<b>P130</b> 	for posters	satin	130	✓	✓	✓	✓	1372	<b>61</b>
								1600	
<b>P135</b>  Certified for HP Latex Inks	for posters	satin	135	✓	✓	✓	✓	1370	<b>60</b>
								1620	
<b>PAP120JF</b> 	for posters	fluo yellow matt	120	✓	✓	✓	✓	1370	<b>60</b>
<b>PAP132DB</b> 	for paper notices	satin	130	✓	✓	✓	✓	1372	<b>61</b>
<b>P210</b> 	photo paper	gloss	210	✓	✓	✓		1372	<b>45</b>



1  
R85120  
PHOTO  
NIPPON CARBIDE

2  
PAP1  
INSTALLATION  
HEXIS UK  
UNITED KINGDOM

3  
PM150V2 + PAP120JF  
INSTALLATION  
HEXIS  
USA



**2D  
LONG TERM KIT  
DECO EXTREME  
PERMANENT  
DURABILITY  
ADH EXTREME**

This film has been specially designed for use on vehicle deco kits intended for use in extreme sports.

DIGITAL PRINTING Easy to apply, 100µm polymeric film with an adhesive that is highly resistant to impact, friction and vibration, ensuring optimum adhesion to plastic surfaces (bodywork parts etc.).



1 2

XTPRINT  
PHOTO  
EKD FRANCE

**WHITE PVC FILM - 100 MICRONS - PE LINER**

PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTHS MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
XTPRINT	gloss	permanent extreme adhesion	✓	✓	✓	✓	1370	45

# LAMINATES

LAMINATES <b>PREMIUM CAST</b> .....	<b>118</b>
LAMINATES <b>BANNER SPECIAL</b> .....	<b>118</b>
LAMINATES <b>POLYMERIC HIGH-PERFORMANCE</b> .....	<b>119</b>
LAMINATES <b>POLYMERIC WITH REINFORCED ADHESIVE</b> .....	<b>119</b>
LAMINATES <b>POLYMERIC HYBRID</b> .....	<b>120</b>
LAMINATES <b>POLYMERIC HYBRID WITH REINFORCED ADHESIVE</b> .....	<b>120</b>
LAMINATES <b>MONOMERIC INTERMEDIATE</b> .....	<b>120</b>
LAMINATES <b>MONOMERIC</b> .....	<b>121</b>
LAMINATES <b>PVC-FREE</b> .....	<b>122</b>
LAMINATES <b>ANTIMICROBIAL</b> .....	<b>123</b>
<b>SPECIAL FINISH LAMINATES</b> .....	<b>124 - 125</b>
LAMINATES FOR <b>MICROPERFORATED FILMS</b> .....	<b>126</b>
LAMINATES <b>ANTI-GRAFFITI</b> .....	<b>127</b>
LAMINATES FOR <b>DISPLAYS</b> .....	<b>128</b>
ANTI-SLIP LAMINATES FOR <b>FLOOR GRAPHICS</b> .....	<b>129</b>
LAMINATES <b>VERY HIGH DURABILITY</b> .....	<b>130</b>
LAMINATES <b>DRY ERASE</b> .....	<b>130</b>
TOOLS FOR <b>LAMINATION</b> .....	<b>131</b>
SPECIAL LAMINATE <b>DECORATION KITS</b> .....	<b>132</b>
SPECIAL EXTREME <b>SPORTS DECORATION LAMINATE KITS</b> .....	<b>133</b>

## LAMINATES PREMIUM CAST

### 3D

#### FULL WRAPS AND WALL WRAPS

#### LONG-TERM

These laminates are ideal to protect your digital prints applied on a vehicle. Combined with **HX190WG2** or **THE190EVO** (see page 79 & 80), they offer a 80 to 100-micron composite, which is easier to apply and remove than a non-laminated printed film.

Laminates recommended for the **100 SERIES** (see page 80, or for reinforced products, see page 94).

#### TRANSPARENT CAST PVC FILMS

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
<b>PC30G2</b>	gloss	30 (1.18 MILS)	solvent based acrylic	PE	1370 1520	<b>25-50</b>
<b>PC30M3</b>	matt	30 (1.18 MILS)	solvent based acrylic	PE	1370 1520	<b>50</b>
<b>PC190G2</b>	gloss	50 (1.9 MILS)	solvent based acrylic	PE	1370 1520	<b>25-50</b>
<b>PC190M3</b>	matt	50 (1.9 MILS)	solvent based acrylic	PE	1370 1520	<b>50</b>
<b>PC190S</b>	satin	50 (1.9 MILS)	solvent based acrylic	PE	1370 1520	<b>50</b>



Have you considered the PVC-free equivalent  
**PC30G2 = PC300**  
**PC190G2/M3 = PC500G2/M**

## LAMINATION PREMIUM CAST WITH REINFORCED ADHESIVE

#### TRANSPARENT CAST PVC FILMS



PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
<b>PCR190G2</b>	gloss	30 (1.18 MILS)	solvent based acrylic	PE	1370 1520	<b>50</b>

## LAMINATES BANNER SPECIAL

### 3D

#### BANNER SPECIAL

#### LONG-TERM

Combining **PTB900** with **VTB901WG1** laminates extends the composite's durability to up to 5 years.

#### TRANSPARENT CAST PVC FILMS

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
<b>PTB900G</b>	gloss	50	solvent based acrylic	PE	1520	<b>50</b>
<b>PTB900M</b>	matt					
<b>PTB900S</b>	satin					





2D

FLAT & SLIGHTLY  
CURVED SURFACES

LONG-TERM

Laminates recommended  
for the **200 & 280 SERIES**  
(see pages 82 & 85).

TRANSPARENT POLYMERIC PVC FILMS

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
<b>V750B</b>	gloss	70	solvent based acrylic	siliconised paper	1050 1370 1600	<b>50</b>
<b>V750M</b>	matt	70	solvent based acrylic	siliconised paper	1050 1370 1600	<b>50</b>
<b>V750S</b>	gloss	70	solvent based acrylic	siliconised paper	1050 1370 1600	<b>50</b>
<b>V850B*</b>	gloss	50	solvent based acrylic	siliconised paper	1370 1600	<b>50</b>



\* **EN 13501-1** tested and valid for composite THE200EVO + V850B

UV PRINTS SPECIAL

The VCR750 SERIES is recommended to laminate UV prints.  
(**200** and **280 SERIES** with or without reinforced adhesive).



TRANSPARENT POLYMERIC PVC FILMS

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
<b>VCR750B</b>	gloss	70	reinforced solvent based acrylic	siliconised paper	1370 1600	<b>50</b>
<b>VCR750M</b>	matt	70	reinforced solvent based acrylic	siliconised paper	1370 1600	<b>50</b>

INFORMATION



For lengths of 100 lm or more, please contact us.



2  
**V750B**  
INSTALLATION  
CG PRINTER ITALY



2

## LAMINATES POLYMERIC HYBRID

### FLAT SURFACES

#### MEDIUM-TERM

Laminates recommended for the **240 SERIES** (see page 84).

### TRANSPARENT HYBRID PVC FILM

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
<b>V740B</b>	gloss	70	solvent based acrylic	siliconised paper	1050 1370 1600	<b>50</b>
<b>N V740M</b>	matt	70	solvent based acrylic	siliconised paper	1050 1370 1600	<b>50</b>

## LAMINATES POLYMERIC HYBRID WITH REINFORCED ADHESIVE

### FLAT SURFACES

#### MEDIUM-TERM

Laminate recommended for the **240 SERIES** (see page 84).

### TRANSPARENT HYBRID PVC FILM WITH REINFORCED ADHESIVE

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
<b>VCR740B</b>	gloss	70	reinforced solvent based acrylic	siliconised paper	1370 1600	<b>50</b>
<b>N VCR740M</b>	matt	70	reinforced solvent based acrylic	siliconised paper	1370 1600	<b>50</b>

## LAMINATES MONOMERIC INTERMEDIATE

### FLAT SURFACES

#### MEDIUM-TERM

Laminates recommended for the **300 & 3000 SERIES** (see pages 86-89).

### TRANSPARENT MONOMERIC PVC FILMS

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
<b>V700B</b>	gloss	80	solvent based acrylic	siliconised paper	1050 1310 1370 1600	<b>50</b>
<b>V700M*</b>	matt	80	solvent based acrylic	siliconised paper	1050 1370 1600	<b>50</b>
<b>V700S</b>	satin	80	solvent based acrylic	siliconised paper	1050 1370 1600	<b>50</b>

\* **EN 13501-1** tested and valid as composite with films from the 300 Series

## FLAT SURFACES

### SHORT-TERM

Laminates recommended for the **3000 SERIES** (see pages 88 - 89); **PM150V2-P135** papers (see page 115).  
The **VCR650** laminate is recommended to laminate UV prints.

## TRANSPARENT MONOMERIC PVC FILMS

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
<b>V650B</b>	gloss	70	solvent based acrylic	siliconised paper	1050 1370 1370 1600	<b>50</b>
<b>V650M</b>	matt	70	solvent based acrylic	siliconised paper	1050 1370 1600	<b>50</b>
<b>VCR650B</b>	gloss	70	reinforced solvent based acrylic	siliconised paper	1370 1600	<b>50</b>
<b>VCR650M</b>	matt	70	reinforced solvent based acrylic	siliconised paper	1370	<b>50</b>

## INFORMATION



For lengths of 100 lm or more, please contact us.



<sup>1</sup>  
**VCXR301 + V650M**  
PHOTO SOHO COMMUNICATIONS - FWI

PVC-FREE FILMS

LONG-TERM

PERMANENT

PVC-  
FREE

Laminates recommended  
for HX500WG2 films.

PVC-FREE PU FILMS

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
PC500G2	gloss	50 (1.9 mils)	solvent based acrylic	PE	1370 1520	50
PC500M**	matt	50 (1.9 mils)	solvent based acrylic	PE	1370 1520	50
PC300	gloss	30	solvent based acrylic	PE	1370 1520	50



M1 composite HX500WG2/PC500M.



1 PC500M2  
SD-PRINT | GUADELOUPE

2 PURZON060B  
COM-UNICK | FRANCE





**MICROBIAL  
PROTECTION FOR  
SURFACES THAT  
DEMAND A HIGH  
LEVEL OF HYGIENE**

**STANDARD  
EN 13501-1**

**ANTIMICROBIAL TRANSPARENT PVC FILMS**

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
<b>PURZON060B</b>	gloss	60	solvent based acrylic	PE	1370	<b>30</b>
<b>PURZON060M</b>	matt	60	solvent based acrylic	PE	1370	<b>30</b>
<b>PURZONORIB</b>	gloss	60	solvent based acrylic	PE	1370	<b>30</b>
<b>PURZONORIM</b>	matt	60	solvent based acrylic	PE	1370	<b>30</b>

**INFORMATION**



Patent-protected technology tested for effectiveness after 1 hour of contact:

- **ANTI-VIRAL** (according to ISO 21702)
  - on Coronavirus SARS-CoV-2\* strain\* at 97%
  - on human coronavirus strain HCoV-229E à 99.87%
- **ANTIBACTÉRIENNE** (selon la norme ISO 22196)
  - on 6 strains, causing several diseases\*\* at 99.99%

\* Refer to technical documentation available on [www.hexis-graphics.com](http://www.hexis-graphics.com)






\*\* Diarrhoea, gastrointestinal disorders, flu-like symptoms, neurological disorders, urinary tract/utaneous/pulmonary/opthalmological infections.





## SPECIAL FINISH LAMINATES

### DECORATION






#### TRANSPARENT POLYMERIC PVC FILM

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
 <b>VWOOD</b> 	knotted wood effect	130	solvent based acrylic	siliconised paper	1370	<b>30</b>
 <b>VWOOD02</b> 	wood effect	130	solvent-based acrylic	siliconised paper	1370	<b>30</b>
 <b>VBRUSHED</b>	brushed effect	130	solvent-based acrylic	siliconised paper	1370	<b>30</b>

#### CLEAR PVC-FREE CAST FILM WITH SPECIAL EFFECT

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
 <b>PCWOOD02</b> 	alpine wood effect	80	solvent based acrylic	PE	1520	<b>30</b>

#### CLEAR CAST FILM WITH SPECIAL EFFECT

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
  <b>PCAMPGB*</b>	leather effect fine grain	120	solvent based acrylic	PE	1520	<b>30</b>
  <b>PCLEATHER</b>	leather effect fine grain	120	solvent based acrylic	PE	1520	<b>30</b> 

\* Available while stocks last.




Have you considered the PVC-free equivalent  
**PCWOOD02**



**1**  
**PCWOOD02**  
INSTALLATION  
POINT COM - FWI

## TRANSPARENT CAST PVC FILMS

	PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
UV	PCSTAR01G	pearl white sparkle effect, gloss	70	solvent based acrylic	PE	1520	25
UV	PCSTAR01S	pearl white sparkle effect, satin	70	solvent based acrylic	PE	1520	25
UV	PCWALL	mineral wall effect	110	solvent based acrylic	PE	1520	30
UV	PCCARBON	carbon effect, gloss	125	solvent based acrylic	PE	1520	30
UV	PCGATOR	alligator effect	150	solvent based acrylic	PE	1370	30
UV	PCBRUSHED	brushed aluminium effect	110	solvent based acrylic	PE	1520	30
N UV	PCFORGED	forged carbon effect, gloss	110	solvent based acrylic	PE	1520	30



2  
VWOOD  
COLORDUEMILA

3  
PCWALL  
HEXIS SAS

# • LAMINATES FOR MICROPERFORATED FILMS

## BUILDING WINDOWS

## VEHICLE WINDOWS

The **PC50MICP2** laminate is designed for microperforated films on vehicle windows (both flat and curved). Its polyester liner prevents image distortion, giving the product excellent transparency.



**PG836** is also designed for flat windows on buildings.



**PG3036UVB** is designed for flat windows on buildings. Its special composition improves the UV resistance of composites compared to **PG836**.



### ULTRA-TRANSPARENT CAST PVC FILM

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
<b>PC50MICP2</b>	gloss	50	solvent based acrylic	PET	1370	<b>30</b>
					1520	

### HIGHLY TRANSPARENT POLYESTER FILMS

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
<b>PG836</b> 	gloss	36	solvent based acrylic	PET	1370	<b>30-120</b>
					1520	
<b>PG3036UVB</b> 	gloss	36	solvent based acrylic	PET	1370	<b>30</b>
					1520	



Have you considered the  
PVC-free equivalent  
**PG836 ou PG3036UVB**



- 1 **AG800**  
PUBLIFLASH  
FRANCE
- 2 **PC50MICP2**  
BÜRKI MOSER GMBH  
SWITZERLAND
- 3 **PG836**  
INSTALLATION  
ILLIMITED  
FRANCE
- 4 **AG900**  
PHOTO  
ALSTOM  
FRANCE





COLD LAMINATION







EASY CLEANING

TRANSPARENT ETFE\* FILM

	PRODUCT CODE	FINISH	USAGE	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
R1 R7	<b>AG300</b> 	gloss	conformable anti-graffiti	30.5	solvent based acrylic	PET	1370	<b>30</b>

\* ethylene tetrafluoroethylene

TRANSPARENT POLYESTER FILMS

	PRODUCT CODE	FINISH	USAGE	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
M1 R1 R7	<b>AG436M</b> 	matt	anti-graffiti anti-reflective	30	solvent based acrylic	siliconised paper	1370	<b>50</b>
	<b>AG700</b>	gloss	anti-graffiti	36	solvent based acrylic	siliconised paper	1310 1370 1520	<b>50</b>
N	<b>AGCR436M</b> 	matt	anti-graffiti anti-reflective	30	reinforced solvent based acrylic	PET	1370	<b>50</b>
UV	<b>AGCR700</b>	gloss	anti-graffiti for laminating UV prints	36	reinforced solvent based acrylic	siliconised paper	1370 1520	<b>50</b>
M1	<b>AG900</b> 	gloss	anti-graffiti standard anti-scratch	100	solvent based acrylic	PET	1520	<b>30.5</b>
M1 F1	<b>AG800</b> 	gloss	anti-graffiti superior anti-scratch	100	solvent based acrylic	PET	1520	<b>30</b>
R1 R7	<b>PG836</b> 	gloss	ultra-transparent microperforated anti-graffiti special	36	solvent based acrylic	PET	1370 1520	<b>30-120</b>
R1 R7	<b>PG3036UVB</b> 	gloss	ultra-transparent microperforated anti-graffiti special, superior UV protection	36	solvent based acrylic	PET	1370 1520	<b>30</b>



4

## POP-UP SPECIAL FOR POP190, POP310 AND POPPRIMO

MONOMERIC PVC FILMS			EMBOSSED SURFACE			
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
<b>GFLI130** R11</b>	satin	130	solvent based acrylic	PET	1370	30

\* Available while stocks last.

\*\* EN 13501-1 tested and valid as composite with films from the 200 SERIES

The **GFLI130** laminate is designed to reinforce printed graphics on **POP190ECOS** and **POP310ECOS**.

It increases the lifespan of printed indoor floor graphics, protecting them against mechanical stress, and is rated R10 according to the DIN51130 standard.



1  
**GFLI130**  
INSTALLATION  
MOON CITY FRANCE  
PHOTO  
IMAGE CONCEPT

2  
**GFLX210**  
INSTALLATION  
HEXIS SAS  
FRANCE



## GRAINED EMBOSSED SURFACE

### PROTECTION OF FLOOR GRAPHICS

This range, ideal for laminating digital prints, opens up a new communication opportunity: the floor. Also designed to reinforce digital prints and to provide protection from external stresses (abrasion, marks, humidity, etc.).

**GFLX210** are rated **R11**,  
**GFLI130** is rated **R10** and  
**GFLI170** are rated **R9**  
according to the DIN51130 standard.

There are various applications: from floor graphics (trade fairs, public areas, supermarkets, etc.) to special protection for items such as reception desks and counters.

#### CALENDERED MONOMERIC PVC FILMS\*

#### EMBOSSSED SURFACE


**DIN 51130\*\***

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM	
<b>GFLX210</b>	satin	210	solvent based acrylic	PET	1370	30	<b>R11</b>
<b>GFLXR210</b>	satin	210	reinforced solvent based acrylic for UV prints	PET	1370	30	<b>R11</b>
<b>GFLI130</b>	satin	130	solvent based acrylic	PET	1370	30	<b>R10</b>
<b>GFLI170</b>	satin	170	solvent based acrylic	PET	1370	30	<b>R9</b>
<b>GFLIR170</b>	satin	170	reinforced solvent based acrylic for UV prints	PET	1370	30	<b>R9</b>

\* EN 13501-1 tested and valid as composite with films from the 200 SERIES

\*\*DIN 51130

R13	Very high
R12	High
R11	Medium-high
R10	Medium
R9	Standard



## • LAMINATES

### VERY HIGH DURABILITY

#### EXTREME UV PROTECTION

#### LONG-TERM

Laminates offering very high durability (8 years), specially designed for tropical climates.

#### ETFE - TRANSPARENT POLYETHYLENE-CO-TETRAFLUOROETHYLENE

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
<b>LHD30G</b>	gloss	30.5	solvent based acrylic	PET	1500	<b>30</b>



1

## • LAMINATES

### DRY ERASE

#### FLAT SURFACES

#### LONG-TERM

This long-term, transparent, dry-erasable laminate can be erased easily for up to 3 months after writing. HEXIS recommends using BIC VELLEDA®-type markers for writing and window cleaners for cleaning. This erasable laminate is for indoor use only.

#### DRY ERASABLE TRANSPARENT PVC

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
<b>DWP002B</b>	gloss	90	solvent based acrylic	PE	1370	<b>30</b>
						<b>10</b>



2



This silicone paper is used to laminate graphics with an overlap.

### SILICONISED PAPER

PRODUCT CODE	GRAMMAGE G/M <sup>2</sup>	WIDTH MM	LENGTH LM
PAPPERDU	82	1370	50
		1600	



1  
LHD30G  
PHOTO  
HEXIS FWI  
FRANCE

2  
DWP002B  
LONG TERM DRY  
ERASE

3  
DWP002B  
LONG TERM DRY  
ERASE

## • SPECIAL LAMINATE DECORATION KITS

### COLD LAMINATION

#### SHORT & MEDIUM- TERM

These laminates are optimised for cold lamination of digital prints as part of short-term decoration kits for motorcycles, quads, jet skis and many other short-term applications.

These thick laminates are specially engineered to protect logos and graphics against friction and mechanical wear while maintaining perfect transparency.

### TRANSPARENT MONOMERIC PVC FILMS

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
<b>VRK300B</b>	gloss	300	solvent based acrylic	siliconised paper	1370	<b>25</b>
<b>VRK300M</b>	matt	300	solvent based acrylic	siliconised paper	1370	<b>25</b>



- 1  
VRK300B  
MOTORBIKE KIT  
INSTALLATION  
OF COURSE MOTO
- 2  
VRK480B  
INSTALLATION  
JT RACING
- 3  
VRK300B  
JETSKI KIT  
INSTALLATION  
EKD ENRGY KIT DECO



## COLD LAMINATION

### SHORT & MEDIUM-TERM

A new range of decoration kits for extreme sports. Thick transparent films specially developed for the protection of graphics, logos applied to plastic surfaces of motorcycles, exposed to abrasion, vibration and friction. Intended for short term decoration of motorbikes, quad bikes, jet skis, bicycles...

## TRANSPARENT MONOMERIC PVC FILMS

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
<b>XTWHOOPS</b>	grained	350 - 460	solvent based acrylic	siliconised paper	1370	<b>20</b>
<b>XT300</b>	gloss	300	solvent based acrylic	siliconised paper	1370	<b>25</b>
<b>XT300M</b>	matt	300	solvent based acrylic	siliconised paper	1370	<b>25</b>
<b>XT480</b>	gloss	480	solvent based acrylic	siliconised paper	1370	<b>20</b>

## SPECIAL DOUBLE-SIDED FILM

PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
<b>XTTWICE</b>	gloss	100	solvent based acrylic extreme adhesive/ usual adhesive	paper liner/ PE liner	1370	<b>25</b>

AVAILABLE  
LATER IN  
2022



1  
XT300  
MOTORBIKE KIT  
INSTALLATION  
JT RACING

2  
XT300M  
GRAPHCOVER

3  
XT480  
EKD

4  
XTWHOOPS  
INSTALLATION  
MOTOBOUZ








MANDEEP GILL | USA



DUALIS FOLIUM | FRANCE



BÜRKI MOSER | SWITZERLAND



TRI STATE WINDOW TINTING | USA



COMUNICK | FRANCE




TMS38 | FRANCE



GRAPHCOVER | FRANCE




PUBLIFLASH | USA



NUMERIK | FRANCE



EDK | FRANCE



DUALIS FOLIUM | FRANCE



# DECORATION SOLUTIONS

**DECORATION** ..... **136 - 137**

HELP TO CHOOSE **THE TYPES OF ADHESIVE ACCORDING TO THE SUBSTRATE** ..... **138**

**HEX'PERIENCE SHOWROOM** ..... **139**

**PRINTABLE DECORATION FILMS**..... **140 - 142**

**SPECIAL FINISH DECORATION LAMINATES**..... **143**

**ANTI-SLIP DECORATION LAMINATES**..... **144**

PRINTABLE FILMS FOR **WINDOW GRAPHICS**..... **145**

**DICHROIC FILMS** ..... **145**

**ETCHED GLASS POLYMERIC FILM**..... **146**

REMOVABLE **TRANSPARENT FILMS** ..... **146**

WALLPAPERS & **PAPERS**..... **147**

PROTECTION FILMS **FOR FURNITURE & SURFACES** ..... **148**



## DECORATION SPECIAL

HEXIS SAS is the first supplier of self-adhesive films to provide a library of large-format textures, infinitely adaptable and in high definition, as a free service.

### HEX'PERIENCE IS:

- Graphics files
- in large format  
L = 1300 mm  
H = 3000 mm
- in a range of unique and infinitely adaptable designs
- in high resolution (200 dpi)

### THE BENEFITS:

- Less stock
- More added value
- Ease of use
- Infinitely customisable
- Ability to mix the files with each other



# HEX'PERIENCE

*The material experience by HEXIS*



1 APPLICATION EXAMPLE OF LOUHANS  
PHOTO  
HEXIS SAS

2 APPLICATION EXAMPLE OF TOKYO  
PHOTO  
HEXIS SAS





## HOW TO BUILD YOUR HEX'PERIENCE IN 5 STEPS

### NO. 1

#### Choose your printing film:

Durability, conformability, type of adhesive, indoor/  
outdoor display

### NO. 2

#### Download the texture of your choice:

Infinitely customise your work via our website  
[www.hexis-graphics.com/en/hexperience](http://www.hexis-graphics.com/en/hexperience)

### NO. 3

Print

### NO. 4

**Laminate** and/or protect your prints in an original and  
realistic way.

### NO. 5

**Apply.** All you have to do now is to apply

Explore our dedicated decoration area at:  
[www.hexis-graphics.com/en/hexperience](http://www.hexis-graphics.com/en/hexperience)

There you will find the texture library, pictures of  
completed projects, tips & tricks, the latest trends  
and lots more



## HOW TO IMPORT PATTERNS INTO PHOTOSHOP



### NO. 1

**download** the texture files

### NO. 2

In Adobe Photoshop, open your chosen texture file

### NO. 3

Select > **select all**


(Ctrl + A in Windows / Cmd + A on Mac)

Edit > **Define pattern** (if you like, you can name the  
new pattern)



### NO. 4

Create a new document in the **actual size** of the  
substrate to be covered at **200 dpi**



### NO. 5

Select > select all, then edit > fill > **fill with pattern**  
Choose the pattern and validate


















## HELP TO CHOOSE SUBSTRATE

### THE TYPES OF ADHESIVE ACCORDING TO THE SUBSTRATE

#### Which type of adhesive goes with which substrate?

This guide is designed to help you choose which type of printing film to use depending on the substrate to cover.

We recommend you do a preliminary test on a small surface.

 <b>SMOOTH SHEETS PRINTING</b> V200WG1 <b>LAMINATION</b> polymeric V700M or V750M	 <b>STONE PRINTING</b> VCXR101WG1 <b>LAMINATION</b> cast PC190 or PCWOOD01	 <b>TEXTURED SHEETS PRINTING</b> VCXR101WG1 <b>LAMINATION</b> cast PC190 or PCWOOD01	 <b>LAKE PAINTING PRINTING</b> HX2000WG1 <b>LAMINATION</b> cast PC190 or textured
 <b>GLASS PRINTING</b> V200WG1 <b>LAMINATION</b> polymeric V700M or V750M	 <b>PMMA PRINTING</b> VCLEARCG1 <b>LAMINATION</b> VCLEARCG1	 <b>ENDUIT PRINTING</b> VCXR101WG1 <b>LAMINATION</b> PC500M or PC500G2	 <b>TILES PRINTING</b> VCSR101WG1 <b>LAMINATION</b> cast PC190 or PCWOOD01
 <b>UNTREATED WOOD PRINTING</b> VCSR201WG1 <b>LAMINATION</b> V700M or V750M	 <b>MELAMINE PRINTING</b> VCSR201WG1 <b>LAMINATION</b> polymeric	 <b>MEDIUM PRINTING</b> VCSR201WG1 <b>LAMINATION</b> polymeric	 <b>ASPHALTE PRINTING</b> VCXR101WG1 <b>LAMINATION</b> GFLX210
 <b>BA13 PRINTING</b> VCSR201WG1 <b>LAMINATION</b> polymeric	 <b>GLASS FABRIC PRINTING</b> VCXR101WG1 <b>LAMINATION</b> cast	 <b>UNTREATED CONCRETE PRINTING</b> VCXR101WG1 <b>LAMINATION</b> cast	 <b>CHIPBOARD PRINTING</b> VCSR201WG1 <b>LAMINATION</b> polymeric
			 <b>MARBLE</b> protection with <b>BODYFENCE X</b> SP - SPM

TYPE OF LAMINATE	MONOMERIC LAMINATE	INTERMEDIATE LAMINATE	POLYMERIC LAMINATE	CAST LAMINATE	REINFORCED LAMINATE	ANTIMICROBIAL LAMINATE	PVC-FREE LAMINATE
<b>GLOSS FINISH</b>	V650B	V700B	V750B V850B	PC30G2 PC190G2	VCR750B	PURZON060B	PC500G2
<b>MATT FINISH</b>	V650M	V700M	V750M V740M	PC30M3 PC190M3	VCR650M	PURZON060M	PC500M
<b>SATIN FINISH</b>	-	-	-	PC190S PCSTAR	-	-	-
<b>DECORATIVE</b>	-	-	VWOOD VWOOD02 VBRUSHED	PCWOOD01 PCWALL PCAMPGB PCCARBON PCGATOR PCBRUSHED PCSTAR	-	PCAMPGBG PCWOOD01*	-

\* Available while stocks last.

FIND OUT MORE IN OUR DEMONSTRATION VIDEO ON OUR YOUTUBE CHANNEL:

<https://youtu.be/cBOL4QxGp38>





# HEXISLAUNCHES HEX'PERIENCE SHOWROOMS


HEXIS is pleased to offer a HEX'PERIENCE SHOWROOM design kit.

## PRINTING - CUSTOMISATION - PRESENTATION - SALES - CUSTOMER LOYALTY

HEX'PERIENCE is the only decoration concept to help promote print providers. HEXIS has developed a concept enabling you to work with your customers in developing the kinds of decoration films they want.

To help you showcase everything you have to offer in your showroom, as well as at trade shows, open days and other events, HEXIS has made a kit of printable files available to create your own showroom.

## BRING THE HEXIS DECORATION HEX'PERIENCE TO LIFE FOR YOUR CUSTOMERS



If you have any questions, please contact: [export@hexisgroup.com](mailto:export@hexisgroup.com)



## THE HEX'PERIENCE SHOWROOM KIT CONTAINS:

- > 1 file of wall prints
- > 1 file of floor graphic prints
- > All patterns from the HEX'PERIENCE library in HD
- > All patterns in 16 x 16 cm format for samples
- > HEX'PERIENCE logos
- > A HEX'PERIENCE email signature banner
- > A tutorial video
- > HEXIS decoration videos
- > Mockups for your website

## OUR PATTERNS FOR DOWNLOAD




ACAPULCO




ATLANTA




BANGKOK




BANGO




BERLIN




BOGOTA




BUDAPEST




CARACAS




COPENHAGUE



DAKAR




DOUALA



GENEVE




HABANA




LAGOS




MEGEVE




MONTMARTRE




MONTREAL



OSLO




RECIFE




SAINT MARTIN



SAN PEDRO




SAO TOME




STOCKHOLM




SYLVANIA




TOKYO



TORONTO



VERSAILLES



WASHINGTON

## WALL WRAPS

### LONG-TERM

### LOW-ENERGY & COMPLEX SURFACES

These products are especially suited for **wall wraps**, complex surfaces (rivets, corrugated metal, etc.) and low-energy surfaces (e.g. containers, grained furnishings).

The combination of ultra-conformable cast vinyls and **HEX<sup>®</sup>PRESS** technology enables you to achieve the highest quality while reducing installation times.

High-performance, textured finish laminates will optimise your results.

## WALL WRAPS

### SHORT-TERM OR PROMOTIONAL










### LOW-ENERGY & COMPLEX SURFACES

The reinforced adhesive ensures adhesion to irregular, grained and textured substrates or low-energy surfaces (grained surfaces, concrete, bricks).



Have you considered the PVC-free equivalent  
**HXR301EPS**



100 SERIES		WHITE PVC FILM WITH REINFORCED ADHESIVE - 50 MICRONS							
PRODUCT CODE	FINISH	ADHESIVE	LINER	COMPATIBILITY				WIDTH MM	LENGTH LM
									
HXR101WG2	gloss	permanent, reinforced, clear		✓	✓	✓	✓	1370	45
VCSR101WG1	gloss	permanent, super-reinforced, clear	PE	✓	✓	✓	✓	1370	45
200 SERIES		WHITE PVC FILM WITH REINFORCED ADHESIVE - 70 MICRONS - PE LINER							
PRODUCT CODE	FINISH	ADHESIVE		COMPATIBILITY				WIDTH MM	LENGTH LM
									
VCSR200WG1	gloss	permanent super-reinforced grey		✓	✓	✓	✓	1050 1370	45
VCSR201WG1	gloss	permanent super-reinforced clear		✓	✓	✓	✓	1050 1370 1600	45
VCSR201WM1	matt	permanent super-reinforced clear		✓	✓	✓	✓	1370	45
VCXR201WG1	gloss	permanent extra-reinforced clear		✓	✓	✓	✓	1050 1370	40
VCSR201DP	gloss	permanent super-reinforced clear		✓	✓	✓	✓	1370	45
VCSR202CG3	gloss	permanent super-reinforced clear		✓	✓	✓	✓	1370	45
300 SERIES		WHITE PVC FILM WITH REINFORCED ADHESIVE - 100 MICRONS - PE LINER							
VCSR300WG1	gloss	permanent super-reinforced grey		✓	✓	✓	✓	1050 1370 1600	45
VCSR300WM1	matt	permanent super-reinforced grey		✓	✓	✓	✓	1050 1370 1600	45
VCSR301WG1	gloss	permanent super-reinforced clear		✓	✓	✓	✓	1050 1370 1600	45
VCSR301WM1	matt	permanent super-reinforced clear		✓	✓	✓	✓	1050 1370 1600	45
VCSR301WS1	gloss	permanent extra-reinforced clear		✓	✓	✓	✓	1370 1600	45
VCXR301WG1	gloss	permanent extra-reinforced clear		✓	✓	✓	✓	1370	30
VCXR301WS1	gloss	permanent extra-reinforced clear		✓	✓	✓	✓	1370	30
CSR25		SEMI-RIGID WHITE PVC FILM - 200 MICRONS - KRAFT LINER							
CSR25	matt	permanent reinforced clear		✓	✓			1370	30

EN 13501-1

EN 13501-1

DECORATION




# • PRINTING FILMS FOR DECORATION

OUR PATTERNS FOR DOWNLOAD



AMSTERDAM




BROOKLYN




BRUSSELS



EREGION




LOUHANS




MANHATTAN




MEXICO




MOSCOU



MYKONOS



NAPLES



NEW YORK



ROME




SANTORINI




TURIN




VENEZIA



BARCELONE




BASTILLE




BOMBAY



CAYENNE



CHARLESTON



CHIAPAS




COSTA-CAREYES




ELBA



FARO




FIRENZE




GARRIGA



GUADALAJARA



LA CEIBA



LONDON



LOUVRES



MADRID




PARIS




PISA



RIVOLI



TROCADERO























WARFARE



ZURICH



						
for outdoor use	for indoor use	cast film	laminate for UV printing	antimicrobial film	easy cleaning	
TRANSPARENT POLYMERIC PVC FILM						
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
VWOOD VWOOD02 	knotted wood effect	130	solvent-based acrylic	siliconised paper	1370	30
N VBRUSHED 	brushed effect	130	solvent-based acrylic	siliconised paper	1370	30
ANTIMICROBIAL PVC-FREE TRANSPARENT CAST FILM						
PCWOOD02 	alpine wood effect	80	solvent-based acrylic	PE	1520	30
ANTIMICROBIAL TRANSPARENT CAST PVC FILM						
PCAMPGB* 	leather effect fine grain	120	solvent-based acrylic	PE	1520	30
TRANSPARENT CAST PVC FILMS						
PCSTAR01G 	pearl white sparkle effect, gloss	70	solvent-based acrylic	PE	1520	25
PCSTAR01S 	pearl white sparkle effect, satin	70	solvent-based acrylic	PE	1520	25
PCFORGED 	forged carbon effect, gloss	110	solvent-based acrylic	PE	1520	30
PCWALL 	mineral wall effect	110	solvent-based acrylic	PE	1520	30
PCCARBON 	carbon effect, gloss	125	solvent-based acrylic	PE	1520	30
PCGATOR 	alligator effect	150	solvent-based acrylic	PE	1370	30
PCBRUSHED 	brushed aluminium effect	110	solvent-based acrylic	PE	1520	30
TRANSPARENT DRY ERASE PVC FILM						
DWP002B 	gloss	90	solvent-based acrylic	PE	1370	30 10
TRANSPARENT PVC FILM GRAINED EFFECT						
GFLI170 	satin	170	solvent-based acrylic	siliconised paper	1370	30
GFLIR170 	satin	170	reinforced solvent-based acrylic for UV prints	siliconised paper	1370	30

\* Available while stocks last.

## GRAINED EMBOSSED SURFACE

### PROTECTION OF FLOOR GRAPHICS

#### EN 13501-1

This range of films, ideal for laminating digital prints, opens up a new decoration opportunity: the floor.


**GFLX210** are rated **R11** and **GFLI170** are rated **R9** according to the DIN51130 standard.

There are various applications: from floor graphics (trade fairs, public areas, supermarkets, etc.) to special protection for items such as reception desks and counters.


Customise your **indoor/outdoor floors** and choose from our range of certified **anti-slip** laminates.

MONOMERIC PVC FILMS				EMBOSSSED SURFACE		
PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
<b>GFLX210 R11</b>	satin	210	solvent-based acrylic	siliconised paper	1370	<b>30</b>
<b>GFLXR210 R11</b>	satin	210	reinforced solvent-based acrylic for UV prints	siliconised paper	1370	<b>30</b>
<b>GFLI130 R10</b>	satin	130	solvent-based acrylic	siliconised paper	1370	<b>30</b>
<b>GFLI170 R9</b>	satin	170	solvent-based acrylic	siliconised paper	1370	<b>30</b>
<b>GFLIR170 R9</b>	satin	170	reinforced solvent-based acrylic for UV prints	siliconised paper	1370	<b>30</b>


#### GFLI170 & GFLIR170\*\*



#### GFLI130



#### GFLX210 & GFLXR210\*



Standard for shod feet  
DIN 51130

R9  
standard

R10  
medium

R11  
medium-high

R12  
high

R13  
very high

The DIN 51130 standard determines the anti-slip properties of floor coverings. It is understood by both professionals and private individuals.

# PRINTING FILMS FOR WINDOWS

## WINDOW GRAPHICS



### WINDOW GRAPHICS

### WINDOWS

### LIGHT BOXES

SEMI-TRANSPARENT LINEN FINISH		WOVEN POLYESTER FABRIC - 245 MICRONS - PET-LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
N LINPRINT	Semi-transparent	Water-based acrylic	✓	✓	✓	✓	1370	30 
TRANSPARENT EFFECT		PVC FILM - 70 MICRONS - PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
V202CG1	gloss	permanent, clear	✓	✓	✓	✓	1370	45
N V202CG3	gloss	permanent, clear	✓	✓	✓	✓	1370	45
TRANSLUCENT EFFECT		PVC FILM - 80 MICRONS - PE LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
			SOLV	ECO-S	LATEX	UV		
V201TR1	translucent satin	permanent, lear	✓	✓	✓	✓	1370	45

EN 13501-1

EN 13501-1

## DICHROIC FILMS

### SPECIALITY FILMS



PRODUCT CODE	PROPERTIES	APPLICATION	SER	LT	VLR	WIDTH MM	LENGTH LM
<b>M1 MIAMI</b>	dichroic, warm shade	indoor	39 %	72%	10 %	1360	15 - 30.5
<b>DUBAI</b>	dichroic, warm shade	outdoor	15 %	64%	N/A	1520	15 - 30.5
<b>GLASGOW</b>	dichroic, cool shade	outdoor	16 %	51%	N/A	1520	15 - 30.5

## POLYMERIC FILM ETCHED GLASS







### WINDOW DECORATION

ETCHED GLASS FINISH		PVC FILM - 80 MICRONS - KRAFT LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
								
V203EG	matt	permanent, clear	✓	✓	✓	✓	1230 1520	30
HX203EG	matt	permanent, clear	✓	✓	✓	✓	1230 1520	30

## REMOVABLE FILMS TRANSPARENT

### WINDOW DECORATION



TRANSPARENT EFFECT		PVC FILM - 80 MICRONS - PET LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
								
VCLEARCG1	gloss	removable, clear	✓	✓	✓	✓	1220 1370 1520	50



Have you considered the PVC-free equivalent  
**PET75CG1 / PET50CG1**

ULTRA-TRANSPARENT EFFECT		PET FILM - 75 MICRONS - PET LINER						
PRODUCT CODE	FINISH	ADHESIVE	COMPATIBILITY				WIDTH MM	LENGTH LM
								
PET75CG1*	gloss	removable, clear				✓	1520	30
PET50CG1	gloss	removable, clear				✓	1520	30

\* To be replaced by **PET50CG1** later in 2023






## WALL DECORATION

### INDOOR APPLICATION

WALL COVERINGS		DIGIFORT® PAPER-BASED, NON-ADHESIVE WALLPAPERS					
PRODUCT CODE	PROPERTIES	GRAMMAGE G/M²	COMPATIBILITY				LENGTH LM
			SOLV	ECO-S	LATEX	UV	
<b>P13003</b>	Dust pattern satin finish	300	✓	✓	✓	✓	50
<b>P13004</b>	Mellow pattern satin finish	300	✓	✓	✓	✓	50

WALL COVERINGS		PRINTABLE WALLPAPER - PRE-PASTED					
PRODUCT CODE	PROPERTIES	THICKNESS MICRONS	COMPATIBILITY				LENGTH LM
			SOLV	ECO-S	LATEX	UV	
<b>WALLPAPER2</b> 	Permanent adhesive pre-pasted paper	330	✓	✓	✓	✓	51

EN 13501-1

WALL COVERINGS		'TEXTILE' EFFECT SELF-ADHESIVE FABRIC					
PRODUCT CODE	PROPERTIES	THICKNESS MICRONS	COMPATIBILITY				LENGTH LM
			SOLV	ECO-S	LATEX	UV	
<b>TEXWALLV2</b>	Removable adhesive PET textile	240	✓	✓	✓	✓	20











## PROTECTION FILMS FOR FURNITURE & SURFACES

### CLEAR SELF-ADHESIVE PVC FILM FOR THE PROTECTION DE SURFACES

PRODUCT CODE	FINISH	THICKNESS MICRONS	WIDTH MM	LENGTH LM
<b>SP</b>	gloss	150	615 1230 1520	10 - 15 - 20
<b>SPM</b>	matt	150	615 1230 1520	10 - 15 - 20

### CLEAR SELF-ADHESIVE PVC FILM FOR THE PROTECTION OF HIGH-END SURFACES

	PRODUCT CODE	FINISH	THICKNESS MICRONS	WIDTH MM	LENGTH LM
	<b>BODYFENCE</b> <small>M1</small>	gloss	180 (7 mils)	1520	
	<b>BODYFENCEM*</b>	matt	180 (7 mils)	1520	
	<b>BODYFENCEX</b>	gloss	180 (7 mils)	1520	20
	<b>BODYFENCEXM</b> <small>N</small>	matt	180 (7 mils)	1520	
	<b>BODYFENCEXS</b> <small>N</small>	satin	180 (7 mils)	1520	
	<b>BODYXFAST</b> <small>N</small>	gloss	180 (7 mils)	1520	15
	<b>DFENCEXTRM</b> <small>N</small>	brillant	210 (8.2 mils)	1520	20
	<b>DFENCEONEX</b> <small>N</small>	brillant	130 (5.1 mils)	1520	
	<b>DFENCEONEXM</b> <small>N</small>	matt	130 (5.1 mils)	1520	15

\* To be replaced by BFXTRM later in 2023

# FILMS FOR TEXTILE DECORATION



## TEXIS CUTFLEX

TEXTILE PLOTTER AND DECORATION FILMS.....150 - 164

**SPEEDCUT** .....150 - 151

**COLORCUT** .....152 - 153

**METALCUT** .....154 - 155

**FLOCK 200** .....156 - 157

**GLITFLEX** .....158 - 159

**NYLCUT** .....160

**BLOCKCUT** .....161

**GLOWCUT** .....162

**REFLEX** .....163

**BRICKCUT** .....164



## TEXIS PRINTFLEX

TEXTILE PRINTING AND DECORATION FILMS .....166 - 171

**SILKPRINT** .....165

**UFLEX7PV2** .....166

**UFLEX5S** .....167

**NYLPRINT** .....168

**BLOCKPRINT** .....169

**UFLEXCLEAR** .....170

**SLIMPRINT** .....171

FILM FOR **DIRECT TO FILM PRINTING SYSTEMS - DTF**.....172

TOOLS FOR **HOT PRESSING** .....173

TOOLS FOR **HOT PRESSING** .....173

TOOLS FOR **TEXTILE FILM WEEDING** .....174

TOOLS FOR **TEXTILE FILM TRANSFER** .....174

# • TEXTILE PLOTTER AND DECORATION FILMS

## SPEEDCUT

### CUTFLEX SPEEDCUT

#### ADHESIVE LINER

**ESPECIALLY FOR  
COTTON, ACRYLIC,  
POLYESTER**

#### ULTRA-FAST APPLICATION AT LOW TEMPERATURE

Especially designed for creating **charity logos and large-format graphics**.

Due to its rigidity, weeding the **SPEEDCUT** film is quick and easy.

The stretchable **SPEEDCUT** range can be applied very quickly on textile: 5 seconds of pressing at 130°C suffice.

Designed to peel off when hot, the **SPEEDCUT** film also ensures optimal shaping time, from single units to large-scale production.

#### DATA SHEET

- > **MATT POLYURETHANE FILM**
- > **100 MICRONS**
- > **ADHESIVE LINER**
- > **AVAILABLE IN 33 COLOURS**




SPEEDCUT	WIDTH MM	LENGTH LM
COLOURS	500	25
METALLICS	500	25
FLUOS	500	25




1  
SC01  
INSTALLATION  
HEXIS SAS  
FRANCE




COLOURS



METALLICS



FLUOS



APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	130 °C		5 sec.		medium		While hot		5 sec. with protective sheet

MAINTENANCE INSTRUCTIONS

MACHINE WASH				MACHINE DRY		IRONING	
	wait for at least 24h before washing		do not use bleach		do not tumble dry		iron on reverse side
	60 °C max.						



**SWATCHBOOKS / COLOUR CARDS**  
Order our swatchbooks and colour cards by writing to [export@hexisgroup.com](mailto:export@hexisgroup.com) or contact your local distributor.



# • TEXTILE PLOTTER AND DECORATION FLEX FILMS

## COLORCUT

### CUTFLEX COLORCUT

#### VERY SLIGHTLY ADHESIVE LINER

#### ESPECIALLY FOR COTTON & POLYESTER

Especially designed for creating **charity logos and large-format graphics**.

The **COLORCUT** range is available in 40 colours, enabling the creation of an infinite number of designs.

This stretchable film can be applied on all types of textile (cotton and polyester).

#### DATA SHEET

- > **MATT POLYURETHANE FILM**
- > **75 MICRONS**
- > **VERY SLIGHTLY ADHESIVE LINER**
- > **AVAILABLE IN 40 COLOURS**



COLORCUT	WIDTH MM	LENGTH LM
COLOURS	500	25
METALLICS AND FLUO	500	25

#### INFORMATION



Extremely fine, **COLORCUT** film can be weeded easily; its liner is peeled off when hot, optimising shaping time.

Its liner enables unlimited stacking of logos during production.



1

CC03  
INSTALLATION  
HEXIS SAS  
FRANCE



1

## COLOURS

CC01 WHITE	CC02 BLACK	CC03 SKY BLUE	CC04 PACIFIC BLUE	CC05 ROY BLUE	CC06 NAVY BLUE	CC07 GREEN	CC08 RED	CC09 YELLOW	CC10 ORANGE YELLOW
CC12 GREY	CC13 LIGHT GREEN	CC14 VIOLET	CC15 ORANGE	CC17 RED ORANGE	CC18 DARK GREY	CC19 LEMON YELLOW	CC28 WATER BLUE	CC29 TURQUOISE	CC31 PASTEL JADE
CC34 WINE RED	CC54 LAVANDE	CC61 BABY PINK	CC62 FUCHSIA	CC67 APPLE GREEN	CC68 MINT GREEN	CC73 VOLCANO RED	CC76 BROWN	CC81 BEIGE	CC84 SALMON
CC92 KHAKI									

## METALLICS

CC20 GOLD	CC30 SILVER	CC60 ROSE GOLD	CC110 VEGAS GOLD

## FLUOS

CC40 FLUO YELLOW	CC42 FLUO ORANGE	CC41 FLUO GREEN	CC43 FLUO PINK	CC44 FLUO BLUE

## APPLICATION INSTRUCTIONS

PRESS TEMPERATURE	PRESSING TIME	PRESSURE	PEELING	FINAL PRESSING
150 °C	10 sec.	medium	While hot	5 sec. with protective sheet

## MAINTENANCE INSTRUCTIONS

MACHINE WASH	MACHINE DRY	IRONING
wait for at least 24h before washing 80 °C max.	do not use bleach do not tumble dry	iron on reverse side



**SWATCHBOOKS / COLOUR CARDS**  
Order our swatchbooks and colour cards by writing to [export@hexisgroup.com](mailto:export@hexisgroup.com) or contact your local distributor.



# TEXTILE PLOTTER AND DECORATION FLEX FILMS

## METALCUT

### CUTFLEX METALCUT

#### NON-ADHESIVE LINER

#### ESPECIALLY FOR COTTON & POLYESTER

**METALCUT** is especially designed for creating **charity logos and large-format graphics**.

A gloss chrome effect in silver or gold achieves a trendy urban style on all textiles\* (cotton and polyester).

#### DATA SHEET

- > FILM WITH **METAL EFFECT, GLOSS, POLYURETHANE**
- > **50 MICRONS**
- > NON-ADHESIVE LINER
- > AVAILABLE IN **5 COLOURS**



METALCUT	WIDTH MM	LENGTH LM
METALLICS	500	25



1



2

#### INFORMATION



Extremely fine, **METALCUT** film can be weeded quickly and easily.

Its non-adhesive liner enables unlimited stacking of logos during production.



1  
MC20  
INSTALLATION  
HEXIS SAS  
FRANCE

2  
MC20, MC30  
INSTALLATION  
HEXIS SAS  
FRANCE



## METALLICS





MC20 GOLD GLOSS   MC30 SILVER GLOSS   MC50 RED GLOSS   MC90 BLACK GLOSS   MC60 ROSE GOLD GLOSS

## APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING	
	150 °C		8 sec.		medium		while cold

## MAINTENANCE INSTRUCTIONS

MACHINE WASH				MACHINE DRY		IRONING	
	wait for at least 24h before washing		do not use bleach		do not tumble dry		do not iron
	30 °C max.						



**SWATCHBOOKS / COLOUR CARDS**  
Order our swatchbooks and colour cards by writing to [export@hexisgroup.com](mailto:export@hexisgroup.com) or contact your local distributor.



# • TEXTILE PLOTTER AND DECORATION FLEX FILMS

## FLOCK 200

 **CUTFLEX** FLOCK 200

### ADHESIVE LINER

### ESPECIALLY FOR COTTON & POLYESTER (NON-SUBLIMATED)

Want to add a velvet effect to your textile decorations?  
Our flock range makes it easy!

Created with the requirements of embroidery, screen printing and flocking in mind, **FLOCK 200** lends itself to the customisation of sportswear, T-shirts, sweatshirts, polo shirts and more.

Its soft and slightly structured velvet effect makes it ideal for logos, numbers or vintage-style graphics.


They are all the rage in sports.  
Or go and conquer the fashion industry!

### DATA SHEET

- > VELVET LOOK AND FEEL PVC-FREE FILM
- > **500 MICRONS**
- > **6 SATIN COLOURS**
- > **ADHESIVE LINER**






FLOCK 200	WIDTH MM	LENGTH LM
VELVET	500	5 - 25



①  
**FLOCK200**  
INSTALLATION  
HEXIS SAS  
FRANCE

②  
**FLOCK200**  
INSTALLATION  
ENERGY PUB  
LA RÉUNION

## COLOURS



## APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	150 °C		15 sec.		high		While hot		not applicable

## MAINTENANCE INSTRUCTIONS

MACHINE WASH				MACHINE DRY		IRONING	
	wait for at least 24h before washing		do not use bleach		do not tumble dry		iron on reverse side
	40 °C max.						



## SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to [export@hexisgroup.com](mailto:export@hexisgroup.com) or contact your local distributor.



# TEXTILE PLOTTER AND DECORATION FLEX FILMS

## GLITFLEX

### CUTFLEX GLITFLEX

#### ADHESIVE LINER

#### ESPECIALLY FOR COTTON & POLYESTER (NON- SUBLIMATED)

GLITFLEX film is designed especially for urban-style decoration and large-scale graphics.

Its textured **sparkle finish** gives textiles a raised relief structure.

GLITFLEX remains flexible despite its thickness. It can be applied on all cotton and polyester textiles.

#### DATA SHEET

- > FILM WITH 3D SPARKLE EFFECT, PVC-FREE
- > 330 MICRONS
- > 8 COLOURS
- > ADHESIVE LINER



GLITFLEX	WIDTH MM	LENGTH LM
WITH SPARKLES	500	5 - 25

#### INFORMATION



The material must be cut in mirror mode. With a plotter, remember to use a 45° blade.



#### HEXIS ADVICE

It is recommended to weed the film slowly after cutting. We recommend washing your clothing items inside out.



1



1  
GLITFLEX02  
INSTALLATION  
HEXIS SAS  
FRANCE

2  
GLITFLEX61  
INSTALLATION  
HEXIS SAS  
FRANCE


3  
GLITFLEX04  
INSTALLATION  
HEXIS SAS  
FRANCE



2



## WITH SPARKLES



## APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	160 °C		10 sec.		high		While hot		not applicable

## MAINTENANCE INSTRUCTIONS

MACHINE WASH				MACHINE DRY		IRONING	
	wait for at least 24h before washing		do not use bleach		do not tumble dry		iron on reverse side
	40 °C max.						



**SWATCHBOOKS / COLOUR CARDS**  
Order our swatchbooks and colour cards by writing to [export@hexisgroup.com](mailto:export@hexisgroup.com) or contact your local distributor.



# TEXTILE PLOTTER AND DECORATION FLEX FILMS

## NYLCUT

### CUTFLEX NYLCUT

#### ADHESIVE LINER

#### ADHERES WELL TO NYLON

For application on nylon fabrics that have had any kind of treatment, test the **NYLCUT** flex with the fabric to assess its adhesiveness.

Carry out a resistance test on the textile at press temperature prior to any production.







#### DATA SHEET

- > MATT POLYURETHANE FILM
- > **100 MICRONS**
- > **6 COLOURS**
- > ADHESIVE LINER








NYLCUT	WIDTH MM	LENGTH LM
COLOURS	500	25





#### COLOURS

					
NC01 WHITE	NC02 BLACK	NC05 ROY BLUE	NC07 GREEN	NC08 RED	NC10 ORANGE YELLOW

#### APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	150 °C		5 sec.		low		While hot		10 sec.

#### MAINTENANCE INSTRUCTIONS

MACHINE WASH				MACHINE DRY		IRONING	
	wait for at least 24h before washing		do not use bleach		do not tumble dry		iron on reverse side
	30 °C max.						



1  
NC08  
INSTALLATION  
HEXIS SAS  
FRANCE

# SPECIAL FOR DYE-SUBLIMATED FABRICS

## BLOCKCUT

### CUTFLEX BLOCKCUT

#### ADHESIVE LINER

#### SPECIAL SUBLIMATED FABRICS

Plotter flex preventing migration of dye-sublimated fabrics. Decoration retains its original colour thanks to the blockout 'barrier'.

#### DATA SHEET

- > WHITE MATT **POLYURETHANE** FILM
- > **110** MICRONS
- > ADHESIVE LINER

#### PRODUCT CODE

**BLOCKCUT**






#### WIDTH MM

500





#### LENGTH LM

25

#### APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	160 °C		20 sec.		medium		While hot		10 sec.

#### MAINTENANCE INSTRUCTIONS

MACHINE WASH				MACHINE DRY		IRONING	
	wait for at least 24h before washing		do not use bleach		do not tumble dry		iron on reverse side
	60 °C max.						

#### BLOCKCUT

#### COLOURS



BLOCKCUT  
WHITE



# TEXTILE PLOTTER AND DECORATION FLEX FILMS

## GLOWCUT

### CUTFLEX GLOWCUT

#### ADHESIVE LINER

#### ESPECIALLY FOR COTTON, POLYESTER & BLENDS

Looking for a phosphorescent cutting flex for outstanding markings?

The **GLOWCUT** film is specially intended for the production of chest pocket logos.

This phosphorescent flex has the particularity of glowing in the dark after exposure to light.

In daylight it stores the light to release it in the darkness during the night.

Unusual and stylish, this film brings a touch of originality to any garment (costumes, sportswear, evening dresses...).

#### DATA SHEET

- > POLYURETHANE FILM
- > 110 MICRONS
- > 3 COLOURS
- > ADHESIVE LINER



GLOWCUT	WIDTH MM	LENGTH LM
COLOURS	500	25

#### COLOURS



GC01  
WHITE

GC02  
PINK

GC03  
GREEN







1  
**GLOWCUT**  
INSTALLATION  
HEXIS SAS  
FRANCE

2  
**REFLEX**  
INSTALLATION  
HEXIS SAS  
FRANCE



#### APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING	
	150 °C		8 sec.		low		While hot

#### MAINTENANCE INSTRUCTIONS

MACHINE WASH				MACHINE DRY		IRONING	
	wait for at least 24h before washing		do not use bleach		Can be tumble dried		iron on reverse side
	60 °C max.						



## CUTFLEX REFLEX

### ADHESIVE LINER

### ESPECIALLY FOR COTTON & POLYESTER

REFLEX film has been specifically designed for accurate **high visibility** decoration.

Perfect for **Personal Protective Equipment** (PPE), this film is compliant with EN 471 and EN ISO 20471 class 2 standards for high visibility clothing.

Improving security and visibility day and night, it can also be used to personalise clothing for sporting events or promotional campaigns.

### DATA SHEET

- > RETRO-REFLECTIVE PVC-FREE FILM
- > 175 MICRONS
- > COLOUR **SILVER** (REFLECTIVE), CHANGING INTO **WHITE** (LIGHTS UP IN THE DARK)
- > ADHESIVE LINER
- > NORME EN ISO 20471



REFLEX	WIDTH MM	LENGTH LM
RETRO-REFLECTIVE	500	25



2

### APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	150 °C		12 sec.		high		While hot		not applicable

### MAINTENANCE INSTRUCTIONS

MACHINE WASH				MACHINE DRY		IRONING	
	wait for at least 24h before washing		do not use bleach		do not tumble dry		iron on reverse side
	60 °C max.						

# TEXTILE PLOTTER AND DECORATION FLEX FILMS

## BRICKCUT

### CUTFLEX BRICKCUT

#### NON-ADHESIVE LINER

#### ESPECIALLY FOR COTTON, ACRYLIC, POLYESTER

Looking for a very heavy cutting flex for relief markings?

Our new **BRICKCUT** series makes it easy!

6 striking colours now available!

The **BRICKCUT** film is ideal to give a 3D relief effect to all your markings. A must for creating a casual total look, just like the «streetwear» that is nowadays a major trend in the luxury and fashion industry.

#### DATA SHEET


- > MATT POLYURETHANE FILM
- > 630 MICRONS
- > 6 COLOURS
- > NON-ADHESIVE LINER

N



BRICKCUT	WIDTH MM	LENGTH LM
COLOURS	500	10

#### COULEURS



#### APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	160 °C		25 sec.		high		while cold		10 sec.

#### MAINTENANCE INSTRUCTIONS

MACHINE WASH				MACHINE DRY		IRONING	
	wait for at least 24h before washing		do not use bleach		do not tumble dry		iron on reverse side
	60 °C max. on reverse side						

#### INFORMATION



#### HEXIS ADVICE

The material must be cut in mirror mode.



**PRINTFLEX SILKPRINT**



**ADHESIVE LINER**

**ESPECIALLY FOR  
COTTON, POLYESTER  
& MIXED ACRYLICS**

Especially designed for large-format graphics. Recommended for large scale production due to its fast application on the textile: 5 seconds of pressing at 130° C suffice.

**DATA SHEET**



- > MATT POLYURETHANE FILM
- > 100 MICRONS
- > WHITE OPAQUE
- > ADHESIVE LINER



WIDTH MM	LENGTH LM
500	25
750	25
1000	25
1500	25

\* Available while stocks last

**APPLICATION INSTRUCTIONS**

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	130 °C		5 sec.		low		While hot		5 sec.

**MAINTENANCE INSTRUCTIONS**

MACHINE WASH				MACHINE DRY		IRONING	
	wait for at least 24h before washing		do not use bleach		Can be tumble dried		iron on reverse side
	60 °C max.						

**INFORMATION**



**HEXIS ADVICE**

Transfer graphics using **HEX860** or **HEX960** transfer films.

For better ink adhesion, wait one week before the first wash.



# TEXTILE PRINTING AND DECORATION FILMS

## UFLEX7PV2

**PRINTFLEX** UFLEX7PV2



### NON-ADHESIVE PET LINER

### ESPECIALLY FOR COTTON AND POLYESTER\*

The **UFLEX7PV2** is designed for printed & cut graphics!

**UFLEX7PV2** is the ultimate 100% printable flex that can be easily used and transferred to give your prints a touch of class.

Especially suitable for lettering, logos or images. Its composition allows for detailed cuts in solid colours.

Its flexibility on small size markings will make it a real asset for a silk-screen rendering.

Being **OEKOTEX CLASS 1**, markings on children's clothing will be a plus.

The **UFLEX7PV2** can be applied without tape for full colour logos.

### DATA SHEET



- > STRETCHABLE **POLYURETHANE FILM**
- > **THICKNESS 85 MICRONS**
- > CLEAR PERMANENT **HEAT-ACTIVATED ADHESIVE**
- > **NON-ADHESIVE PET LINER**
- > **AVAILABLE WITH MATT FINISH**
- > PRINTABLE WITH ECO-SOLVENT, SOLVENT AND LATEX INKS
- > RECOMMENDED FOR COTTON, POLYESTER AND LYCRA®
- > AVAILABLE IN WIDTHS OF **500, 750, 1000 AND 1500 MM BY 25M** (RETAIL SIZES DEPENDING ON STOCK)
- > FOR USE WITH **HEX860 AND/OR HEX960 TAPES**



Certified for HP Latex Inks

WIDTH MM	LENGTH LM
500	25
750	25
1000	25
1500	25



### APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	140 °C		15 sec.		high		While hot		5 sec. with protective sheet

### MAINTENANCE INSTRUCTIONS

MACHINE WASH				MACHINE DRY		IRONING	
	wait for at least 24h before washing		do not use bleach		do not tumble dry		iron on reverse side
	60 °C max.						



# TEXTILE PRINTING AND DECORATION FILMS

## UFLEX5S

### PRINTFLEX UFLEX5S



#### NON-ADHESIVE LINER

#### ESPECIALLY FOR COTTON & POLYESTER

UFLEX5S is especially designed for small letters and charity or sponsorship logos. UFLEX5S is recommended for large production runs when customising textiles: our highest performing printable flex film in finishing.

It is very resistant to washing

#### DATA SHEET



- > POLYURETHANE FILM
- > 80 MICRONS
- > WHITE OPAQUE
- > NON-ADHESIVE LINER



WIDTH MM	LENGTH LM
500	25
750	25
1000	25
1500	25

#### APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	130 °C		5 sec.		medium		While hot		5 sec. with protective sheet

#### MAINTENANCE INSTRUCTIONS

MACHINE WASH				MACHINE DRY		IRONING	
	wait for at least 24h before washing		do not use bleach		do not tumble dry		iron on reverse side
	60 °C max.						



**SWATCHBOOKS / COLOUR CARDS**  
Order our swatchbooks and colour cards by writing to [export@hexisgroup.com](mailto:export@hexisgroup.com) or contact your local distributor.



# TEXTILE PRINTING AND DECORATION FILMS

## NYLPRINT

### PRINTFLEX NYLPRINT



#### ADHESIVE LINER

#### ADHERES WELL TO NYLON

For application on nylon fabrics that have had any kind of treatment, test the **NYLPRINT** film with the fabric to assess its adhesiveness.

Carry out a resistance test on the textile at press temperature prior to any production.

#### DATA SHEET



- > MATT POLYURETHANE FILM
- > 100 MICRONS
- > WHITE OPAQUE
- > ADHESIVE LINER



WIDTH MM	LENGTH LM
500	25
750	25
1000	25
1500	25

#### APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	150 °C		5 sec.		low		While hot		10 sec.

#### MAINTENANCE INSTRUCTIONS

MACHINE WASH				MACHINE DRY		IRONING	
	wait for at least 24h before washing		do not use bleach		do not tumble dry		iron on reverse side
	30 °C max.						

#### INFORMATION



#### HEXIS ADVICE

Transfer graphics using **HEX860** or **HEX960** transfer films.

For better ink adhesion, wait one week before the first wash.



# TEXTILE PRINTING AND DECORATION FILMS

## BLOCKPRINT

### PRINTFLEX BLOCKPRINT



#### ADHESIVE LINER

#### SPECIAL FOR DYE-SUBLIMATED FABRICS

**BLOCKPRINT** is specially treated for graphics intended to be transferred onto sublimated fabrics (polyester). Its composition prevents the ink from bleeding into the transferred graphics. It is the ideal product for customising sports shirts (football and cycling).

#### DATA SHEET



- > STRETCHABLE **POLYURETHANE** FILM
- > **125 MICRONS**
- > **WHITE MATT**
- > **ADHESIVE** LINER

WIDTH MM	LENGTH LM
500	25
750	25

#### APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	150 °C		20 sec.		high		while lukewarm		10 sec. with protective sheet

#### MAINTENANCE INSTRUCTIONS

MACHINE WASH				MACHINE DRY		IRONING	
	wait for at least 24h before washing		do not use bleach		do not tumble dry		iron on reverse side
	40 °C max.						



# TEXTILE PRINTING AND DECORATION FILMS

## UFLEXCLEAR

**PRINTFLEX** UFLEXCLEAR



**ULTRA-TRANSPARENT**

**NON-ADHESIVE LINER**

**ESPECIALLY  
FOR COTTON &  
POLYESTER**

**UFLEXCLEAR**, THE **ULTRA FLEXIBLE** printable flex for making **YOUR MARKINGS** on light-coloured fabrics!

Its printability, thinness and cutting qualities make it a flagship product for your prints on light-coloured fabrics!

It can be applied to white or light-coloured cotton or polyester fabrics without leaving any visible contours.

As **UFLEXCLEAR** is a transparent flex, it is crucial to print in mirror mode.

### DATA SHEET



- STRETCHABLE POLYURETHANE FILM
- **CLEAR** MATT FILM
- THICKNESS **35 MICRONS**
- CLEAR PERMANENT **HEAT-ACTIVATED** ADHESIVE
- **NON-ADHESIVE** LINER
- PRINTABLE WITH ECO-SOLVENT, SOLVENT INKS
- RECOMMENDED FOR COTTON, POLYESTER
- AVAILABLE IN WIDTHS OF **500, 750 AND 1250** MM BY **25M** (RETAIL SIZES DEPENDING ON STOCK)

WIDTH MM	LENGTH LM
500	25
750	25
1250	25



### APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	140 °C		15 sec.		high		while cold		5 sec. with protective sheet

### MAINTENANCE INSTRUCTIONS

MACHINE WASH				MACHINE DRY		IRONING	
	wait for at least 24h before washing		do not use bleach		do not tumble dry		iron on reverse side
	40 °C max.						



# TEXTILE PRINTING AND DECORATION FILMS

## SLIMPRINT

### PRINTFLEX SLIMPRINT



#### NON-ADHESIVE LINER

#### ESPECIALLY FOR COTTON & POLYESTER

**SLIMPRINT** is a matt opaque printable film with a great fineness that gives it a silky touch and makes it very flexible on the textile. Its opacity allows it to be applied on dark fabrics. Ideal for large format designs, **SLIMPRINT** offers optimal flexibility and resistance to washing.

#### DATA SHEET



- > MATT POLYURETHANE FILM
- > 80 MICRONS
- > OPAQUE WHITE
- > NON-ADHESIVE LINER

WIDTH MM	LENGTH LM
500	25
750	25
1000	25
1500	25

#### APPLICATION INSTRUCTIONS

PRESS TEMPERATURE		PRESSING TIME		PRESSURE		PEELING		FINAL PRESSING	
	160 °C		15 sec.		medium		While hot		-

#### MAINTENANCE INSTRUCTIONS

MACHINE WASH				MACHINE DRY		IRONING	
	wait for at least 24h before washing		do not use bleach		do not tumble dry		iron on reverse side
	60 °C max.						



**SWATCHBOOKS / COLOUR CARDS**  
Order our swatchbooks and colour cards by writing to [export@hexisgroup.com](mailto:export@hexisgroup.com) or contact your local distributor.



# FILM FOR DIRECT TO FILM PRINTING SYSTEMS - DTF

## PRINTFLEX DTF-C-PEEL

### ULTRA-TRANSPARENT

### NON-ADHESIVE LINER

### ESPECIALLY FOR COTTON & POLYESTER

Looking for a DTF printable cold peel film?

Experience Direct to Film, the new process that is set to revolutionise the world of textile marking!

The printable DTF-C-PEEL film is recommended for easy processing of small to large format designs. Thin and extremely soft, it delivers high quality four-colour printing, with bold colour effects, subtle gradients and a fully adjustable white backing. Because of its versatile application and good laundry resistance, it can be used on almost all garments requiring quick and cost-effective customisation: streetwear, sports, promotional and Personal Protective Equipment (PPE).

#### DATA SHEET

- > PET FILM
- > 80 MICRONS
- > PEEL WHILE COLD



PRODUCT CODE	WIDTH MM	LENGTH LM
DTF-C-PEEL	300	100
	600	

#### DATA SHEET

- > PET FILM
- > 100 MICRONS
- > PEEL WHILE COLD



PRODUCT CODE	WIDTH MM	LENGTH LM
DTF-H-PEEL	300	100
	600	



## HOT PRESS & PLATES



PRODUCT CODE	DESCRIPTION
<b>TEX'PRESS</b>	Modular electromagnetic press. Manual closing Automatic release of the main plate: 40cm x 50cm

## LIQUID TO REMOVE THE FLEX



N


PRODUCT CODE	DESCRIPTION
<b>REMOVFLEX</b>	Liquid to remove the flex / 600ml bottle

## • TOOLS FOR HOT PRESSING

### PROTECTION OF PRINTS DURING HOT PRESSING



PRODUCT CODE	DESCRIPTION
<b>FILFLEX</b>	protective sheet, fabric Dimensions: 600 x 400 mm
<b>TEFLEX</b>	Teflon® protective sheet Thickness: 130 microns Dimensions: 438 x 500 mm



## TOOLS FOR WEEDING TEXTILE FILM

### TWEEZERS AND HOOK TO WEED FLEX



PRODUCT CODE	DESCRIPTION
<b>WEEDER3</b>	Weeding hook
<b>TWEEZ</b>	For use with the vinyls DAO or IMN, FLEX and other products that need to be weeded. The product is unbranded, without Hexis logo.

## TOOLS FOR TEXTILE FILM TRANSFER

### SQUEEGEES & TRANSFER FILMS



PRODUCT CODE	DESCRIPTION
<b>MARBLEU</b>	Soft squeegee

PRODUCT CODE	THICKNESS MICRONS	TYPE OF TAPE	TYPE OF ADHESION	RECOMMENDED FOR	WIDTHS MM	LENGTH LM
<b>HEX750</b>	100	smooth	LOW	FLUO F610, SUPTAC CARBONE S5CANB, FLEX BLOCKPRINT	500	25
<b>HEX860</b>	50	smooth	HIGH	FLEX UFLEX5S FLEX NYLPRINT FLEX SILKPRINT FLEX UFLEX7PV2 Transfer of UV prints	500 750 1000 1500	25
<b>HEX960</b>	100	smooth	HIGH	FLEX UFLEX5S FLEX NYLPRINT FLEX SILKPRINT FLEX UFLEX7PV2	500 750 1000 1500	25



# PROTECTION & SECURITY FILMS

<b>BODYFENCE AUTOMOTIVE PROTECTION FILMS</b> .....	<b>176</b>
<b>CARPROTECT AUTOMOTIVE PROTECTION FILMS</b> .....	<b>177</b>
<b>HXR150BGR AUTOMOTIVE PROTECTION FILMS</b> .....	<b>177</b>
<b>AUTOMOTIVE PRECUT PROTECTION KITS</b> .....	<b>178 - 179</b>
PROTECTIVE FILMS FOR <b>HEADLIGHTS</b> .....	<b>180</b>
HIGH-PERFORMANCE FILMS FOR <b>WINDSCREEN PROTECTION</b> .....	<b>181</b>
AUTOMOTIVE SOLAR FILMS <b>SKYSTAR</b> .....	<b>182 - 183</b>
AUTOMOTIVE SOLAR FILMS <b>MAJESTIK</b> .....	<b>184 - 185</b>
<b>BUILDING PROTECTION FILMS</b> .....	<b>186 - 188</b>
CHOOSING <b>THE RIGHT BUILDING SOLAR FILM</b> .....	<b>189 - 190</b>
PROTECTING PROPERTY <b>AND PEOPLE</b> .....	<b>191 - 192</b>

# BODYFENCE AUTOMOTIVE PROTECTION FILM

## VEHICLE PROTECTION AND CUSTOMISATION

Step into the world of HEXIS Paint Protection solutions. These protective films have been designed to provide long-lasting protection for your vehicle's paintwork.

### PICK THE MOST SUITABLE PPF SOLUTION!

- Get a second skin for your vehicle paintwork with the new generation of BODYFENCE protective films.



**PHENOMENAL AND GROUND BREAKING**



### REINFORCED PROTECTION AGAINST EXTERNAL AGGRESSIONS

- > SCRATCHES
- > STONE CHIPS
- > ABRASION
- > UV RAYS
- > POLLUTION

### THE ADVANTAGES OF THE FILMS OF THE BODYFENCE RANGE

- > SELF-HEALING
- > ULTRA-TRANSPARENT
- > CHIP-RESISTANT
- > EASY TO APPLY
- > DURABLE
- > SELF-CLEANING
- > LIFETIME GUARANTEE
- > ANTI-SHOCK

\* Exclusively for BODYFENCEX, please refer to the Bodyfence warranties on: [www.bodyfence.net/solutions/warranty](http://www.bodyfence.net/solutions/warranty)



	PRODUCT CODE	FINISH	THICKNESS MICRONS	WIDTH MM	LENGTH LM
	<b>BODYFENCE</b> M1	gloss	180 (7 mils)	1520	20
	<b>BODYFENCEM*</b>	matt	180 (7 mils)	1520	20
	<b>BODYFENCEX</b>	gloss	180 (7 mils)	1520	20
	<b>BODYFENCEXM</b> <sup>N</sup>	matt	180 (7 mils)	1520	20
	<b>BODYFENCEXS</b> <sup>N</sup>	satin	180 (7 mils)	1520	20
	<b>BODYXFAST</b> <sup>N</sup>	gloss	180 (7 mils)	1520	15
	<b>BFBLACK</b>	opaque black gloss	180 (7 mils)	1520	20
	<b>BFBLACKM</b> <sup>N</sup>	opaque black matt	180 (7 mils)	1520	20
	<b>BFWIDE</b> <sup>N</sup>	gloss	210 (8.2 mils)	1800	20
	<b>DFENCEXTRM</b> <sup>N</sup>	gloss	210 (8.2 mils)	1520	20
	<b>DFENCEONEX</b> <sup>N</sup>	gloss	130 (5.1 mils)	1520	15
	<b>DFENCEONEXM</b> <sup>N</sup>	matt	130 (5.1 mils)	1520	15
	<b>RSSEAL</b>	protective sealing strips, gloss	150 (5.9 mils)	15 25 50	20

\* Will be replaced in 2023 by the BODYFENCEXM

## VEHICLE PROTECTION AND CUSTOMISATION

**CARPROTECT** is a self-adhesive transparent gloss film specially developed to provide durable protection of car bodywork (including headlights) against daily aggressions. Two versions are available: **CAR100B** (PVC film for short-term protection) and **CARPRO300** (PU film for extreme protection, such as off-road).



PRODUCT CODE	THICKNESS MICRONS	LINER	WIDTH MM	LENGTH LM
<b>CAR100B</b>	100 (3.9 mils)	PE	1520	30

PRODUCT CODE	THICKNESS MICRONS	LINER	WIDTH MM	LENGTH LM
<b>CARPRO300</b>	300 (11.8 mils)	PE	760	5 - 20
			1520	

## HXR150BGR AUTOMOTIVE PROTECTION FILMS

### PROTECTION AND DECORATION OF DOOR PILLARS AND SILLS

**HXR150BGR** is a calendered polymeric PVC film with reinforced adhesive and a grained, matt black finish.



PRODUCT CODE	THICKNESS MICRONS	LINER	WIDTH MM	LENGTH LM
<b>HXR150BGR</b>	150 (5.9 mils)	HEX'Press liner	1230	30



1  
**CARPRO300**  
HEXIS SAS  
FRANCE

2 3  
**HXR150BGR**  
HEXIS UK  
UNITED KING-  
DOM



# BODYFENCE

P A I N T P R O T E C T I O N F I L M

## ***APPLY AND PROTECT***

*The simple solution to protect your vehicle.*

### **BODYKIT**

Available for all types of vehicle



**Bodyfence precut kits perfectly fit the outline of your vehicle.**

- 1 kit per vehicle ■
- Easy to apply ■
- Controlled material consumption ■
- No cutting on bodywork ■



- 1 ■ Choose required protection level
- 2 ■ Select your vehicle
- 3 ■ Place your order
- 4 ■ Apply!

**[www.bodyfence.net](http://www.bodyfence.net)**



**+33 (0) 4 48 17 50 76**



## CAR PAINT PROTECTION



HEXIS has created the most simple solution to protect your vehicle against external aggressions. BODYKIT precut kits perfectly fit the outline of your vehicle.



### BODYKIT

PRODUCT CODE	PROPERTIE
PRSTAGE 1/PRSTAGEM	Precut kit front bumper
PRSTAGE 2/ PRSTAGEM	Precut kit front
STAGE FULL/ STAGE FULLM	Precut kit entire car
EXTRA CUT/ EXTRA CUTM	Additional element

### THE BENEFITS

- > available for all vehicles
- > BODYFENCE technology
- > 1 kit per vehicle
- > easy to apply
- > controlled material consumption
- > no cutting on bodywork
- > time saving



### BODYKIT X

PRODUCT CODE	PROPERTIE
PRSTAGE 1X	Precut kit front bumper
PRSTAGE 2X	Precut kit front
STAGE FULL X	Precut kit entire car
EXTRA CUTX	Additional element



**APPLY AND PROTECT ON** [www.bodyfence.net](http://www.bodyfence.net)


## PROTECTIVE FILMS FOR HEADLIGHTS

### PROTECTION AND CUSTOMISATION OF HEADLIGHTS

The **BLACKLIGHT** is an anti-impact film protection to keep car headlights spotless.

The **HEXLIGHT** film is a customisation film for tinting headlight glass



PRODUCT CODE	FINISH	THICKNESS MICRONS	WIDTH MM	LENGTH LM
 <b>BLACKLIGHT</b>	light grey gloss	100 (3.9 mils)	760 1520	25
<b>HEXLIGHTS1</b>	dark black gloss	70 (2.7 mils)	615 1230	25
<b>HEXLIGHTS2</b>	light black gloss	70 (2.7 mils)	615 1230	25


### TINTING OF HEADLIGHT GLASS

Tinted transparent PVC film for the customisation and tinting of headlight glass.



1  
**HEXLIGHTS**  
INSTALLATION  
ILLEST INNOVATIONS  
USA

2  
**HEXLIGHTS2**  
HEXIS SAS  
FRANCE



			
HEXFLARE01 YELLOW	HEXFLARE02 RED	HEXFLARE03 BLUE	HEXFLARE04 GREY

PRODUCT CODE	COLOUR	FINISH	THICKNESS MICRONS	WIDTH MM	LENGTH LM
 <b>HEXFLARE01</b>	yellow	gloss	80	1230	10
 <b>HEXFLARE02</b>	red				
 <b>HEXFLARE03</b>	blue				
 <b>HEXFLARE04</b>	grey				

## WINDSCREEN PROTECTION FOR PASSENGER VEHICLES

Specially designed for windscreens of passenger vehicles, **3333SHIELD** offers a premium solution combining protection and visual comfort.

Designed in the USA, **3333SHIELD** is made up of three removable layers of optically clear, 75-micron polyester.

This film protects against UV rays whilst also preventing scratches, cracks and shocks.

Peeling off the upper layer reveals a new protective layer, regaining clear, unobstructed vision.



PRODUCT CODE	THICKNESS MICRONS	LINER	WIDTH MM	LENGTH LM	PRECUT
3333SHIELD	230 (9 mils)	PET	1524	30.5	-
	PRECUT 1524MM X 500MM			-	AVAILABLE LATER IN 2023
	PRECUT 1520MM X 1000MM			-	

## WINDSCREEN PROTECTION FOR RACING CARS

During car races and other competitions, windscreens have to withstand projectiles, scratches and mud splashes.

Specially developed for racing cars, **4444RACING** offers extreme protection and is made up of four removable layers of optically clear polyester.

Applying **4444RACING** to the windscreen helps regain unobstructed vision of the road and other competitors by removing the upper layer.



PRODUCT CODE	THICKNESS MICRONS	LINER	WIDTH MM	LENGTH LM	PRECUT
4444RACING	430 (9.4 mils)	PET	1524	30.5	-
	PRECUT 1524MM X 500MM			-	AVAILABLE LATER IN 2023
	PRECUT 1520MM X 1000MM			-	



1  
**3333SHIELD**  
HEXIS SAS  
FRANCE

2  
**4444RACING**  
HEXIS SAS  
FRANCE





## PROTECTION AND CUSTOMISATION FOR WINDOWS

**SKYTINT**, comprises two ranges of solar films: **SKYSTAR & MAJESTIK**. They constitute a true protective barrier against the harmful effects of the sun.

Innovative technologies offering the perfect combination of style, safety and personal health.

- 100% compliant with legislation in force

### SKYSTAR :

Developed in the HEXIS R&D laboratory, the SKYSTAR range is the perfect alliance between efficiency and performance.



Metal-free film equals no interference with mobile phones, GPS or radio reception signals



Protection against UV rays



Anti-scratch coating



Heat protection, up to 43% of solar energy rejected



Durability of 10 years



A range of 6 shades, from the lightest to the darkest



1 2

**SKYSTAR05**  
INSTALLATION TRI STATE  
WINDOW TINTING  
USA





## INFORMATION





In France, tinted windows are not prohibited, but the tint is now regulated for the front windows of vehicles.

Article 27 of French decree No. 2016-448 of 13 April 2016, which came into force in 2017, prohibits tinted side windows at the front of a vehicle **if their transparency is less than 70%**. This new regulation does not affect the rear windows. Please refer to the regulation in your country.



Without film



SER: Solar energy rejected  
 LT: Light transmission  
 VLR: Visible light reflection

## STANDARD

PRODUCT CODE	LT	SER	VLR	WIDTH MM	LENGTH LM
SKYSTAR05	5 %	43 %	6%	500	2 - 6 - 15 - 30,5
				760	
				1520	
SKYSTAR15	12%	40%	5%	500	2 - 6 - 15 - 30,5
				760	
				1520	
SKYSTAR20	19%	40%	5%	500	2 - 6 - 15 - 30,5
				760	
				1520	
SKYSTAR35	33%	34%	5%	500	2 - 6 - 15 - 30,5
				760	
				1520	
SKYSTAR50	47%	28%	6%	500	2 - 6 - 15 - 30,5
				760	
				1520	
SKYSTAR70	67%	32%	6%	500	2 - 6 - 15 - 30,5
				760	
				1520	



## PROTECTION AND CUSTOMISATION FOR WINDOWS

**SKYTINT**, comprises  
two ranges of solar films:  
**SKYSTAR & MAJESTIK.**

They constitute a true  
protective barrier against the  
harmful effects of the sun.

Innovative technologies  
offering the perfect  
combination of style, safety  
and personal health.

- 100% compliant with  
regulations in force

### INFORMATION



In France, tinted windows are  
not prohibited, but the tint is  
now regulated for the front  
windows of vehicles.

Article 27 of French decree  
No. 2016-448 of 13 April  
2016, which came into force  
in 2017, prohibits tinted side  
windows at the front of a  
vehicle if their transparency  
is less than 70%. This new  
regulation does not affect the  
rear windows. Please refer to  
the regulation in your country.

### MAJESTIK :

Proven in space and automotive industries, nano-ceramic technology has been  
chosen by HEXIS to design MAJESTIK - a range of intelligent solar films that will  
revolutionise your driving experience.

The nanoscopic powder encapsulated in the MAJESTIK film provides unique  
properties.



#### WELL-BEING

Unrivalled thermal comfort  
Visual comfort: excellent glare reduction  
Perfectly balanced light transmission, clear field of vision



#### PROTECTION

Shield against UV and infrared solar radiation  
Constant temperature in the passenger compartment  
Anti-scratch coating  
Preservation of the shine of leather and fabrics



#### SECURITY

Privacy and confidentiality: passengers and personal belongings  
protected from prying eyes  
Reducing the risk of burglary and intrusion



#### AESTHETIC APPEAL

A palette of 7 colours to personalise your style



#### PERFORMANCE

Exceptional durability of 15 years  
Energy savings: moderate use of air conditioning



1

MAJESTIK05



1






# PREMIUM

PRODUCT CODE	LT	SER	VLR	WIDTH MM	LENGTH LM
MAJESTIK05	5%	67%	6%	500	2 - 6 - 15 - 30.5
				760	
				1520	
MAJESTIK15	16%	63%	6%	500	2 - 6 - 15 - 30.5
				760	
				1520	
MAJESTIK25	24%	60%	7%	500	2 - 6 - 15 - 30.5
				760	
				1520	
MAJESTIK35	40%	54%	7%	500	2 - 6 - 15 - 30.5
				760	
				1520	
MAJESTIK50	54%	50%	7%	500	2 - 6 - 15 - 30.5
				760	
				1520	
MAJESTIK70	70%*	43%*	8%*	500	2 - 6 - 15 - 30.5
				760	
				1520	
MAJESTIK85	85%	30%	6%	500	2 - 6 - 15 - 30.5
				760	
				1520	

## SILVER FILMS

Reflective finish - reflective, silver, mirror finish from the outside, perfect view from the inside.




SER: Solar energy rejected  
LT: Light transmission  
VLR: Visible light reflection

M1

PRODUCT CODE	APPLICATION	SER	LT	VLR	WIDTH MM	LENGTH LM
<b>BSOR20I2</b>	indoor	79%	24%	60%	1523	15 - 30.5
<b>BSOR15X2</b>	outdoor	80%	24%	60%	1523	15 - 30.5
<b>BSOR35I2</b>	indoor	67%	43%	41%	1523	15 - 30.5
<b>BSOR35X2</b>	outdoor	65%	43%	40%	1523	15 - 30.5
<b>BSOR50I2</b>	indoor	58%	59%	26%	1523	15 - 30.5
<b>BSOR50X2</b>	outdoor	52%	59%	22%	1523	15 - 30.5

## BRONZE FILMS

Mirror finish - reflective, bronze, mirror finish from the outside, perfect view from the inside.



SER: Solar energy rejected  
LT: Light transmission  
VLR: Visible light reflection

M1

PRODUCT CODE	APPLICATION	SER	LT	VLR	WIDTH MM	LENGTH LM
<b>BSOB20I2</b>	indoor	77%	20%	36%	1523	15 - 30.5
<b>BSOB20X2</b>	outdoor	80%	11%	18%	1523	15 - 30.5




1

BSE100iV2  
ILLIMITED  
FRANCE

2

BSOR15X2I  
FOLIENWERK7  
GERMANY




1

2



## SILVER FILMS

Mirror finish - low-reflection, tinted finish from the outside, perfect view from the inside.




SER: Solar energy rejected  
 LT: Light transmission  
 VLR: Visible light reflection

M1

PRODUCT CODE	APPLICATION	SER	LT	VLR	WIDTH MM	LENGTH LM
<b>BSON20X2</b>	outdoor	74%	20%	37%	1523	15 - 30.5
<b>BSON50I2</b>	indoor	42%	49%	14%	1523	15 - 30.5

## SILVER FILMS

Mirror finish - (combats heat loss) reflective finish. Lowers solar energy while being very clear once installed.




SER: Solar energy rejected  
 LT: Light transmission  
 VLR: Visible light reflection

M1

PRODUCT CODE	APPLICATION	SER	LT	VLR	WIDTH MM	LENGTH LM
<b>BSOT45I2</b>	indoor	66%	45%	45%	1523	15 - 30.5

## ANTI-INTRUSION AND ANTI-SCRATCH SOLAR FILMS

These films increase the intrusion time in the event of an attempted break-in. If the glass is broken, they retain the glass fragments and help prevent injury.




SER: Solar energy rejected  
 LT: Light transmission  
 VLR: Visible light reflection

M1

PRODUCT CODE	APPLICATION	SER	LT	VLR	WIDTH MM	LENGTH LM
<b>BSE50I</b>	indoor	19%	88%	10%	1523	15 - 30.5
<b>BSE100IV2</b>	indoor	16%	90%	7%	1523	15 - 30.5
<b>BSE100XV2</b>	outdoor	16%	90%	7%	1523	15 - 30.5

## SILVER FILMS

Reflective finish - reflective, silver, mirror finish from the outside, perfect view from the inside.



SER: Solar energy rejected  
LT: Light transmission  
VLR: Visible light reflection

	PRODUCT CODE	PROPERTIES	APPLICATION	SER	LT	VLR	WIDTH MM	LENGTH LM
M1	<b>BSOM15I2</b>	one-way mirror	indoor	82%	10%	63%	1523	15 - 30.5
M1	<b>BSORD60I2</b>	discoloration retardant	indoor	57%	62%	14%	1523	15 - 30.5
M1	<b>BSOAT40I2</b>	anti-thermal shock	indoor	66%	47%	29%	1523	15 - 30.5
M1	<b>BSOI80X2</b>	ultra-transparent	outdoor	45%	78%	9%	1523	15 - 30.5
M1	<b>MIAMI</b>	dichroic, warm shade	indoor	39%	72%	10%	1360	15 - 30.5
	<b>DUBAI</b>	dichroic, warm shade	outdoor	15%	64%	N/A	1520	15 - 30.5
	<b>GLASGOW</b>	dichroic, cool shade	outdoor	16%	51%	N/A	1520	15 - 30.5


## INFORMATION



For further information regarding installation and removal of these products, see the Application guides available on our website:  
[www.hexis-graphics.com](http://www.hexis-graphics.com)



1  
GLASGOW  
HEXIS SAS  
FRANCE



1

# CHOOSING THE RIGHT BUILDING SOLAR FILM

## INFORMATION



### CHOOSE YOUR BUILDING SOLAR FILM BASED ON THESE CRITERIA:

film tint

whether you want to install  
the film on inner or outer  
window pane

the type of window (single/  
double glazing, tinted or not)

durability

To avoid thermal shock,  
HEXIS recommend to use a  
film for outdoor installation



## INFORMATION



For further information  
regarding installation and  
removal of these products,  
see the Application guides  
available on our website:  
[www.hexis-graphics.com](http://www.hexis-graphics.com)



1  
BSOR15X2  
LAURENT GRENIER

2  
BSOR15X2  
HEXIS ESPAÑA

PRODUCT CODE	APPLICATION		TINT	COMPATIBILITY DEPENDING ON GLAZING									
	INDOOR	OUTDOOR		SINGLE GLAZING			DOUBLE GLAZING						TRIPLE GLAZING
				CLEAR	TINTED	REFLECTIVE TINT	CLEAR	TINTED	REFLECTIVE TINT	LOW EMISSION (IN-ERT GAS FILLING)	LAMINATED (LAMI-NATED GLASS FAC-ING OUTWARDS)	LAMINATED (LAM-INATED GLASS FACING INWARDS)	TRIPLE GLAZING
BSOR20I2	✓		reflective, silver	✓	✓	✓							
BSOR15X2		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
BSOR35I2	✓			✓	✓	✓	✓		✓				
BSOR35X2		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
BSOR50I2	✓			✓	✓	✓	✓	✓	✓		✓		
BSOR50X2		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
BSOB20I2	✓		bronze	✓		✓			✓				
BSOB20X2		✓		✓		✓	✓		✓				
BSON20X2		✓	grey, low-reflection	✓	✓	✓	✓	✓	✓		✓		
BSON50I2	✓			✓		✓			✓				
BSOT45I2	✓		reflective (heat reflection)	✓	✓	✓	✓		✓		✓		
BSOM15I2	✓		one-way mirror	✓		✓			✓				
BSORD60I2	✓		discolouration retardant	✓	✓	✓	✓	✓	✓		✓		
BSOI80X2		✓	ultra-transparent	✓		✓	✓		✓			✓	
BSOAT40I2	✓		low absorption	✓	✓	✓	✓	✓	✓	✓	✓		
DUBAI		✓	dichroic	✓									
GLASGOW		✓	dichroic	✓									
MIAMI	✓		dichroic	✓		✓			✓				



#### SWATCHBOOKS / COLOUR CARDS

Order our swatchbooks and colour cards by writing to [export@hexisgroup.com](mailto:export@hexisgroup.com) or contact your local distributor.








### TRANSPARENT ANTIMICROBIAL PVC FILMS FOR SURFACES AND OBJECTS PROTECTION

PRODUCT CODE	PROPERTIES	THICKNESS MICRONS	WIDTH MM	LENGTH LM
<b>PURECOVER</b>	Flexible and transparent, adhesive-free antimicrobial protection film	60	1520	<b>40</b>



### TRANSPARENT FILM FOR SURFACES AND OBJECTS PROTECTION

PRODUCT CODE	PROPERTIES	THICKNESS MICRONS	WIDTH MM	LENGTH LM
<b>PETSAFE</b> 	Transparent, non-adhesive anti-projection film	60	1250	<b>50</b>

### TRANSPARENT ANTIMICROBIAL PVC FILMS FOR SURFACES PROTECTION



PRODUCT CODE	FINISH	THICKNESS MICRONS	ADHESIVE	LINER	WIDTH MM	LENGTH LM
<b>PURZON060B</b>	gloss	60	solvent-based acrylic	PE	1370	<b>30</b>
<b>PURZON060M</b>	matt	60	solvent-based acrylic	PE	1370	<b>30</b>
<b>PURZONORIB</b>	gloss	60	solvent-based acrylic	PE	1370	<b>30</b>
<b>PURZONORIM</b>	matt	60	solvent-based acrylic	PE	1370	<b>30</b>

### TRANSPARENT SELF-ADHESIVE PVC FILMS FOR SURFACES PROTECTION

PRODUCT CODE	FINISH	WIDTH MM	LENGTH LM
<b>SP</b> 	gloss 150 microns	615	10 - 15 - 20
		1230	
		1520	
<b>SPM</b> 	matt 150 microns	615	10 - 15 - 20
		1230	
		1520	



## • PROTECTING PROPERTY AND PEOPLE

### HYDROALCOHOLIC GEL

PRODUCT CODE	PROPERTIES	CAPACITY	
<b>GEL05</b>	Canister containing 5 litres (5000 ml) of hydroalcoholic gel. GEL05 is a clear liquid that has been specially developed for disinfecting hands.		<b>5 L</b>
<b>GELBOTTLE*</b>	Bottle containing 0.5 litres (500 ml) of hydroalcoholic gel. GEL05 is a clear liquid that has been specially developed for disinfecting hands.		<b>4 X 500 ML</b> <b>24 X 500 ML</b>

\* Please note: the bottles are delivered empty and the labels must be glued by you.

### HYDROALCOHOLIC SOLUTION











PRODUCT CODE	PROPERTIES	CAPACITY	
<b>SHA05</b>	Canister containing 5 litres (5000 ml) of hydroalcoholic solution		<b>5 L</b>
<b>SHABOTTLE*</b>	150 ml-spray bottle. The bottles come with a sticky label kit.		<b>4 X 150 ML</b> <b>24 X 150 ML</b>

\* Please note: the bottles are delivered empty and the labels must be glued by you.

# TOOLS & DISPLAYS

<b>SHAG APPLICATION TOOLS</b> .....	<b>194 - 197</b>
APPLICATION <b>TOOLS</b> .....	<b>198 - 201</b>
<b>STORAGE TOOLS</b> .....	<b>202</b>
<b>REMOVAL TOOLS</b> .....	<b>203 - 204</b>
SWATCHBOOKS & <b>COLOUR GUIDANCE</b> .....	<b>205</b>
TOOLS FOR <b>ROLLS</b> .....	<b>205</b>
TOOLS FOR <b>CUTTING</b> .....	<b>206 - 210</b>
TOOLS FOR <b>FULL WRAPS</b> .....	<b>210 - 212</b>
TOOLS FOR <b>SOLAR FILMS</b> .....	<b>213 - 214</b>
TOOLS FOR <b>BANNER FINISHING</b> .....	<b>215 - 216</b>
<b>CLEANING FLUID</b> .....	<b>217 - 218</b>
<b>CAR MAINTENANCE PRODUCTS</b> .....	<b>219 - 220</b>
<b>ROLL-UP DISPLAYS</b> .....	<b>221</b>
<b>SELF- SUPPORTING DISPLAYS</b> .....	<b>222</b>
FOLDING STANDS & <b>ACCESSORIES</b> .....	<b>223</b>
<b>SWATCHBOOKS</b> .....	<b>224 - 225</b>
<b>RING BINDER</b> .....	<b>226</b>
<b>SAMPLE KIT</b> .....	<b>226</b>
<b>BROCHURES</b> .....	<b>226 - 231</b>
<b>DOCUMENTATION</b> .....	<b>232</b>
<b>PROMOTIONAL ITEMS</b> .....	<b>232 - 235</b>
<b>MENSWEAR / WOMENSWEAR</b> .....	<b>236 - 237</b>
<b>UNISEX CLOTHING</b> .....	<b>238 - 239</b>
<b>HEXIS ENERGY</b> .....	<b>240 - 241</b>









HIGH-PERFORMANCE  
SQUEEGEES

	PRODUCT CODE	DESCRIPTION
	<b>LIBERTE</b>	Blue squeegee - soft
	<b>EGALITE</b>	White squeegee - hard
	<b>FRATERNITE</b>	Red squeegee - medium
	<b>FRENCHBOX</b>	Box of 3 squeegees + 3 squeegee protectors
	<b>MAGSQUEEG</b>	Magnetic squeegee
	<b>SHAGSPOON</b>	Squeegee for installation in small recesses and hard-to-reach parts of the vehicle bodywork
	<b>SHAGCHIZ</b>	Finishing squeegee for automotive solar film
	<b>NINJATOOL</b>	Tool to help insert films into window seals
	<b>SUMOTOOL</b>	XXL tool for laying tinted solar film
	<b>SHAGFENCEM</b>	Squeegee for applying BODYFENCE and solar protection films - 15 cm





## HIGH-PERFORMANCE SQUEEGEES

	PRODUCT CODE	DESCRIPTION
	<b>SHAGFENCES*</b>	Squeegee for applying BODYFENCE and solar protection films - 9.5 cm To be replaced later in 2023 by SHAGPAM
	<b>MAXBLUE*</b>	Soft squeegee for applying solar films For use with MAXHANDLE and POIGNVITR. To be replaced later in 2023 by SHAGMITCH
	<b>SHAGMITCH</b>	Soft squeegee for applying solar films For use with MAXHANDLE and POIGNVITR.
	<b>SHAGBODY*</b>	Standard squeegee for applying BODYFENCE and solar protection films. To be replaced later in 2023 by SHAGPAM
	<b>SHAGPINK</b>	Pink squeegee for laying BODYFENCE
	<b>SHAGPAM</b>	Kit of 5 pink squeegees of different sizes for use with BODYFENCE
	<b>SHAGFELT</b>	Pre-cut felt edges (pack of 5)
	<b>SQUEEBAND</b>	Magnetic band for squeegee












\* Available while stocks last

OTHER TOOLS

	PRODUCT CODE	DESCRIPTION
	<b>HEXSTRAP</b>	Magnetic strap
	<b>HEXMAGNET</b>	Magnet with fabric protector
	<b>POIGNVITR</b>	Handle for cleaning blade, compatible with LAMEVITR15, LAMEVITR30, LAMEVITRE and MAXBLUE
	<b>TWEEZ</b>	Standard weeding tweezers For use with DAO or IMN vinyls, FLEX and other products that need to be weeded Unbranded product, no Hexis logo
	<b>SHAGDRILL</b>	Bubble popper For releasing air after the film has been applied
	<b>SHAGCUT</b>	Liner shaping tool (slits liner)
	<b>SHAGKNIFE</b>	Cutter Compatible blades: LAMOLFA30, LAMOLFAS10, LAMOLFAS50, LAMOLFAXBL
	<b>SHAGSLICE</b>	Cutter tranche vinyl
	<b>SHAGTRASH</b>	Used recovery box and breakers
	<b>SHAGWHEEL</b>	Wheel cover (set of 2)
	<b>SHAGSUN</b>	Infrared heating lamp on tripod with wheels



## OTHER TOOLS

PRODUCT CODE	DESCRIPTION
 <b>N</b>	<b>HOODHOLDER</b> hood wedge to aid in laying film
 <b>N</b>	<b>SHAGCASE</b> Empty case for fitter
 <b>N</b>	<b>SHAGBOX</b> Installation accessories case for installer
	<b>SHAGLINE</b> Knifeless cutting wire for use with SKINTAC
	<b>BODYLINE</b> Knifeless cutting wire for use with BODYFENCE and solar films
	<b>SHAGGLOVE</b> Wrapping gloves with improved sliding properties. Available in 2 sizes S and M. Pack of 2 gloves
	<b>SHAGWIRE</b> Wire for removing logos, letterings and markings from vehicles
	<b>WRAPBELT</b> SHAG tool belt
	<b>SPRAYBOX</b> SHAG 1.5-litre spray bottle
	<b>SHAGSPRAY</b> 19-litre metal sprayer for dispersing large quantities of liquid (soapy water) onto glass surfaces
	<b>STEARMERSC3</b> High capacity high pressure steam cleaner

\* Available while stocks last

## HIGH-PERFORMANCE SQUEEGEES



PRODUCT  
CODE

**MARVITRE**

DESCRIPTION

Standard squeegee for windows



**MARBLEU**

Soft squeegee



**MARBLEUF**

Soft squeegee with red felt



**MAROR**

Medium squeegee



**MARNOIR**

Hard squeegee



**FEUTRE**

Felt squeegee



**TOBLUEMAX**

Squeegee for application of tear-off films 3333SHIELD and 4444RACING

## STANDARD SQUEEGEES & TOOLS



PRODUCT  
CODE

**PLASSOUPLE**

DESCRIPTION

Plastic squeegee  
Soft finish



**PLASMOYEN**

Plastic squeegee  
Medium finish



**SHARPTOOL**

Squeegee sharpener



## FELTS



PRODUCT CODE	DESCRIPTION
<b>FEUTROUGE1</b>	Red self-adhesive felt Can be cut and attached to A5 squeegees Sold individually
<b>FEUTROUGE2</b>	Red self-adhesive A5 felt Sold in packs of 10
<b>HEXFELT</b>	Self-adhesive microfibre felt Size 25 mm x 5 lm

## SPECIALITIES



PRODUCT CODE	DESCRIPTION
<b>EASYSEAL</b>	Set of 2 seal lifters
<b>SQUEEGEEXL</b>	Large squeegee with felt for large areas

## SEALING



PRODUCT CODE	DESCRIPTION
<b>SEALIT</b>	Varnish pen for sealing the edges of graphics Sold individually
<b>VR7077</b>	Sealing varnish to consolidate overlaps and/or extend the durability of edges Used mainly with microperforated or solar films Sold in a 250 ml bottle with a paintbrush in the cap



PRODUCT CODE.	FINISH	THICKNESS MICRONS	WIDTH MM	LENGTH LM
<b>RSSEAL</b>	Protective strips and gloss sealant	150	15	20
			25	
			50	

## POSITIONING TAPES



PRODUCT CODE	DESCRIPTION
<b>TIRO19X50</b>	Masking tape Used for positioning vinyl before application  Size: 19 mm x 50 lm or 25 mm x 50 lm
<b>TIRO25X50</b>	Sold individually or in boxes of 24 or 48 rolls.

## SPRAY BOTTLES



PRODUCT CODE	DESCRIPTION
<b>PULVERISAT</b>	Spray bottle for liquids such as Easypose capacity 750 ml

## DRY ERASE MARKERS / WAX PENCILS



PRODUCT CODE	DESCRIPTION
<b>ERASMARKER</b>	4 BIC VELLEDA dry erase markers
<b>BLACK</b>	ALL STABILO™ wax pencils For use on a variety of substrates such as glass, metal, plastic, etc. Sold in packs of 12
<b>WHITE</b>	



## ROLL-OUT TAPE MEASURE



PRODUCT CODE	DESCRIPTION
<b>DMTRUBFR</b>	Measuring tape, 5 m Box customised with the HEXIS logo



## APPLICATION ROLLER



### PRODUCT CODE

### DESCRIPTION

**GANTSCOV**

Thin gloves specially designed for applying full wraps  
Sold in pairs, one size

N



**SHAGGLOVE**

Wrapping gloves with improved sliding properties.  
Available in 2 sizes S and M.  
Pack of 2 gloves

## DOUBLE-SIDED



### PRODUCT CODE

### DESCRIPTION

**DOUBLEF25**

Standard double-sided tape for indoor use  
Size 25 mm x 50 lm



**DOUBLEF50**

Standard double-sided tape for indoor use  
Size 50 mm x 50 lm

## MEDIA UNWINDER



### PRODUCT CODE

### DESCRIPTION

**UNWINDER**

Tabletop roll holder  
Makes unwinding, cutting and laminating graphics easier  
Dimensions: 1040 x 200 x 100 mm

## APPLICATION ROLLER



### PRODUCT CODE

### DESCRIPTION

**APPLIC15**

Rubber roller (15 cm wide) with wooden handle  
Perfect for applying graphics and letters

## ROLL HOLDER



PRODUCT  
CODE

**STOCKNROLL**

DESCRIPTION

Storage and transportation of up to 6 rolls



**1**

**COMPACT**  
60 cm  
diameter  
base



**4**

**MADE IN  
FRANCE**  
100% made in  
France



**2**

**SECURE**  
Patented roll  
storage/trans-  
portation system



**5**

**POWERFUL**  
increased productivity



**3**

**CLEAN**  
Slightly elevated  
platform



**6**

**PRACTICAL**  
Identification space on  
the trolley



## SCRAPERS



### CARSCRAPER

Set including a scraper and 25 blades



### SCRUBFLOOR

Floor and window scraper



### SCRUBBLADE

Replacement blades for SCRUBFLOOR



### GRATLAM100

Retractable metal scraper for LAME100



### LAME100

Replacement blades for GRATLAM100  
Sold in packs of 100



### GRATTOIR








Soft scraper





### GRATTOIR10

10 soft scrapers


## CLEANING BLADES

	PRODUCT CODE	DESCRIPTION
	<b>POIGNVITR</b>	Handle for cleaning blade, compatible with LAMEVITR15, LAMEVITR30, LAMEVITRE and MAXBLUE / SHAGMITCH
	<b>MAXHANDLE</b>	Handle for MAXBLUE / SHAGMITCH
	<b>HANDLE</b>	Handle for SHAGPAM / SHAGPINK / SHAGMITCH
	<b>LAMEVITR15</b>	15-cm cleaning blade blade for POIGNVITR
	<b>LAMEVITR30</b>	30-cm cleaning blade blade for POIGNVITR
	<b>LAMEVITRE</b>	20-cm cleaning blade blade for POIGNVITR
	<b>TOCLEAN</b>	Squeegee for cleaning of tear-off film 3333 SHIELD and 4444 RACING

## VINYL ZAPPER

	PRODUCT CODE	DESCRIPTION
	<b>MBX</b>	Electric sander with rubber wheel This tool makes it quick and easy to remove old vinyls and adhesive
	<b>WHEEL</b>	Wheel for Vinyl Zapper Sold individually

## SWATCHBOOKS



PRODUCT CODE	DESCRIPTION
<b>PANTONE20</b>	Swatchbook PANTONE COLOR BRIDGE COATED
<b>RAL</b>	Swatchbook RAL K7

## • TOOLS FOR ROLLS

### ROLL COLLARS AND HEX'NOTE



PRODUCT CODE	DESCRIPTION
<b>DSERBORG M</b>	Roll collar, large, red For clipping onto open digital printing or plotter film rolls Sold in packs of 50
<b>DSERBORG PM</b>	Roll collar, small, red For clipping onto open digital printing or plotter film rolls Sold in packs of 50
<b>HEX'NOTE</b>	Roll identification tabs For inserting into roll cores when stored vertically in order to identify them. Sold in packs of 10

## CUTTING PLOTTER BLADES



PRODUCT CODE	DESCRIPTION
<b>ROLAND CAMM1</b>	Blade angle 45°
<b>GRAPHTEC</b>	Blade angle 30°
<b>MIMAKI / SUMMAGRAPHIC (REF 3D)</b>	Blade angle 45°

## CUTTERS



PRODUCT CODE	DESCRIPTION
<b>CUTSOFT</b>	Cutter with adjustable pressure on the blade
<b>BLADESOFT</b>	Blades for CUTSOFT
<b>CUTOLFA25</b>	OLFA® cutter with 25-mm blade
<b>LAMOLFA25</b>	Refill: 5 x 25 mm steel blades for CUTOLFA25
<b>CUTVITRE</b>	OLFA® cutter with retractable blade Sold with 1 blade



## CUTTERS



**PRODUCT  
CODE**

**DESCRIPTION**

**CUTOLFA30**

OLFA® 30° cutter



**CUTLAME**

Refill: 25-mm steel blades for CUTVITRE, pack of 50



**LAMOLFA30**

Refill: OLFA® blades for SHAGNIFE, pack of 10




**LAMOLFAS10**

Refill: Silver OLFA® blades for SHAGNIFE, pack of 10



**LAMOLFAS50**

Refill: Silver OLFA® blades for SHAGNIFE, pack of 50



**LAMOLFAXBL**

Refill: Excel Black OLFA® blades for SHAGNIFE, pack of 50



**BLADECAN\***

Blade breaker and box for used cutter blades  
To be replaced later in 2023 by SHAGTRASH



**GUIDEDCUT**

Cutter with cutting guide



**GCBLADE**

Blades for GUIDEDCUT

\* Available while stocks last

## CUTTERS



### PRODUCT CODE

**CUTVINYLXL**

### DESCRIPTION

Tool for slitting the liner  
Long handle



**CUTSHOES**

Blade guard for CUTVINYLXL



**CUTBLADE**

10 replacement blades for CUTVINYLXL



**STRONGCUT**

Electric cutter for cutting 3333SHIELD and 4444RACING films

\* Available while stocks last

## MISCELLANEOUS



### PRODUCT CODE

**CURVCUTTER**

### DESCRIPTION

Cutting pliers for rounding angles



**CURVPADS**

Protective pads for CURVCUTTER  
Sold in packs of 5



**CURVBLADE**

Replacement blade for CURVCUTTER



**MAT**

Anti-slip cutting mat, resistant to tools like cutters and scalpels  
Mat sold without cutter  
Dimensions 90 x 62 cm




## RULERS



PRODUCT CODE	DESCRIPTION
<b>REGLET30</b>	Metal ruler 30 cm
<b>REGLET50</b>	Metal ruler 50 cm
<b>REGLET100</b>	Metal ruler 100 cm

## SAFETY RULERS



PRODUCT CODE	DESCRIPTION
<b>SAFERUL050</b>	Safety ruler with ergonomic rail, 50 cm
<b>SAFERUL100</b>	Safety ruler with ergonomic rail, 100 cm
<b>SAFERUL150</b>	Safety ruler with ergonomic rail, 150 cm

## TWEEZERS & WEEDING HOOKS



### HEXCROCH

Application finishing hook  
Ideal for getting into hard-to-reach areas



### TWEEZ

Standard weeding tweezers  
For use with DAO or IMN vinyls, FLEX and other products that need to be weeded  
Unbranded product, no Hexis logo



### FLATTWEEZ

Round-tipped tweezers  
Used for applying or removing full wraps  
The round tips make it possible to handle the film without any risk of scratching it  
Unbranded product, no HEXIS logo




### WEEDER3

Weeding hook  
Makes weeding vinyl easy

\* Available while stocks last








## MISCELLANEOUS



PRODUCT CODE	DESCRIPTION
<b>MANCHETTE3</b>	Leather wristband Tool holder
<b>PISTHERMIQ*</b>	Heat gun
<b>PISTLASER3</b>	Laser thermometer
<b>AIMANT2</b>	Magnet for easily positioning graphics on car bodies Sold individually
<b>AIMANTXL</b>	XL magnet for positioning graphics on car bodies Sold individually
<b>COVSEAT4</b>	Castor stool with wheels
<b>STRIKERSET</b>	Staple remover kit for standard vehicles
<b>RIVETBRUSH</b>	Application tool for riveted surfaces
<b>ROLLCOV</b>	Application roller
<b>ROLLRIV</b>	Application roller for application over rivets












\* Available while stocks last

## MISCELLANEOUS











	PRODUCT CODE	DESCRIPTION
	<b>TIRODECO</b>	Thin positioning tape for cutting Size 6 mm x 33 lm
	<b>SHAGLINE</b>	Knifeless cutting wire for use with SKINTAC
	<b>BODYLINE</b>	Knifeless cutting wire for use with BODYFENCE and solar films
	<b>GANTSCOV</b>	Thin gloves specially designed for applying full wraps Sold in pairs. One size
	<b>SHAGGLOVE</b>	Wrapping gloves with improved sliding properties. Available in 2 sizes S and M. Pack of 2 gloves
	<b>STEAMERSC3</b>	High capacity high pressure steam cleaner

\* Available while stocks last

## MISCELLANEOUS








	PRODUCT CODE	DESCRIPTION
	<b>BERLAP</b>	White squeegee for applying solar films on rear windows of vehicles
	<b>DASHTOWEL</b>	Dashboard cover for installing windows of vehicles
	<b>SHAGMAMBA</b>	Absorbent cord for installing windows of vehicles
	<b>GRATLAM100</b>	Retractable metal scraper for LAME100
	<b>LAME100</b>	Replacement blades for GRATLAM100 Sold in packs of 100
	<b>GRATTOIR</b>	Soft scraper
	<b>GRATTOIR10</b>	10 soft scrapers
	<b>BODYLINE</b>	Knifeless cutting wire for use with BODYFENCE and solar films
	<b>PIADZGREY</b>	Application squeegee Hard finish
	<b>PIADZROUGE</b>	Application squeegee Medium finish
	<b>PORTECOV</b>	Protection for vehicle interiors while applying solar films

\* Available while stocks last

MISCELLANEOUS	PRODUCT CODE	DESCRIPTION
	<b>POIGNVITR</b>	Handle for cleaning blade, compatible with LAMEVITR15, LAMEVITR30, LAMEVITR and MAXBLUE
	<b>LAMEVITR15</b>	15-cm cleaning blade for POIGNVITR
	<b>MAXHANDLE</b>	Handle for MAXBLUE
	<b>MAXBLUE*</b>	Very soft Teflon® squeegee for applying solar films. For use with MAXHANDLE and POIGNVITR.
	<b>SHAGMITCH</b>	Soft squeegee for applying solar films For use with MAXHANDLE and POIGNVITR. AVAILABLE LATER IN 2023
	<b>MARBLEU</b>	Soft squeegee
	<b>MARBLEUF</b>	Soft squeegee with red felt
	<b>MAROR</b>	Medium squeegee
	<b>MARNOIR</b>	Hard squeegee
	<b>MARVITRE</b>	Standard squeegee for windows

\* Available while stocks last



FASTENING & HANGING SYSTEM	PRODUCT CODE	DESCRIPTION
	<b>KITPRESSE</b>	Manual eyelet press Kit contains: - 1 manual press - 1 crimping set, 10 mm - 1 lot of 1000 eyelets, 10 mm - 1 elastic cord - 1 carrying case
	<b>HARDEYELET</b>	Alternative to metal eyelets and/or plastic reinforcement for eyelet contours Sold in boxes of 100
	<b>OEILLET10L</b>	Pack of 1000 brass eyelets Ø 10 mm
	<b>OEILLET10N</b>	Pack of 1000 nickel eyelets Ø 10 mm
	<b>JEUSERT10</b>	Crimping set, 10 mm Sold individually
	<b>OEILLET12L</b>	Pack of 500 brass eyelets Ø 12 mm
	<b>OEILLET12N</b>	Pack of 500 nickel eyelets Ø 12 mm

**FASTENING &  
HANGING SYSTEM**



**JEUSERT12**

Crimping set, 12 mm  
Sold individually



**OEILLET15L**

Pack of 250 brass eyelets  
Ø 15 mm



**OEILLET15N**

Pack of 250 nickel eyelets  
Ø 15 mm



**JEUSERT15**

Crimping set, 15 mm  
Sold individually



**STRONGBAN3**

Strong double-sided adhesive tape for banner hems  
Size 25 mm x 50 lm



**DRISSE**

Rope, diameter 6 mm  
Sold by linear meter, length upon request



**SANDOW**

Sandow stretch rope, diameter 8 mm  
Sold by linear meter, length upon request

**BEFORE  
APPLICATION**



**SHAGREMOV**

SHAGREMOV is an active, high-performance foam for eliminating traces of adhesive, insects and other residue.

1 l

5 l

20 l



**SHAGCLEAN**

SHAGCLEAN is designed for final cleaning before a full wrap application. Its formulation ensures fast drying and reduces the number of times the microfibre cloth needs to be wiped across the surface.

1 l

5 l

20 l



**MFKIT**

This pack of microfibre cloths helps remove contaminants from wrapped surfaces without leaving any traces and without any risk of scratching; also avoids mixing products during the cleaning process. Dimensions 40 x 40 cm



**PAINTRUB**

For decontamination of substrates  
Always use with an aqueous solution

**DURING  
APPLICATION**



**PRODUCT  
CODE**

**DESCRIPTION**

**CANTAP**

Tap-cap for 5-litre can.  
Not compatible with SHAGCLEA5L and SHAGREMOV5L



**EASYPOSE2L**

Fluid facilitating the application of adhesive products by reducing their tack  
Ideal for applying CRISTAL and etched glass films  
Do not use with HX products or solar films



**EASYPOSE5L**

Fluid facilitating the application of adhesive products by reducing their tack  
Ideal for applying CRISTAL and etched glass films  
Do not use with HX products or solar films



**HEXISO2L**

Mild degreaser



**HEXISO5L**

Mild degreaser



**MAGICSPRAY**

For easier application of vinyl without scratching  
Capacity 500 ml



**HEXISGEL1L**

For easier application of adhesive products  
(BODYFENCE, V202CG1, CRISTAL, PURE ZONE®, etc.)



**HEXISGEL5L**

For easier application of adhesive products (such as BODYFENCE, V202CG1, CRISTAL, PURE ZONE®, etc.)

## CLEANING FLUIDS

N



PRODUCT CODE	DESCRIPTION
<b>SHAMPCARV2</b>	ProTech® concentrated car shampoo is specially formulated to remove static charges and restore lustre to the paintwork. It can be applied on any paintwork and does not leave any traces. Capacity 500 ml
<b>MATCLEAN</b>	ProTech® MATCLEAN cleaner is specially formulated for vehicles wrapped with matt films. It cleans, protects and mattifies the wrapped surface. Capacity 500 ml

## FOR BODYFENCE FILMS (GLOSS)

**B** BODYFENCE  
PAINT PROTECTION FILM



### BODYFINISH

Kit for preserving and optimising the properties of BODYFENCE  
Kit contains:

- Kit 1 BODYRELOAD (cleaning fluid)
- 1 BODYSHINE (polishing cream)



### BODYRELOAD

CLEANING FLUID  
FOR BODYFENCE FILMS



### BODYSHINE

polishing cream  
for BODYFENCE films



## CLEANING FLUIDS



### FOR SKINTAC FILMS (GLOSS)



#### SHAGFINISH

Complete maintenance kit for SKINTAC films consisting of:

- Kit 1 SHAGRELOAD (cleaning fluid)
- 1 SHAGSHINE (polishing cream)



#### SHAGRELOAD

CLEANING FLUID FOR SKINTAC FILMS



#### SHAGSHINE

polishing cream for SKINTAC films

## SPECIAL FLUIDS



#### PRODUCT CODE

HEXAG

#### DESCRIPTION

Product for removing graffiti from anti-graffiti films. Can also be used to soften the majority of HEXIS films (except PET films) for easier removal. 5-litre canister

## MULTIPURPOSE FLUIDS



#### PRODUCT CODE

SHAGREMOV

#### DESCRIPTION

SHAGREMOV is an active, high-performance foam for eliminating traces of adhesive, insects and other residue.

1 l

5 l

20 l

#### PRODUCT CODE

ANTISTATIC

#### DESCRIPTION

Antistatic copper braid

N



## PROMOTIONAL ROLL-UPS

### ROLLDOUBLE

**ROLLDOUBLE** has a double mast allowing front and back display.

PRODUCT CODE	DIMENSIONS		WEIGHT
	DISPLAY	GRAPHICS	
<b>ROLLDOUBLE</b>	85 x 200 cm	850 x 2200 mm	5.4 kg

### RECOMMENDED PRINTABLE MEDIA

<b>JT300M1</b>	SEE PAGE 107
<b>FRONT5M1</b>	SEE PAGE 106
<b>POP190ECOS</b>	SEE PAGE 111
<b>POP200ECOS</b>	SEE PAGE 111
<b>POPPRIMO</b>	SEE PAGE 106

## PROMOTIONAL ROLL-UPS

### ROLLFIRST, ROLLSHOW85 & ROLLSHOW10


ROLLFIRST offers numerous benefits: reliability, simplicity, lightness, quick and easy assembly.

ROLLFIRST, ROLLSHOW85 and ROLLSHOW10 are sold with a carry bag.

PRODUCT CODE	DIMENSIONS		WEIGHT
	DISPLAY	GRAPHICS	
<b>ROLLFIRST</b>	85 x 200 cm	850 x 2200 mm	2 kg
<b>ROLLSHOW85</b>	85 x 200 cm	850 x 2200 mm	2 kg
<b>ROLLSHOW10</b>	100 x 200cm	1000 x 2200 mm	2.5 kg

### RECOMMENDED PRINTABLE MEDIA

<b>JT300M1</b>	SEE PAGE 107
<b>FRONT5M1</b>	SEE PAGE 106
<b>POP190ECOS</b>	SEE PAGE 111
<b>POP200ECOS</b>	SEE PAGE 111
<b>POPPRIMO</b>	SEE PAGE 106



## PROMOTIONAL DISPLAYS

### PREMIO & PREMIO XL

**PREMIO** is a self-supporting display with a lightweight structure.

The graphics are attached by 4 eyelets (minimum diameter 10 mm).

Two sizes are available:  
60 x 160 (PREMIO) and 80 x 200 cm (PREMIO XL).  
PREMIO and PREMIO XL are sold with a carry bag.

PRODUCT CODE	DIMENSIONS		WEIGHT
	DISPLAY	GRAPHICS	
<b>PREMIO</b>	60 x 160 cm	600 x 1600 mm	0.980 kg
<b>PREMIOXL</b>	80 x 200 cm	800 x 2000 mm	0.980 kg



### RECOMMENDED PRINTABLE MEDIA

<b>JT300M1</b>	SEE PAGE 107
<b>FRONTM1EV2</b>	SEE PAGE 106
<b>FRONT5M1</b>	SEE PAGE 106
<b>FRONT2</b>	SEE PAGE 106
<b>FRONT2V2B</b>	SEE PAGE 106
<b>FRONT2V2M</b>	SEE PAGE 106
<b>FRONT3V2</b>	SEE PAGE 106



- 1 **ROLLECO100**  
HEXIS SAS  
FRANCE
- 2 **ROLLPRIMO**  
AVIS COMMUNICATION

## CURVED STAND S3X3

### SC3X3C\* & SC3X3H\*

This curved magnetic folding stand can be deployed quickly and easily. Supplied with hangers and kickers that are attached by hooks. The stand comes with 18 vertical bars, 5 hangers (673 mm), 3 kickers (673 mm) and a 30-m roll of magnetic tape. Spotlights are available as an optional accessory.

> CONTAINER version: the stand is stored in a wheeled container allowing you to organise and protect your graphics.

> BAG version: the stand is stored in a carry bag.


### RECOMMENDED PRINTABLE MEDIA

POPNC400

SEE PAGE 111

POP310ECOS

SEE PAGE 111



PRODUCT CODE	ACCESSORY	DESCRIPTION
SC3X3SPMAR*	New version	Kit comprising hangers and kickers for the back + magnetic tape
TOPDESK*		Wooden top that fixes onto the container to transform it into a desk
SPOT*		150 W halogen spotlights for folding stands (sold in pairs in a bag)
STDC3X3SPM*	Old Version	Kit comprising hangers and kickers for the front
STDC3X3AR*		Kit comprising hangers and kickers for the back

\* Available while stocks last

## FAN DECKS



PRODUCT CODE	DESCRIPTION
<b>HX20HX30 N2NUANCIEREVE</b>	SKINTAC HX30000 & HX20000 High-performance cast PVC film with Hex'Press technology (Includes a transparent page – the best way to visualise a film applied on a car or a piece of furniture)
<b>HX45V1 N2NUANCIEREVE*</b>	SKINTAC HX45000 High-performance cast PVC film with Hex'Press technology (Includes a transparent page – the best way to visualise a film applied on a car or a piece of furniture)
<b>KG8V1 N2NUANCIEREVE</b>	SMARTAC KG8000 High-performance cast PVC film
<b>A5000EVO N2NUANCIEREVE</b>	SMARTAC EVOLUTION A5000 High-performance PVC-free cast film
<b>POLY5000 N2NUANCIEREVE</b>	SUPTAC S5000/SUPTAC HXS5000/TRANSLUCIDE T5000 High-performance polymeric film
<b>E3000M2000 N2NUANCIEREVE</b>	ECOTAC PLUS E3000+ /MICROTAC Intermediate monomeric film
<b>TEXIS N2NUANCIEREVE</b>	Plotter and printing films for textile decoration
<b>FPSBATV3 N2NUANCIEREVE</b>	Building films
<b>DECO N2NUANCIEREVE</b>	Hex'perience decoration and pattern films

\* Available while stocks last



## A4 SWATCHBOOKS



PRODUCT CODE	DESCRIPTION
<b>HX20HX30 N2NUANCIERA4</b>	SKINTAC HX30000 & HX20000 High-performance cast PVC film with Hex'Press technology
<b>HX45V1 N2NUANCIERA4*</b>	SKINTAC HX45000 High-performance cast PVC film with Hex'Press technology
<b>KG8 N2NUANCIERA4</b>	SMARTAC KG8000 High-performance cast PVC film
<b>A5000EVO N2NUANCIERA4</b>	SMARTAC EVOLUTION A5000 High-performance cast PVC film
<b>POLY5000 N2NUANCIERA4</b>	SUPTAC S5000/SUPTAC HXS5000/ TRANSLUCIDE T5000 High-performance polymeric film
<b>E3000M2000 N2NUANCIERA4</b>	ECOTAC PLUS E3000+/MICROTAC M2000 Intermediate monomeric film
<b>SPVITRES N2NUANCIERA4</b>	LUXTAC Films for windows
<b>FPSBAT N2NUANCIERA4</b>	Building films
<b>FPSAUTO N2NUANCIERA4</b>	Automotive films
<b>SPRETRO N2NUANCIERA4</b>	SPECIALITIES (including reflective) Fluo - polyester - reflective - masking film Whiteboard - blackboard
<b>SPECIAL N2NUANCIERA4</b>	SPECIALITIES (excluding reflective) Fluo - polyester - masking film Whiteboard - blackboard

\* Available while stocks last

## • RING BINDER

### A5 RING BINDER HX20000/ HX30000



PRODUCT CODE	DESCRIPTION
<b>DAOCASTHX N2NUANCIERCLAS</b>	A5 Ring Binder HX20000/ HX30000

\* Available while stocks last

## • SAMPLE KIT

### A5 SAMPLE KIT NEW PRODUCTS



PRODUCT CODE	DESCRIPTION
<b>ECHANTILLON ECHA4A5P2*</b>	A5 sample kit new products

\* Available while stocks last

## • BROCHURES

### HX45000 CATALOGUE



PRODUCT CODE	DESCRIPTION
<b>HX45FR N2CATALOGUE*</b>	Catalogue FR HX45000
<b>HX45EN N2CATALOGUE*</b>	Catalogue EN HX45000

\* Available while stocks last

## 2023 CATALOGUE



PRODUCT CODE	DESCRIPTION
<b>CATAFR2023 N2CATALOGUE</b>	2023 Catalogue France
<b>CATAEXFR2023 N2CATALOGUE</b>	2023 International Catalogue French
<b>CATAEX2023 N2CATALOGUE</b>	2023 International Catalogue English
<b>CATADE2023 N2CATALOGUE</b>	2023 Catalogue Germany
<b>CATAIT2023 N2CATALOGUE</b>	2023 Catalogue Italy
<b>CATAES2023 N2CATALOGUE</b>	2023 Catalogue Spain
<b>CATASW2023 N2CATALOGUE</b>	2023 Catalogue Sweden
<b>CATADA2023 N2CATALOGUE</b>	2023 Catalogue Denmark

## A4 SWATCHBOOKS



PRODUCT CODE	DESCRIPTION
<b>PUREZONEFR DOCUMENT</b>	Pure Zone Brochure FR
<b>PUREZONEEN DOCUMENT</b>	Pure Zone Brochure EN
<b>PUREZONEDE DOCUMENT</b>	Pure Zone Brochure DE *
<b>PUREZONEIT DOCUMENT</b>	Pure Zone Brochure IT *
<b>PUREZONEES DOCUMENT</b>	Pure Zone Brochure ES *
<b>PUREZONESE DOCUMENT</b>	Pure Zone Brochure SE *

\* On special request

## SHAG TOOLS CATALOGUE



PRODUCT CODE	DESCRIPTION
<b>SHAGFR2019 N2CATALOGUE*</b>	SHAG CATALOGUE FR
<b>SHAGEN2019 N2CATALOGUE*</b>	SHAG CATALOGUE EN

\* Available while stocks last

## BOAT WRAPS CATALOGUE



PRODUCT CODE	DESCRIPTION
<b>BOATFR N2CATALOGUE</b>	Boat wraps catalogue FR
<b>BOATEN N2CATALOGUE</b>	Boat wraps catalogue EN
<b>BOATDE N2CATALOGUE</b>	Boat wraps catalogue DE*
<b>BOATIT N2CATALOGUE</b>	Boat wraps catalogue IT*
<b>BOATES N2CATALOGUE</b>	Boat wraps catalogue ES*

\* On special request

## INTERIOR DECORATION CATALOGUE



PRODUCT CODE	DESCRIPTION
<b>DECOFR02 N2CATALOGUE</b>	Decoration catalogue FR
<b>DECOEN02 N2CATALOGUE</b>	Decoration catalogue EN
<b>DECODE02 N2CATALOGUE</b>	Decoration catalogue DE*
<b>DECOIT02 N2CATALOGUE</b>	Decoration catalogue IT*
<b>DECOES02 N2CATALOGUE</b>	Decoration catalogue ES*

\* On special request

## REARVIEW MIRROR HANGER WRAPS



PRODUCT CODE	DESCRIPTION
<b>DRETROWRFR GOODIES</b>	Rearview mirror hanger wraps FR
<b>DRETROWREN GOODIES</b>	Rearview mirror hanger wraps EN

## REARVIEW MIRROR HANGER SOLAR FILMS



PRODUCT CODE	DESCRIPTION
<b>DACRETRO GOODIES*</b>	Rearview mirror hanger Solar films

\* On special request

## BODYFENCEX PRESENTATION KIT



PRODUCT CODE	DESCRIPTION
<b>BODYKITXFR DOC-KIT BODYFENCE</b>	Presentation kit FR
<b>BODYKITXEN DOC-KIT BODYFENCE</b>	Presentation kit EN
<b>BODYKITXDE DOC-KIT BODYFENCE</b>	Presentation kit DE*
<b>BODYKITXES DOC-KIT BODYFENCE</b>	Presentation kit ES*
<b>BODYKITXIT DOC-KIT BODYFENCE</b>	Presentation kit IT*
<b>BODYKITXSE DOC-KIT BODYFENCE</b>	Presentation kit SE*

\* On special request



## BODYFENCEX SAMPLE HOLDER



PRODUCT CODE	DESCRIPTION
<b>BODYFPORTX DOCUMENT</b>	Sample holder + samples A4 BODYFENCEX , BODYFENCEP
<b>BODYFPORTE DOCUMENT</b>	Sample holder + samples A4 BODYFENCE , BODYFENCEM

## BODYFENCEX FLAP POCKET



PRODUCT CODE	DESCRIPTION
<b>BODYFPOCHX DOCUMENT</b>	Flap pocket

## BODYFENCEX BROCHURE



PRODUCT CODE	DESCRIPTION
<b>BODYFBRXFR DOCUMENT BODYFENCEX</b>	BODYFENCEX brochure FR
<b>BODYFBRXOEN DOCUMENT BODYFENCEX</b>	BODYFENCEX brochure EN
<b>BODYFBRXDE DOCUMENT BODYFENCEX</b>	BODYFENCEX brochure DE*
<b>BODYFBRXES DOCUMENT BODYFENCEX</b>	BODYFENCEX brochure ES*
<b>BODYFBRXIT DOCUMENT BODYFENCEX</b>	BODYFENCEX Brochure IT*
<b>BODYFBRXSE DOCUMENT BODYFENCEX</b>	BODYFENCEX brochure SE*

\* On special request

## BODYFENCE REARVIEW MIRROR HANGER



PRODUCT CODE	DESCRIPTION
<b>ACRETBODEN GOODIES</b>	Rearview mirror hanger Bodyfence EN

## KIT THE190EVO



PRODUCT CODE	DESCRIPTION
<b>THE190AUS DOC-KIT</b>	THE190 presentation kit AUS*
<b>THE190DE DOC-KIT</b>	THE190 presentation kit DE*
<b>THE190EN DOC-KIT</b>	THE190 presentation kit EN
<b>THE190ES DOC-KIT</b>	THE190 presentation kit ES*
<b>THE190FR DOC-KIT</b>	THE190 presentation kit FR
<b>THE190FWI DOC-KIT</b>	THE190 presentation kit FWI*
<b>THE190IT DOC-KIT</b>	THE190 presentation kit IT*
<b>THE190SE DOC-KIT</b>	THE190 presentation kit SE*
<b>THE190US DOC-KIT</b>	THE190 presentation kit US*

\* On special request

## KIT THE200EVO



PRODUCT CODE	DESCRIPTION
<b>THE200AUS DOC-KIT</b>	THE200 presentation kit AUS*
<b>THE200DE DOC-KIT</b>	THE200 presentation kit DE*
<b>THE200EN DOC-KIT</b>	THE200 presentation kit EN
<b>THE200ES DOC-KIT</b>	THE200 presentation kit ES*
<b>THE200FR DOC-KIT</b>	THE200 presentation kit FR
<b>THE200FWI DOC-KIT</b>	THE200 presentation kit FWI*
<b>THE200IT DOC-KIT</b>	THE200 presentation kit IT*
<b>THE200SE DOC-KIT</b>	THE200 presentation kit SE*

\* On special request

## • DOCUMENTATION

### TUBE THE190EVO



### A1 POSTER DIGITAL PRINTING RANGE



### KIT SKYTINT



PRODUCT CODE	DESCRIPTION
<b>TUBETHE190 DOC-KIT</b>	THE190EVO sample in a printed tube

PRODUCT CODE	DESCRIPTION
<b>PIMNA1FR DOCUMENT</b>	Poster FR
<b>PIMNA1EN DOCUMENT</b>	Poster EN
<b>PIMNA1DE DOCUMENT</b>	Poster DE*
<b>PIMNA1IT DOCUMENT</b>	Poster IT*
<b>PIMNA1ES DOCUMENT</b>	Poster ES*
<b>PIMNA1SE DOCUMENT</b>	Poster SE*

\* On special request

RÉFÉRENCE	DESCRIPTION
<b>DOC-KIT / SKYTTKITFR</b>	Presentation kit FR
<b>DOC-KIT / SKYTTKITEN</b>	Presentation kit FR
<b>DOC-KIT / SKYTTKITDE*</b>	Presentation kit DE
<b>DOC-KIT / SKYTTKITIT*</b>	Presentation kit IT
<b>DOC-KIT / SKYTTKITES*</b>	Presentation kit ES
<b>DOC-KIT / SKYTTKITSE*</b>	Presentation kit SE

## • PROMOTIONAL ITEMS

### TRANSLUCENT PEN



### CRITERIUM PENCIL



PRODUCT CODE	DESCRIPTION
<b>BSTYLO GOODIES</b>	Senator pen red

PRODUCT CODE	DESCRIPTION
<b>BCRITERIUM GOODIES</b>	CRITERIUM Pencil

## CUTTER



PRODUCT CODE	DESCRIPTION
BCUTTERABS GOODIES	ABS cutter

## LANYARD



PRODUCT CODE	DESCRIPTION
VTOURDECOU GOODIES	HEXIS lanyard

## HEXIS GRAPHICS NOTEPAD



PRODUCT CODE	DESCRIPTION
BBLOCA4HG GOODIES	HEXIS Graphics A4 notepad
BBLOCA5HG GOODIES	HEXIS Graphics A5 notepad

## PROMOTIONAL ITEMS

### HEXIS GRAPHICS NOTEBOOK WITH PEN



#### PRODUCT CODE

**CARNETFR GOODIES**

#### DESCRIPTION

Notepad  
10 x 15 cm

### REPOSITIONABLE NOTEPAD




#### PRODUCT CODE

**BSTICKY GOODIES**

#### DESCRIPTION

Notepad  
101 x 75 mm

### HEXIS FOLDER



#### PRODUCT CODE

**DPOCHETTE2 GOODIES**

#### DESCRIPTION

HEXIS folder with extra space

**POCHA5 GOODIES**

Empty A5 HEXIS folder

**DPOCHETTE GOODIES**

Standard HEXIS folder

### HEXIS BAG



#### PRODUCT CODE

**CSACALON2 GOODIES**

#### DESCRIPTION

Polypropylene bag



## RING BINDER



PRODUCT CODE	DESCRIPTION
CCLASSEUR2 GOODIES	A4 RING BINDER

## MINI T-SHIRT FOR FLEX DEMOS



PRODUCT CODE	DESCRIPTION
MTSHFLEXBL N2ECHANT	Mini T-shirt white
MTSHFLEXJA N2ECHANT	Mini T-shirt yellow
MTSHFLEXNO N2ECHANT	Mini T-shirt black
MTSHFLEXRO N2ECHANT	Mini T-shirt red
MTSHFLEXBE N2ECHANT	Mini T-shirt blue
MTSHFLEXVE N2ECHANT	Mini T-shirt green

## ILLUMINATED SIGN



PRODUCT CODE	DESCRIPTION
BODYSIGN GOODIES	BODYFENCE illuminated sign

## PRESENTATION HOOD



PRODUCT CODE	DESCRIPTION
BODYHOODX GOODIES	BODYFENCE presentation hood

## MAT



PRODUCT CODE	DESCRIPTION
BODYCARPET GOODIES	Tapis BODYFENCE
SKYCARPET GOODIES	Tapis SKYTINT

## LONG-SLEEVE SHIRT WHITE MEN



PRODUCT CODE	DESCRIPTION
<b>VCHHSUPS GOODIES</b>	Men's shirt white S
<b>VCHHSUPM GOODIES</b>	Men's shirt white M
<b>VCHHSUPL GOODIES</b>	Men's shirt white L
<b>VCHHSUPXL GOODIES</b>	Men's shirt white XL
<b>VCHHSUP2XL GOODIES</b>	Men's shirt white XXL

## WHITE POLO SHIRT MEN



PRODUCT CODE	DESCRIPTION
<b>VPOHSUPS GOODIES</b>	Men's polo shirt white S
<b>VPOHSUPM GOODIES</b>	Men's polo shirt white M
<b>VPOHSUPL GOODIES</b>	Men's polo shirt white L
<b>VPOHSUPXL GOODIES</b>	Men's polo shirt white XL
<b>VPOHSUP2XL GOODIES</b>	Men's polo shirt white XXL
<b>VPOHSUP3XL GOODIES</b>	Men's polo shirt white XXXL



## LONG-SLEEVE BLOUSE WHITE WOMEN



PRODUCT CODE	DESCRIPTION
VCHFSUPS GOODIES	Women's blouse white S
VCHFSUPM GOODIES	Women's blouse white M
VCHFSUPL GOODIES	Women's blouse white L
VCHFSUPXL GOODIES	Women's blouse white XL
VCHFSUP2XL GOODIES	Women's blouse white 2XL

## WHITE POLO SHIRT WOMEN



PRODUCT CODE	DESCRIPTION
VPOFSUPXS GOODIES	Women's polo shirt white XS
VPOFSUPS GOODIES	Women's polo shirt white S
VPOFSUPL GOODIES	Women's polo shirt white L
VPOFSUPM GOODIES	Women's polo shirt white M
VPOFSUPL GOODIES	Women's polo shirt white XL
VPOFSUPXL GOODIES	Women's polo shirt white 2XL

## CORPORATE DOWN JACKET




PRODUCT CODE	DESCRIPTION
VKHCOATXS GOODIES	Down jacket XS
VKHCOATS GOODIES	Down jacket S
VKHCOATM GOODIES	Down jacket M
VKHCOATL GOODIES	Down Jacket L
VKHCOATS GOODIES	Down jacket XL
VKHCOAT2XL GOODIES	Down jacket 2XL
VKHCOAT3XL GOODIES	Down jacket 3XL



## SOFTSHELL JACKET



PRODUCT CODE	DESCRIPTION
VKHSOFTXS GOODIES	Softshell jacket XS
VKHSOFTS GOODIES	Softshell jacket S
VKHSOFTM GOODIES	Softshell jacket M
VKHSOFTL GOODIES	Softshell jacket L
VKHSOFTXL GOODIES	Softshell jacket XL
VKHSOFT2XL GOODIES	Softshell jacket 2XL
VKHSOFT3XL GOODIES	Softshell jacket 3XL



## HOODIE



PRODUCT CODE	DESCRIPTION
VKHSWTCXS GOODIES	Sweater XS
VKHSWTCS GOODIES	Sweater S
VKHSWTCM GOODIES	Sweater M
VKHSWTCL GOODIES	Sweater L
VKHSWTCXL GOODIES	Sweater XL
VKHSWTC2XL GOODIES	Sweater 2XL
VKHSWTC3XL GOODIES	Sweater 3XL



## HEXIS GRAPHICS SWEATER



PRODUCT CODE	DESCRIPTION
VKHSWTXS GOODIES	HEXIS Sweater XS
VKHSWTS GOODIES	HEXIS Sweater S
VKHSWTM GOODIES	HEXIS Sweater M
VKHSWTL GOODIES	HEXIS Sweater L
VKHSWTXL GOODIES	HEXIS Sweater XL
VKHSWT2XL GOODIES	HEXIS Sweater 2XL
VKHSWT3XL GOODIES	HEXIS Sweater 3XL








# HEXIS ENERGY



## HEXIS ENERGY DRINK














PRODUCT CODE		DESCRIPTION
	HGY1X24	HEXIS Star Energy x 24 Cans 🍷 STAR ENERGY 🍷
	HGYFE1X24	HEXIS The Classic x 24 Cans 🍷 STAR ENERGY 🍷
	6PET1L	PET HEXIS Full Energy 6 x 1 litre ⚡ FULL ENERGY ⚡

[www.hexis-energy.com](http://www.hexis-energy.com)



## SPECIAL PRICES FOR HEXIS CUSTOMERS

### GOODIES

PRODUCT CODE		DESCRIPTION
	<b>FRIGO20L</b>	Fridge 20L - 2 shelves
	<b>FRIGO70L</b>	Fridge 70L - 3 shelves
	<b>HGYSIGN</b>	Neon HEXIS ENERGY
	<b>STYLO</b>	Ball-point pen (50 units)
	<b>TAPISBAR</b>	Bar mat
	<b>BONNETBLANC*</b>	White tassel hat
	<b>BONNETNOIR</b>	Black hat
	<b>CASQROUGE</b>	HEXIS Energy cap - red
	<b>CASQROSE</b>	HEXIS Energy cap - pink
	<b>CASQVERTE</b>	HEXIS Energy cap - green
	<b>CASQNOIRE</b>	HEXIS Energy cap - black
	<b>CASQBLANCHE</b>	HEXIS Energy cap - white
	<b>TOURDECOU</b>	HEXIS Energy lanyard (25 units)
	<b>PORTECLE</b>	HEXIS Energy keyring (100 units)

\* Coming soon

[WWW.HEXIS-ENERGY.COM](http://WWW.HEXIS-ENERGY.COM)



@hexisenergydrink





WHO BETTER THAN **HEXIS**  
TO TRAIN YOU  
TO APPLY ADHESIVE FILMS?





# TRAINING CENTRE

CHOOSING **THE RIGHT COURSE** ..... 244

10 **GOOD REASONS TO CHOOSE HEXIS** ..... 245

**SIGNS** ..... 247

**FULL WRAPS** ..... 248 - 250

BODYFENCE **PAINT PROTECTION FILM** ..... 251 - 252

**INTERIOR DECORATION** ..... 253

**AUTOMOTIVE PROTECTION FILM** ..... 254 - 255

FILM FOR **WINDOW GRAPHICS** ..... 256

**RACING OPTICS** ..... 257

**PURE ZONE** ..... 258

**FLEX** ..... 259

**DIGITAL PRINTING** ..... 260 - 261

**HEX'PERT HEXIS PROGRAMME** ..... 262

HEXIS OFFERS **3 CERTIFICATIONS** ..... 263

BODYFENCE **CORNER** ..... 264 - 265

## COURSES CAN BE BOOKED INDEPENDENTLY

COURSE NAME	COURSE TYPE	COURSE DURATION
SIGNS	Basic	2 days
FULL WRAPS	Discovery	5 days
	Basic	3 days
	Advanced	2 days
	Basic	4 days
BODYFENCE	Advanced	2 days
	The world of HEXIS decoration	2 days
AUTOMOTIVE SOLAR PROTECTION FILMS	Basic	3 days
	Advanced	2 days
WINDOW GRAPHICS	Basic	2 days
RACING OPTICS	Basic	2 days
PURE ZONE	Basic	1 day
FLEX	Basic	1 day
DIGITAL PRINTING	Basic	1 day
	Advanced	2 days
PROGRAMMES HEXPERT	BODYFENCE HEX'PERT	1 day
	SIGN HEX'PERT	1 day
	Full Wrap HEX'PERT	1 day

## 2 COURSES BOOKED = -20% DISCOUNT\*

\* Offer available for all courses except FULL WRAPS DISCOVERY and HEX'PERT courses





# 10 GOOD REASONS TO CHOOSE



1

For **the quality of the courses**: the training provided in **HEXIS** Training Centres



2

For optimal learning conditions: small groups of maximum 4 people for a personalised follow-up



3

For **the tour of the production facility** at the end of the course, a unique immersive experience much appreciated by our trainees



4

For its satisfaction score: 3.80/4 is the average of the quality criteria\* evaluated by the trainees who came since 1 January 2022\*\*.



5

For the quality of his teaching: trainers rooted in a professional reality and educational tools adapted to facilitate learning



6

For the quality of the training sites and the reception: more than 250 m<sup>2</sup> allocated to training



7

For the scope of its services: Two training centres in France, in the south in Frontignan and in the north in Lille



8

For its commercial offer: for 2 training courses ordered, a 20% discount is applied



9

For its annual reach: over 430 days\*\*\* of training every year!



10

For its know-how: Who better than Hexis to train you to apply self-adhesive film?

\* Rated criteria: Working environment >> 3.81/4 | Training programme >> 3.80/4

| Training material >> 3.74/4 | Tools made available >> 3.79/4 | Welcome and Support >> 3.88/4

\*\*Survey carried out on trainees' on-the-spot evaluations between 01/01/2022 and 31/10/2022

\*\*\*Study conducted in 2022



**Qualiopi**   
processus certifié

 **RÉPUBLIQUE FRANÇAISE**

La certification Qualité a été délivrée au  
titre de la catégorie : **Actions de Formation**

## BASIC

### PUBLIC:

This course is recommended for any professional planning to work in the fields of sign-making and visual communications. It aims to teach the basic principles of self-adhesive films, how they should be handled and applied.

### PREREQUISITES:

None

### OBJECTIVES:

- Knowing the different types of self-adhesive films for signage
- Skill in the technique of applying self-adhesive films for signage

### TEACHING METHOD:

The teaching method will be active and participatory

### TEACHING MATERIAL:

Partition, board, window, vehicle

### MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

### DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

### INSTRUCTORS:

HEXIS training staff



#### DURATION

2 days  
i. e. 16 hours

#### NUMBER OF PARTICIPANTS

4

#### PROGRAMME

- PRESENTATION OF PARTICIPANTS AND THEIR EXPECTATIONS
- **KNOWLEDGE AND EVALUATION** OF DIFFERENT TYPES OF SELF-ADHESIVE FILMS
- INTRODUCTION TO INSTALLATION TOOLS AND ACCESSORIES
- **PREPARATION** OF THE SUBSTRAT
- **WEEDING** AND TRANSFER OF CUT LETTERS WITH TAPE
- **POSITIONING** THE SQUEEGEE
- WET AND DRY APPLICATION METHODS
- **APPLICATION TECHNIQUES** DEPENDING ON THE TYPE OF FILM
- **CUTTING TECHNIQUES** ON DIFFERENT SUBSTRATES (BOARDS, WINDOWS, VEHICLES)
- **FINISHING**
- **VISITE** OF THE PRODUCTION SITE
- END-OF-COURSE ASSESSMENT





## DISCOVERY

### PUBLIC:

Recommended for people who are new to or retraining in the adhesive film installation business and/or who are planning to set up a wrapping business

### PREREQUISITES:

None

### OBJECTIVES:

- Knowledge of the different types of self-adhesive films for full wraps
- Acquire the technique of applying self-adhesive films for full wraps

### TEACHING METHOD:

- The teaching method will be active and participatory.
- Use of tools suitable for the application of films for full wraps

### TEACHING MATERIAL:

Vehicles, commercial vehicle doors

### MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

### DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

### INSTRUCTORS:

HEXIS training staff



### DURATION

5 days  
i. e. 40 hours

### NUMBER OF PARTICIPANTS

4

### PROGRAMME

- PRESENTATION OF PARTICIPANTS AND THEIR EXPECTATIONS
- **KNOWLEDGE AND EVALUATION OF DIFFERENT TYPES OF SELF-ADHESIVE FILMS AND THEIR TECHNICAL FEATURES**
- **RECOMMENDATIONS FOR PREPARING A FULL WRAP**
- **PRESENTATION OF INSTALLATION TOOLS AND ACCESSORIES**
- **LEARNING** HOW TO USE THE SQUEEGEE / THE HEAT GUN
- **APPLICATION TECHNIQUES** ON CONCAVE AND CONVEX AREAS
- APPLICATION TECHNIQUES OF MICRO-PERFORATED FILM
- **CUTTING TECHNIQUES**
- **FINISHING**
- **VISIT OF THE PRODUCTION SITE**
- **END-OF-COURSE ASSESSMENT**



## BASIC

### PUBLIC:

Professionals wishing to learn wrapping techniques

### PREREQUISITES:

People with experience in the installation of self-adhesive film on flat surfaces

### OBJECTIVES:

- Knowledge of the different types of self-adhesive films for full wraps
- Acquire the techniques for the installation of self-adhesive films for full wraps

### TEACHING METHOD:

- The teaching method will be active and participatory.
- Use of tools suitable for the installation of wrapping films

### TEACHING MATERIAL:

Vehicles, commercial vehicle doors

### MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

### DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

### INSTRUCTORS:

HEXIS training staff

## INFORMATION



The training sessions are not intended for the purpose of carrying out a wrap.

The instructor will remove all films from the substrates at the end of the session.

At the end of the course, each participant will receive a certificate of attendance.



### DURATION

3 days  
i. e. 24 hours

### NUMBER OF PARTICIPANTS

4

## PROGRAMME

- **PRESENTATION** OF THE PARTICIPANTS AND THEIR EXPECTATIONS
- **KNOWLEDGE AND EVALUATION** OF DIFFERENT TYPES OF SELF-ADHESIVE FILMS AND THEIR TECHNICAL FEATURES
- **RECOMMENDATIONS** FOR PREPARING A FULL WRAP
- **PRESENTATION** OF INSTALLATION TOOLS AND ACCESSORIES
- **ASSESSMENT** OF THE PREREQUISITES
- **APPLICATION TECHNIQUES** ON CONCAVE AND CONVEX AREAS
- **APPLICATION TECHNIQUES** FOR MICROPERFORATED FILM
- **CUTTING TECHNIQUES**
- **FINISHING**
- **VISIT OF THE PRODUCTION SITE**
- **END-OF-COURSE ASSESSMENT**





## ADVANCED

### PUBLIC:

Professionals wishing to learn wrapping techniques

### PREREQUISITES:

People who have completed the WRAPPING BASIC or DISCOVERY course

### OBJECTIVES:

- Knowledge of the different types of self-adhesive films for full wraps
- Detailed expertise in the technique of applying self-adhesive wrapping films

### TEACHING METHOD:

- The teaching method will be active and participatory.
- Use of tools suitable for the installation of wrapping films

### TEACHING MATERIAL:

Vehicles, commercial vehicle doors

### MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

### DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

### INSTRUCTORS:

HEXIS training staff



### DURATION

2 days  
i. e. 16 hours

### NUMBER OF PARTICIPANTS

4

### PROGRAMME

- **PRESENTATION** OF THE PARTICIPANTS AND THEIR EXPECTATIONS
- **REVIEW AND EVALUATION** OF THE DIFFERENT TYPES OF SELF-ADHESIVE FILMS AND THEIR TECHNICAL FEATURES
- **PRESENTATION** OF INSTALLATION TOOLS AND ACCESSORIES
- **ASSESSMENT** OF THE PREREQUISITES
- **APPLICATION TECHNIQUES** ON COMPLEX CONCAVE AND CONVEX AREAS
- **TECHNIQUES** FOR THE HANDLING OF DEFORMATIONS
- **CUTTING TECHNIQUES**
- **FINISHING**
- **VISIT OF THE PRODUCTION SITE**
- **END-OF-COURSE ASSESSMENT**





## BASIC

### PUBLIC:

People wishing to learn the installation techniques of Bodyfence films

### PREREQUISITES:

None

### OBJECTIVES:

- Knowledge of the films in the Bodyfence range and their features
- Acquire the installation techniques for Bodyfence films

### TEACHING METHOD:

- The teaching method will be active and participatory
- Use of tools suitable for the installation of Bodyfence films

### TEACHING MATERIAL:

Alpine car, Porsche front...

### MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

### DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

### INSTRUCTORS:

HEXIS training staff

### DURATION

4 days  
i. e. 32 hours

### NUMBER OF PARTICIPANTS

4

## PROGRAMME

- **PRESENTATION** OF THE PARTICIPANTS AND THEIR EXPECTATIONS
- **PRESENTATION AND ASSESSMENT** DE LA GAMME DES PRODUITS BODYFENCE
- **RECOMMANDATIONS ET CONSEILS** SUR LA PRÉPARATION DU VÉHICULE
- **PRESENTATION OF INSTALLATION** TOOLS AND ACCESSORIES
- **APPLICATIONS TECHNIQUES** OF THE PRECUT BODYFENCE
- **APPLICATIONS TECHNIQUES** OF THE STRETCHED BODYFENCE
- **CUTTING TECHNIQUES**
- **FINISHING**
- **VISIT OF THE PRODUCTION SITE**
- **END-OF-COURSE ASSESSMENT**



# ● BODYFENCE PAINT PROTECTION FILM

## ADVANCED

### PUBLIC:

Professionals wishing to improve their Bodyfence installation techniques to gain in speed

### PREREQUISITES:

People having attended the BODYFENCE BASIC training course

### OBJECTIVES:

- Knowledge of the Bodyfence range of films and their features
- Expertise in the installation techniques de pose of Bodyfence films

### TEACHING METHOD:

- The teaching method will be active and participatory.
- Use of tools suitable for the installation of Bodyfence films

### TEACHING MATERIAL:

Alpine car, Porsche front...

### MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course.  
Theoretical assessment (MCQ) and practical assessment (application techniques)

### DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

### INSTRUCTORS:

HEXIS training staff

### DURATION

2 days  
i. e. 24 hours

### NUMBER OF PARTICIPANTS

4

### PROGRAMME

- **PRESENTATION** OF THE PARTICIPANTS AND THEIR EXPECTATIONS
- **REVIEW AND ASSESSMENT** OF THE BODYFENCE PRODUCT RANGE
- **PRESENTATION** OF INSTALLATION TOOLS AND ACCESSORIES
- ASSESSMENT OF THE PREREQUISITES
- **APPLICATIONS TECHNIQUES** OF THE PRECUT BODYFENCE
- **APPLICATIONS TECHNIQUES** OF THE STRETCHED BODYFENCE
- CUTTING TECHNIQUES
- FINISHING
- **VISIT** OF THE **PRODUCTION SITE**
- **END-OF-COURSE ASSESSMENT**



## THE WORLD OF DECORATION AND INTERIOR DESIGN

### PUBLIC:

People who plan to develop their application techniques for interior decoration

### PREREQUISITES:

People with an experience in the installation of self-adhesive films on flat surfaces

### OBJECTIVES:

- Knowledge of the range of self-adhesive films for interior decoration
- Skills in the installation techniques of films for interior decoration

### TEACHING METHOD:

- The teaching method will be active and participatory.
- Use of the tools suitable for the installation of films for interior decoration

### TEACHING MATERIAL:

Furniture, windows, concrete surfaces...

### MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

### DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

### INSTRUCTORS:

HEXIS training staff



#### DURATION

2 days  
i. e. 16 hours

#### NUMBER OF PARTICIPANTS

4

#### PROGRAMME

- **PRESENTATION** OF THE PARTICIPANTS AND THEIR EXPECTATIONS
- **PRESENTATION AND ASSESSMENT** OF THE VINYL FILMS AND INSTALLATION ACCESSORIES
- **KNOWLEDGE OF THE DIFFERENT SUBSTRATES** (PLASTIC, GLASS, WOOD, PLASTER, CONCRETE...)
- **APPEARANCE AND NATURE** OF THE SUBSTRATES (FLAT, ROUNDED AND ANGULAR)
- **IDENTIFY WHICH PRODUCT** TO USE FOR WHICH SUBSTRATE
- **ASSESSMENT** OF THE PREREQUISITES
- **PREPARATION AND CLEANING** OF THE SUBSTRATES
- **APPLICATION TECHNIQUES** ON CONCRETE CASES (FURNITURE, DISPLAY CASES...)
- **KNOW HOW** TO IDENTIFY RISKS AND POTENTIAL PROBLEMS WITH THE FILM PEELING OFF
- CUTTING TECHNIQUES
- FINISHING
- **VISIT OF THE PRODUCTION SITE**
- **END-OF-COURSE ASSESSMENT**





# AUTOMOTIVE SOLAR PROTECTION FILMS

## BASIC

### PUBLIC:

Persons wishing to move into the installation of automotive solar protection films

### PREREQUISITES:

None

### OBJECTIVES:

- Know the range, tools and accessories of automotive solar film.
- Acquire the techniques for the application of automotive solar film

### TEACHING METHOD:

- The teaching method will be active and participatory
- Utilisation Use of the right tools for the application of automotive solar film

### TEACHING MATERIAL:

Vehicles

### MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

### DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

### INSTRUCTORS:

HEXIS training staff

## DURATION

3 days  
i. e. 24 hours

## NUMBER OF PARTICIPANTS

4

## PROGRAMME

- **PRESENTATION** OF THE PARTICIPANTS AND THEIR EXPECTATIONS
- **PRESENTATION AND ASSESSMENT** DE OF THE RANGE OF AUTOMOTIVE SOLAR FILMS AND THE INSTALLATION ACCESSORIES
- **RECOMMENDATIONS FOR THE PREPARATION** OF THE VEHICLE AND THE CONDITIONS FOR THE INSTALLATION
- **INSTALLATION PROCESS:** IMPORTANCE OF THE DIFFERENT STEPS
- CLEANING TECHNIQUES
- **INSTALLATION TECHNIQUES** FOR AUTOMOTIVE SOLAR FILM
- THERMOFORMING TECHNIQUES
- CUTTING TECHNIQUES
- FINISHING
- **VISIT OF THE PRODUCTION SITE**
- **END-OF-COURSE ASSESSMENT**





## ADVANCED

### PUBLIC:

Persons wishing to move into the installation of automotive solar protection

### PREREQUISITES:

People having attended the automotive solar protection Basic course

### OBJECTIVES:

- Know the range, the tools and the accessories du film for automotive solar protection films
- Skills in the installation techniques for automotive solar protection films

### TEACHING METHOD:

- The teaching method will be active and participatory.
- Use of the tools suitable for the installation of automotive solar protection films

### TEACHING MATERIAL:

Vehicles

### MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course.  
Theoretical assessment (MCQ) and practical assessment (application techniques)

### DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

### INSTRUCTORS:

HEXIS training staff

### DURATION

2 days  
i. e. 16 hours

### NUMBER OF PARTICIPANTS

4

### PROGRAMME

- **PRESENTATION** OF THE PARTICIPANTS AND THEIR EXPECTATIONS
- **PRESENTATION AND ASSESSMENT** OF THE RANGE OF AUTOMOTIVE SOLAR FILM AND THE INSTALLATION ACCESSORIES
- **ASSESSMENT** OF THE PREREQUISITES
- **RECOMMENDATIONS** FOR THE PREPARATION OF THE VEHICLE AND THE INSTALLATION CONDITIONS
- REVIEW OF THE INSTALLATION PROCESS
- **ANALYSIS OF CURVED SURFACES**
- THERMOFORMING TECHNIQUES
- **CUTTING TECHNIQUES**
- FINISHING
- **VISIT OF THE PRODUCTION SITE**
- END-OF-COURSE **ASSESSMENT**



## • FILMS FOR WINDOW GRAPHICS

### WINDOW GRAPHICS

#### PUBLIC:

Professionals with a business development project in the field of building films and shop windows

#### PREREQUISITES:

People with experience in the installation of adhesive film on flat surfaces

#### OBJECTIVES:

- Know the range, tools and accessories for films for buildings and glass surfaces
- Skill in the installation techniques of film for buildings and glass surfaces

#### TEACHING METHOD:

- The teaching method will be active and participatory
- Use of the tools suitable for the installation of solar film on buildings and glass surfaces

#### TEACHING MATERIAL:

Framed glass, building windows

#### MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course.  
Theoretical assessment (MCQ) and practical assessment (application techniques)

#### DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

#### INSTRUCTORS:

HEXIS training staff

#### DURATION

2 days  
i. e. 16 hours

#### NUMBER OF PARTICIPANTS

4

#### PROGRAMME

- **PRESENTATION** OF THE PARTICIPANTS AND THEIR EXPECTATIONS
- **PRESENTATION AND ASSESSMENT** OF THE RANGE OF SOLAR FILMS FOR BUILDINGS AND GLASS SURFACES AND THE INSTALLATION ACCESSORIES
- **ASSESSMENT** OF THE PREREQUISITES
- **RECOMMENDATIONS FOR THE PREPARATION** OF THE SUBSTRATE AND THE INSTALLATION CONDITIONS
- **IDENTIFICATION AND ANALYSIS** OF TYPES OF GLASS
- APPLICATION TECHNIQUES OF SOLAR FILM FOR BUILDINGS
- APPLICATION TECHNIQUES OF ETCHED GLASS FILMS, TRANSPARENT AND MICRO-PERFORATED FILMS
- CUTTING TECHNIQUES
- FINISHING
- **VISIT OF THE PRODUCTION SITE**
- **END-OF-COURSE ASSESSMENT**



## TRAINING

### PUBLIC:

Professionals with a business development project in the windscreen protection sector

### PREREQUISITES:

People with an experience in the installation of self-adhesive film

### OBJECTIVES:

- > Knowledge of the range, the tools and the accessories for the film Racing Optics film
- > Installation technique for the Racing Optics film

### TEACHING METHOD:

- > The teaching method will be active and participatory
- > Use of the tools suitable for the installation of Racing Optics films

### TEACHING MATERIAL:

Différents pare-brises

### MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

### DOCUMENTS PROVIDED:

- > Attendance record
- > Certificate at the end of the course with the results of the assessments for each objective
- > Practical sheet for installation method
- > A certificate of work completed

### INSTRUCTORS:

HEXIS training staff



#### DURATION

2 days  
i. e. 16 hours

#### NUMBER OF PARTICIPANTS

4

#### PROGRAMME

- > **PRESENTATION** OF THE PARTICIPANTS AND THEIR EXPECTATIONS
- > **PRESENTATION AND ASSESSMENT** OF RACING OPTICS FILMS AND THE INSTALLATION ACCESSORIES
- > **ASSESSMENT** OF THE PREREQUISITES
- > **RECOMMENDATIONS** FOR THE PREPARATION OF THE SUBSTRATE AND THE INSTALLATION CONDITIONS
- > **APPLICATION TECHNIQUES** OF THE FILM **3333SHIELD**
- > (3 REMOVABLE LAYERS)
- > **APPLICATION TECHNIQUES** OF THE FILM **4444RACING**
- > (4 REMOVABLE LAYERS)
- > **THERMOFORMING TECHNIQUES**
- > **CUTTING TECHNIQUES**
- > **FINISHING**
- > **VISIT OF THE PRODUCTION SITE**
- > **END-OF-COURSE ASSESSMENT**





## BASIC

### PUBLIC:

Professionals with a project in the medical world and/or all places where hygiene is paramount

### PREREQUISITES:

People with experience in the installation of adhesive film on flat surfaces

### OBJECTIVES:

- Knowledge of the range, the tolls and the accessories for the PURE ZONE antimicrobial film
- Skill in the installation techniques of the PURE ZONE antimicrobial film

### TEACHING METHOD:

- The teaching method will be active and participatory
- Use of the tools suitable for the installation of PURE ZONE films

### TEACHING MATERIAL:

Door handle, furniture, touch screen

### MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

### DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

### INSTRUCTORS:

HEXIS training staff



### DURATION

1 day  
i. e. 8 hours

### NUMBER OF PARTICIPANTS

6

### PROGRAMME

- **PRESENTATION OF THE PARTICIPANTS AND THEIR EXPECTATIONS**
- **PRESENTATION AND ASSESSMENT** OF THE RANGE OF PURE ZONE FILMS AND THE INSTALLATION ACCESSORIES
- **ASSESSMENT OF THE PREREQUISITES**
- **RECOMMENDATIONS FOR THE PREPARATION** OF THE SUBSTRATE AND THE INSTALLATION CONDITIONS
- **KNOW HOW TO POSITION THE SQUEEGEE**
- **APPLICATION TECHNIQUES** FOR THE PURE ZONE FILM IN SUITABLE AREAS
- **WORKING OVER A RIGHT ANGLE** SUCH AS A TABLE CORNER
- **CUTTING TECHNIQUES**
- **FINISHING**
- **VISIT OF THE PRODUCTION SITE**
- **END-OF-COURSE ASSESSMENT**



## BASIQUE

### PUBLIC:

Recommended for those who are new to or retraining for the textile marking trade

### PREREQUISITES:

None

### OBJECTIVES:

- Know the different thermo-adhesive films for textile marking (TEXIS range)
- Master the techniques for laying iron-on films for textile marking

### TEACHING METHOD:

- The teaching method will be active and participatory
- Use of tools adapted to the installation of the TEXIS range

### TEACHING MATERIAL:

Eco-solvent / solvent / latex printer, cutting plotter, heat press, textiles of various materials

### MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

### DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

### INSTRUCTORS:

HEXIS training staff

### DURATION

1 day  
i. e. 8 hours

### NUMBER OF PARTICIPANTS

1 à 4

### PROGRAMME

- **PRESENTATION OF THE PARTICIPANTS AND THEIR EXPECTATIONS**
- **DKNOWLEDGE AND ASSESSMENT OF THE TEXIS RANGE AND THEIR TECHNICAL SPECIFICITIES**
- **PRESENTATION OF INSTALLATION TOOLS AND ACCESSORIES**
- **OPTIMISATION DU MARQUAGE :**
  - PLOTTER SETTINGS
  - INTEGRATION OF ICC PROFILES
  - PRESS ADJUSTMENT
- **WHICH FLEX TO CHOOSE FOR ITS PERSONALIZATION?**
- **APPLICATION TECHNIQUES AND MARKING TESTS ON TEXIS CUTTING FLEX**
- **APPLICATION TECHNIQUES AND MARKING TESTS ON TEXIS PRINTABLE FLEX**
- **END-OF-COURSE ASSESSMENT**





## BASIC

### PUBLIC:

Intended for digital printing professionals wishing to optimise the quality of their work through a better control of the various peripherals and software of the chain integrated in a production flow by aiming at optimal colorimetric precision.

### PREREQUISITES:

None

### OBJECTIVES:

- Understand digital imaging and acquire general principles of colour
- Achieving quality digital prints

### TEACHING METHOD:

- Theory and practical application to understand and engage with the processes of large format digital printing
- Various teaching aids such as a visual presentation and printed material will support the training

### TEACHING MATERIAL:

Printer, Illustrator, Photoshop software

### MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

### DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- Practical sheet for installation method
- A certificate of work completed

### INSTRUCTORS:

HEXIS training staff

## DURATION


1 day  
i. e. 8 hours

## NUMBER OF PARTICIPANTS

1 or 2

## PROGRAMME

- **PRESENTATION OF THE PARTICIPANTS AND THEIR EXPECTATIONS**
- **THE BASICS** OF COLORIMETRY: PRINCIPLE, SPACES
- **COLORIMETRY** AND CLOUR MANAGEMENT
- **PREPARATION** OF PRINT FILES (ILLUSTRATOR)
- **MASTERING** DIGITAL PRINTING: PRINTER, RIP, USE AND MANAGEMENT OF ICC PROFILES
- **CREATION** OF 1 TO 2 MEDIA PROFILES
- **CASE STUDY** BASED ON CLIENTS' EXPERIENCE
- **END-OF-COURSE ASSESSMENT**



## OPTIMISATION

### PUBLIC:

Intended for digital printing professionals wishing to optimise the quality of their work through better control of the different devices and software in the chain integrated into a production flow and aiming for optimum colour accuracy.

### PREREQUISITES:

None

### OBJECTIVES:

- Know the basics of the digital graphic chain and of colour management
- Skills in digital inkjet printing
- Be able to analyse and retouch the colour of digital images

### TEACHING METHOD:

- Theory and practical application to understand and assimilate the processes of large format digital printing.
- Various teaching aids such as a visual presentation and printed material will support the training course

### TEACHING MATERIAL:

Printer, Illustrator, Photoshop software

### MONITORING AND ASSESSMENT:

The trainee is assessed throughout the course. Theoretical assessment (MCQ) and practical assessment (application techniques)

### DOCUMENTS PROVIDED:

- Attendance record
- Certificate at the end of the course with the results of the assessments for each objective
- A certificate of work completed

### INSTRUCTORS:

HEXIS training staff

### DURATION

2 days  
i.e. 16 hours

### NUMBER OF PARTICIPANTS

1 or 2

### PROGRAMME

- PRESENTATION OF THE PARTICIPANTS AND THEIR EXPECTATIONS
- INTRODUCTION TO DIGITAL PRINTING: DEFINITION
- BASIC PRINCIPLES AND HOW IT WORKS
- A DIGITAL IMAGE: PRINCIPLE, COLOUR SPACES AND GENERAL CONCEPTS OF COLOUR
- PREPARATION, OPTIMISATION AND ANALYSIS OF PRINT FILES (ILLUSTRATOR PHOTOSHOP ACROBAT PRO)
- MASTERING DIGITAL PRINTING: PRINTER, RIP, USE AND MANAGEMENT OF ICC PROFILES
- CREATION OF 3 TO 4 MEDIA PROFILES
- CASE STUDY BASED ON CLIENTS' EXPERIENCE
- END-OF-COURSE ASSESSMENT



## PROGRAMMES OF THE HEX'PERT NETWORK

Our objective is to provide a formal framework allowing professionals in our profession to promote their skills as specialists in the installation and/or full wrap of vehicles. To this end, the mediapplicator must demonstrate his or her skills on several levels. These include technical knowledge, practical skills and the know-how to deal with all known situations and to overcome any new difficulties.

This set of skills is specific. It is rooted in experience (including learning from mistakes), practice, training, a passion for our trade, an eye for detail, a willingness to constantly improve and a natural talent for manual work. It also requires discipline and a logical mind capable of finding solutions.

## HOW TO BECOME A CERTIFIED INSTALLER ?

To have completed a training course in a HEXIS Training Centre

(1) Apply online:

<https://www.hexis-formations.com/demande-certification.html>

(2) Complete the theoretical test online

(3) Validate the practical test in a HEXIS Training Centre

## WHAT ARE THE ADVANTAGE OF BEING A CERTIFIED INSTALLER ?

- Listing on HEXIS communication platforms
- Promotion by Hexis on social networks
- Free ongoing training for life
- Specific discount on the HEXIS catalogue
- Integration into the HEX'PERTS community
- Participation in international conventions
- A line of dedicated fashion wear

## WARRANTIES

You will be offer your customers the assurance of quality work. Your skills in this field will have been refined, tested, qualified and certified. For each new contract you can offer better guarantees, with complete confidence.

### INFORMATION



HEXIS certified installers are listed in the worldwide network of the HEXIS APPLICATION DIVISION:

[www.hexis-training.com](http://www.hexis-training.com)

Should you have any questions, please contact us on

[export@hexisgroup.com](mailto:export@hexisgroup.com)



**Ready to join the HEXIS adventure?**

## HEX'PERT SIGN



### PUBLIC:

Designed for professional installers wishing to be certified for all types of flat and simple curved substrates such as signs, windows, walls, trucks and trains as well as special films.

### DURATION

1 day  
(PRACTICAL TEST)

### NUMBER OF PARTICIPANTS

4 Hex'Perts

Mandatory online test, evaluated before the practical test.  
<http://www.hexis-formations.com/demande-certification.html>

## HEX'PERT WRAP



### PUBLIC:

For professionals wishing to be certified for applying selfadhesive films on 3D surfaces.

### DURATION

1 day  
(PRACTICAL TEST)

### NUMBER OF PARTICIPANTS

4 Hex'Perts

Mandatory online test, evaluated before the practical test.  
<http://www.hexis-formations.com/demande-certification.html>

## HEX'PERT BODYFENCE



### PUBLIC:

Aimed at experienced installers of paint protection films. HEX'Perts will be evaluated on their "traditional" application techniques as well as their precut film expertise.

### DURATION

1 DAY  
(PRACTICAL TEST)

### NUMBER OF PARTICIPANTS

4 HEX'PERTS

Mandatory online test, evaluated before the practical test.  
<https://www.hexis-training.com/certification-request.html>

# BODYFENCE CORNER

BODYFENCE CORNER is a workshop designed specifically for the application of paint protection film.

## WHAT ARE THE BENEFITS OF A BODYFENCE CORNER?

**BODYFENCE CORNER** is not just a name, it's an entire work philosophy, supported by professionals who will provide you with the necessary tools for your shop.

- Discounts on materials and accessories
  - Listing on our website
- Communication tools reserved for the network
  - Access to a special catalogue
  - Free further training
  - Featured on social networks
- Support for trade fairs and events





## HOW DO I OPEN A BODYFENCE CORNER?



### .01 FOLLOW THE TRAINING PROGRAMME

You must have attended at least one **BODYFENCE** training session.



### .02 GET CERTIFIED

Once training is over, apply for certification online. The purpose of the certification is to validate your technical knowledge and skills.

### .03 COMPLY WITH THE CRITERIA FOR OPENING

Finally, to open a **BODYFENCE CORNER**, you must:  
il est nécessaire de :

- Comply with the graphics charter
- Apply the specifications
- Master the application techniques



**CERTIFIED  
INSTALLER.**



**HEXIS  
ARE HIRING !**

***“YOU HAVE TALENT,  
JOIN THE TEAM  
OF **CERTIFIED INSTALLERS** !”***

[www.hexis-training.com/certification-request](http://www.hexis-training.com/certification-request)

# • THE **HEXIS** PLUS

THE HEXIS PLUS ..... 268 - 271

INDEX ..... 272 - 274

GENERAL TERMS & CONDITIONS OF SALE ..... 275

## HEXIS KNOW-HOW

Since 1989, HEXIS® has been providing professionals in signage and advertising graphics with expertise in the production of visual communication media.

The only French manufacturer specialised in PVC adhesive coatings, HEXIS® also produces its own cast films, whose conformability and durability are globally acclaimed.

HEXIS® products are exported to some 50 countries across all continents.

Our in-house chemists are constantly improving our product formulations, innovating to fine-tune the products of tomorrow. In 2010, their research enabled us to launch "green" cast films, free of PVC and plasticisers, and a film with antimicrobial properties, boosting the fight against nosocomial diseases. The latest innovation from HEXIS® R&D is BODYFENCE, a self-healing furniture and paint protection film (PPF) available in ultra-transparent and matt finishes.

In 2020, HEXIS has been able to obtain three ISO certifications. The joint efforts of all teams have enabled the company to renew its ISO 9001:2015 certification for its quality management system. In addition, two new certifications have been obtained: ISO 14001:2015 for the environment management system and ISO 13485:2016 for medical devices, opening up new perspectives in terms of product development and specification in certain specialist markets.

## WHAT HAS MADE OUR FILMS SO SUCCESSFUL?

For 30 years, HEXIS® films have proven their quality, in particular thanks to:

- > Their performance and our stringent selection of raw materials
- > Total traceability of all production batches
- > Easy weeding and cutting
- > Premium-quality adhesives
- > Outstanding durability

## CALENDERED OR CAST FILMS?

At HEXIS®, each film has its purpose and its market.

We have perfected the manufacture of cast films offering high deformation potential, extreme conformability and long durability. Our calendered films are perfect for applications on flat and slightly curved substrates.

Smooth or rough surfaces; applications on floors, walls, windows, boards, cars, trains or boats; for lifespans ranging from 2 months to 10 years, HEXIS® has the solution!

Our decorative effects (chrome, sparkle and leather) are ideal for enhancing everyday objects (electronics, household appliances), for furniture restoration and wall decoration.

## TAKE HEAT EASY AND HEX'PRESS LINERS

Our innovative TAKE HEAT EASY® (THE) and HEX'Press liners® are specifically designed for our high-performance full wrap films.

TAKE HEAT EASY® (THE) combines a new textured liner with a novel solvent-based adhesive to reduce the film's initial tack, making it easier to apply. All installers, including beginners, will love it.

The HEX'Press liner, a polyethylene-coated silicone kraft paper with an embossed surface structure, offers unrivalled adhesive properties: thanks to its air egress system, the film can be repositioned during application, and bubbles and creases can be eliminated much more easily. This results in significant time savings.

HEX'Press and THE products are readily identifiable: product codes starting with "HX" indicate the structured HEX'Press liner, and product codes starting with "THE" indicate the TAKE HEAT EASY® liner.

## THE HEXIS NETWORK, A TEAM OF EXPERTS AT YOUR SERVICE

Our partners are ready to assist you with your projects. A HEXIS team® of application, colorimetry and digital printing professionals is also at your disposal. They offer the essential training you will need to master new applications like full wraps and large-format digital printing – jobs that demand greater expertise to take full advantage of our innovative media.

To support our experts, the "Professionals" section of our website, [www.hexis-graphics.com](http://www.hexis-graphics.com), provides all the technical information you could ever need: data sheets, application guides, ICC profiles, application photos, etc.



MADE IN  
FRANCE



## MADE IN FRANCE

HEXIS products are manufactured in France at our production sites in Frontignan (Hérault) and Hagetmau (Landes). All our packaging bears a "Made in France" label.

By doing our bit to promote French know-how, we are able to both save jobs and protect the environment.

## PRODUCT SAMPLES AND SWATCHBOOKS

To receive sample sheets of our products in A4 or A5, swatchbooks or colour charts, please contact us at [export@hexisgroup.com](mailto:export@hexisgroup.com), or your local distributor.

## TECHNICAL DATA SHEETS AND PRACTICAL APPLICATION GUIDES

Technical data sheets for our products can be downloaded free of charge from our website:

<http://www.hexis-graphics.com> under the "Professionals" section

They provide precise technical descriptions of our products. Since specifications may change over time, we recommend you check this section regularly.

## ICC PROFILES

Get optimum results from our digital imaging media by downloading the ICC profiles corresponding to your RIP/printer configuration. Regularly check the list of new profiles available:

[www.hexis-graphics.com](http://www.hexis-graphics.com) ("Professionals" section)

For any queries regarding ICC profiles, please contact: [profiles@hexisgroup.com](mailto:profiles@hexisgroup.com)

## CUSTOM COLOURS

A custom colour service is available for our colour plotter and wrap vinyls.

For more information, including pricing and lead times, please contact your local distributor.

## TRAINING COURSES

Interested in digital printing, solar films, full wraps, Bodyfence or application methods for self-adhesive films? HEXIS® has a training solution to meet your needs.

Please send training-related enquiries to [formations@hexisgroup.com](mailto:formations@hexisgroup.com) or call +33 467 184 278.

## IMPORTANT INFORMATION

### • Thicknesses and dimensions of products:

Thicknesses are provided for information and for comparison with similar product ranges available on the market. The dimensional tolerances of the rolls conform to the processing and cutting data sheet used by HEXIS®, which can be downloaded from our website: [www.hexis-graphics.com](http://www.hexis-graphics.com) 'Professionals' section

### • Life spans:

The life spans indicated are for information only and relate to specific colours under specific climate conditions. For further information, please refer to the specifications available on our website.

### • Colours:

Colours presented in our catalogue are for guidance only and are not contractual. Please contact your local HEXIS® distributor for swatchbooks and colour cards. Free swatchbooks are also available from [swatches@hexisgroup.com](mailto:swatches@hexisgroup.com)

### • Media for cutting plotters:

Cutting plotter vinyls may have splices. If so, this will be indicated on the packaging.

### • Media for digital printing:

Our media are developed and tested for machines using the manufacturer's original inks.

### • Photos and illustrations:

All illustrations, especially photos of accessories, are non-contractual. Actual appearance of accessories may vary.

## THE REACH REGULATION (REGISTRATION, EVALUATION, AUTHORISATION AND RESTRICTION OF CHEMICALS)



This regulation was adopted by the European Parliament and the Council of the European Union on 18 December 2006. It updates the European legislation with regard to chemical substances and sets up a unique integrated system for registering, evaluating and authorising chemical substances within the European Union. Its aim is to improve the protection of both human health and the environment while maintaining competitiveness and enhancing the spirit of innovation within the European chemicals industry.



## ANNUAL CONTRACTS

### PREMIUM ANNUAL CONTRACT.....

**Travel and on-site intervention of a digital imaging technician 2 days per year and which includes:**

- Creation and/or optimisation of ICC profiles (up to 8 custom profiles)
- Advice on machine operation and settings, media settings
- Speed/quality ratio settings and optimisation of ink consumption
- Setting up profiles in the RIP
- Colour management configuration (pre-press and RIP software)

**Plus points:**

- Priority handling of hotline calls by a digital imaging technician with remote assistance
- Testing new printing products in preview
- 40% discount on digital imaging training courses

### BASIC ANNUAL CONTRACT.....

**Travel and on-site intervention of a digital imaging technician 1 day per year and which includes:**

- Creation and/or optimisation of ICC profiles (up to 4 profiles)
- Advice on machine operation and settings, media settings
- Speed/quality ratio settings and optimisation of ink consumption
- Setting up profiles in the RIP
- Colour management configuration (pre-press and RIP software)

**Plus points:**

- Priority handling of hotline calls by a digital imaging technician with remote assistance
- 20% discount on digital imaging training courses

## DIGITAL IMAGING SERVICES

### ON SITE

#### INTERVENTION BY DIGITAL IMAGING TECHNICIAN 1 DAY.....

- Creation and/or optimisation of ICC profiles (up to 4 customised profiles)
- Advice on machine operation and settings, media settings
- Speed/quality ratio settings and optimisation of ink consumption
- Setting up profiles in the RIP
- Configuration of colour management (pre-press and RIP applications)

#### INTERVENTION BY DIGITAL IMAGING TECHNICIAN.....

- Creation and/or optimisation of ICC profiles (up to 2 customised profiles)
- Advice on machine operation and settings, media settings
- Speed/quality ratio settings and optimisation of ink consumption
- Setting up profiles in the RIP

#### OPTIONAL CONFIGURATION OF THE COLOUR MANAGEMENT (PRE-PRESSE AND RIP SOFTWARE) .....

- Only available in addition to the intervention day

#### OPTIONAL SCREEN PROFILE CREATION (i1PRO3 WITH i1PROFILER SOFTWARE) .....

- Only available in addition to the intervention of the digital imaging technicians

### REMOTE

#### REMOTE CREATION OF MEDIA AND ICC PROFILES.....

- Remote support for test pattern printing
- Linearisation, ink rate limitation, profiling, before/after control
- Installation and setting of the profile in the RIP

#### TEAMVIEWER REMOTE ASSISTANCE 30MIN.....

- Checking calibrations and help with machine/software settings
- Download and installation of a profile in the RIP or printer
- Setting up the profile in the RIP

## #

3333SHIELD .....	181
4444RACING .....	181
6PETIL .....	240

## A

A5000 .....	26
A5000EVO N2NUANCIERA4 .....	225
A5000EVO N2NUANCIEREVE .....	224
ACRETBODEN GOODIES .....	230
AG300 .....	127
AG436M .....	127
AG700 .....	127
AG800 .....	127
AG900 .....	127
AGCR436M .....	127
AGCR700 .....	127
AIMANT2 .....	211
AIMANTXL .....	211
ANTISTATIC .....	220
APPLIC15 .....	201

## B

BACS1 .....	57
BACS4 .....	57
BACS44 .....	57
BBLOCA4HG GOODIES .....	233
BBLOCA5HG GOODIES .....	233
BBNOIR .....	53
BCRITERIUM GOODIES .....	232
BCUTTERABS GOODIES .....	233
BERLAP .....	213
BFBLACK .....	176
BFBLACKM .....	176
BFWIDE .....	176
BLACKLIGHT .....	180
BLADECAN .....	207
BLADESOFT .....	206
BLANC .....	200
BLOCKCUT .....	161
BOATDE N2CATALOGUE .....	228
BOATEN N2CATALOGUE .....	228
BOATES N2CATALOGUE .....	228
BOATFR N2CATALOGUE .....	228
BOATIT N2CATALOGUE .....	228
BOBLANC .....	50
BODYCARPET GOODIES .....	235
BODYFBRXDE DOCUMENT .....	230
BODYFBRXES DOCUMENT .....	230
BODYFBRXFR DOCUMENT .....	230
BODYFBRXIT DOCUMENT .....	230
BODYFBRXOEN DOCUMENT .....	230
BODYFBRXSE DOCUMENT .....	230
BODYFENCE .....	148, 176
BODYFENCEM .....	148, 176
BODYFENCEX .....	148, 176
BODYFENCEXM .....	148, 176
BODYFENCEXS .....	148, 176
BODYFINISH .....	219
BODYFPOCHX DOCUMENT .....	230
BODYFFORTE DOCUMENT .....	230
BODYFFORTX DOCUMENT .....	230
BODYHOODX GOODIES .....	235
BODYKITXDE DOC-KIT .....	229
BODYKITXEN DOC-KIT .....	229
BODYKITXES DOC-KIT .....	229
BODYKITXFR DOC-KIT .....	229
BODYKITXIT DOC-KIT .....	229

## B

BODYKITXSE DOC-KIT .....	229
BODYLINE .....	197, 212, 213
BODYRELOAD .....	219
BODYSHINE .....	219
BODYSIGN GOODIES .....	235
BODYXFAST .....	148, 176
BONNETBLANC .....	241
BONNETNOIR .....	241
BONNOIR .....	50
BRICKCUT .....	164
BSOAT40I2 .....	190
BSOB20I2 .....	186, 190
BSOB20X2 .....	186, 190
BSOI80X2 .....	190
BSOM15I2 .....	190
BSON20X2 .....	187, 190
BSON50I2 .....	187, 190
BSOR15X2 .....	187, 190
BSOR20I2 .....	187, 190
BSOR35I2 .....	186, 190
BSOR35X2 .....	186, 190
BSOR50I2 .....	186, 190
BSOR50X2 .....	186, 190
BSORD60I2 .....	190
BSOT45I2 .....	187, 190
BSTICKY GOODIES .....	234
BSTYLO GOODIES .....	232

## C

CANTAP .....	218
CANVAS3 .....	110
CAR100B .....	177
CARNETFR GOODIES .....	234
CARPRO300 .....	177
CARSCRAPER .....	203
CASQBLANCHE .....	241
CASQNOIRE .....	241
CASQROSE .....	241
CASQROUGE .....	241
CASQVERTE .....	241
CATADA2023 N2CATALOGUE .....	227
CATADE2023 N2CATALOGUE .....	227
CATAES2023 N2CATALOGUE .....	227
CATAEX2023 N2CATALOGUE .....	227
CATAEXFR20 N2CATALOGUE .....	227
CATAFR2023 N2CATALOGUE .....	227
CATAIT2023 .....	227
CATASW2023 N2CATALOGUE .....	227
CCLASSEUR2 GOODIES .....	235
CHEVS7 .....	57
CHEVS77 .....	57
CHROME .....	77
CLEARWRAP .....	76
COLORCUT .....	152
COVSEAT4 .....	211
CSACALON2 GOODIES .....	234
CSR25 .....	96, 141
CURVBLADE .....	208
CURVCUTTER .....	208
CURVPADS .....	208
CUTBLADE .....	208
CUTLAME .....	207
CUTOLFA25 .....	206
CUTOLFA30 .....	207
CUTSHOES .....	208
CUTSOFT .....	206
CUTVINYLXL .....	208

## C

CUTVITRE .....	206
----------------	-----

## D

DACRETRO GOODIES .....	229
DAOCASTHX N2NUANCIERCLAS .....	226
DASHTOWEL .....	213
DECO N2NUANCIEREVE .....	224
DECODE02 N2CATALOGUE .....	228
DECOES02 .....	228
DECOFR02 N2CATALOGUE .....	228
DECOIT02 .....	228
DFENCEONEX .....	148, 176
DFENCEONEXM .....	148, 176
DFENCEXTRM .....	148, 176
DICHOÏQUE .....	145
DIF450 .....	107
DISPLAYS .....	111
DMTRUBFR .....	200
DOC-KIT / SKYTTKITDE .....	232
DOC-KIT / SKYTTKITEN .....	232
DOC-KIT / SKYTTKITES .....	232
DOC-KIT / SKYTTKITFR .....	232
DOC-KIT / SKYTTKITIT .....	232
DOC-KIT / SKYTTKITSE .....	232
DOUBLE FACE .....	66, 68
DOUBLEF25 .....	201
DOUBLEF50 .....	201
DPOCHETTE GOODIES .....	234
DPOCHETTE2 GOODIES .....	234
DRETROWREN GOODIES .....	229
DRETROWRFR GOODIES .....	229
DRISSE .....	216
DSERBORG .....	205
DSERBORPM .....	205
DSVG180 .....	48
DTF-C-PEEL .....	172
DTF-H-PEEL .....	172
DUBAI .....	145, 190
DWP002B .....	130, 143

## E

E3000+ .....	32
E3000M2000 N2NUANCIERA4 .....	225
E3000M2000 N2NUANCIEREVE .....	224
E3GIVMV2 .....	47
EASYPOSE2L .....	218
EASYPOSE5L .....	218
EASYSEAL .....	199
EASYSYTIKCG .....	113
EASYSYTIKWS .....	113
ECHANTILLON ECHA4A5P2 .....	226
ECOLOGICAL CUT ECE3000 .....	35
ECOTAC PLUS E3000+ .....	32
ECOTAC SUPER + VCRE3000 .....	34
EFRONTOPAC .....	107
EGALITE .....	194
EPBANIN .....	106
EPBANOUT .....	106
EPS135AD .....	91
EPS150ADE .....	91
ERASMARKE .....	200

## F

FEUTRE .....	198
--------------	-----

## F

FEUTROUGE1 .....	199
FEUTROUGE2 .....	199
FF480 .....	65
FILFLEX .....	173
FLATTWEEZ .....	210
FLOCK 200 .....	156
FLUO F610 .....	41
FM580 .....	64
FPC50MICP2 .....	100
FPG836 .....	100
FPSAUTO N2NUANCIERA4 .....	225
FPSBAT N2NUANCIERA4 .....	225
FPSBATV3 N2NUANCIEREVE .....	224
FRATERNITE .....	194
FRENCHBOX .....	194
FRIGO20L .....	241
FRONT2 .....	106, 222
FRONT2V2B .....	106, 222
FRONT2V2M .....	106, 222
FRONT2V3S .....	106
FRONT3V2 .....	106, 222
FRONT4V4 .....	106
FRONT5M1 .....	106, 221, 222
FRONTM1EV2 .....	222
FRONTOPAC .....	107

## G

GANTSCOV .....	201, 212
GGBLADE .....	207
GEL05 .....	192
GELBOTTLE .....	192
GFLI130 .....	128, 129, 144
GFLI170 .....	129, 143, 144
GFLIR170 .....	129, 143, 144
GFLX210 .....	129, 144
GFLXR210 .....	129, 144
GLASGOW .....	145, 190
GLITFLEX .....	158
GLOWCUT .....	162
GRAPHTEC .....	206
GRATLAM100 .....	213
GRATLAM100 .....	203
GRATTOIR .....	203, 213
GRATTOIR10 .....	203, 213
GUIDEDCUT .....	207

## H

HANDLE .....	204
HARDEYELET .....	215
HEX'NOTE .....	205
HEX100 .....	71
HEX100I .....	71
HEX750 .....	72, 174
HEX860 .....	72, 174
HEX900 .....	71
HEX900I .....	71
HEX901 .....	71
HEX902 .....	71
HEX902I .....	71
HEX904 .....	70
HEX905 .....	70
HEX909 .....	71
HEX910 .....	70
HEX915 .....	70
HEX930 .....	70
HEX960 .....	72, 174

## H

HEXAG.....	220
HEXCROCH.....	210
HEXFELT.....	199
HEXFLARE01.....	180
HEXFLARE02.....	180
HEXFLARE03.....	180
HEXFLARE04.....	180
HEXGLOW01.....	42
HEXISGEL1L.....	218
HEXISGEL5L.....	218
HEXISO2L.....	218
HEXISO5L.....	218
HEXLIGHTS1.....	180
HEXLIGHTS2.....	180
HEXMAGNET.....	196
HEXSTRAP.....	196
HGYSIGN.....	241
HGYX24.....	240
HGYXFEX24.....	240
HOODHOLDER.....	197
HW301WM1.....	87
HX190WG2.....	80
HX20000.....	20
HX200NTWG2.....	82
HX200WG2.....	82
HX201WG2.....	82
HX203EG.....	102, 146
HX20HX30 N2NUANCIERA4.....	225
HX20HX30 N2NUANCIEREVE.....	224
HX240WG2.....	84
HX240WM2.....	84
HX30000.....	18
HX3000WG2.....	88
HX3001WG2.....	88
HX3001WM2.....	88
HX301EPS.....	91
HX45000.....	16
HX45EN N2CATALOGUE.....	226
HX45FR N2CATALOGUE.....	226
HX45V1 N2NUANCIERA4.....	225
HX45V1 N2NUANCIEREVE.....	224
HX500WG2.....	91
HX5DEPM.....	45
HX5DP03.....	46
HXE3GIVMV2.....	47
HXR101WG2.....	93, 141
HXR150BGR.....	177
HXR301EPS.....	91
HXS5000.....	30

## J

JEUSERT10.....	215
JEUSERT12.....	216
JEUSERT15.....	216
JT300M1.....	107, 221, 222

## K

KG8 N2NUANCIERA4.....	225
KG8000.....	24
KG8V1 N2NUANCIEREVE.....	224
KITPRESSE.....	215
KROMPRINT.....	77

## L

LAMBREQUIN.....	54
LAME100.....	203, 213
LAMEVITR15.....	204, 214
LAMEVITR30.....	204
LAMEVITRE.....	204
LAMOLFA25.....	206
LAMOLFA30.....	207
LAMOLFAS10.....	207
LAMOLFAS50.....	207
LAMOLFAXBL.....	207
LHD30G.....	130
LIBERTE.....	194
LIGHTSTICK.....	113
LINPRINT.....	108, 145

## M

M1000.....	54
MAGICSPRAY.....	218
MAGSQUEEG.....	194
MAJESTIK05.....	185
MAJESTIK15.....	185
MAJESTIK25.....	185
MAJESTIK35.....	185
MAJESTIK50.....	185
MAJESTIK70.....	185
MAJESTIK85.....	185
MANCHETTE3.....	211
MARBLEU.....	198, 214
MARBLEU.....	174
MARBLEUF.....	198
MARBLEUF.....	214
MARNNOIR.....	198, 214
MAROR.....	214
MARVITRE.....	198, 214
MASQUAGE.....	54
MATCLEAN.....	219
MAXBLUE.....	195, 214
MAXHANDLE.....	204, 214
MB800.....	63
MBX.....	204
ME2000.....	36
METALCUT.....	154
MFKIT.....	217
MG2000.....	36
MIAMI.....	145, 190
MICRO1.....	97
MICRO170UV.....	98
MICRO2.....	97
MICRO6.....	98
MICROCGUV.....	99
MICROINSID.....	99
MICROTAC M2000.....	36
MIMAKI / SUMMAGRAPHIC.....	
MLG48512.....	114
MM2000.....	36
MTSHFLEXBE N2ECHANT.....	235
MTSHFLEXBL N2ECHANT.....	235
MTSHFLEXJA N2ECHANT.....	235
MTSHFLEXNO N2ECHANT.....	235
MTSHFLEXRO N2ECHANT.....	235
MTSHFLEXVE N2ECHANT.....	235

## N

N2CATALOGUE.....	227, 228
------------------	----------

## N

N2PAPSILI.....	62
NINJATOOL.....	194
NOIR.....	200
NYLCUT.....	160

## O

OEILLET10L.....	215
OEILLET10N.....	215
OEILLET12L.....	215
OEILLET12N.....	215
OEILLET15L.....	216
OEILLET15N.....	216

## P

P130.....	115
P13003.....	112, 147
P13004.....	112, 147
P135.....	115
P210.....	115
P6000.....	40
P8100.....	56
PAINTRUB.....	217
PANTONE20.....	205
PAP120JF.....	115
PAP132DB.....	115
PAPPERDU.....	131
PC190G2.....	80, 93, 118
PC190M3.....	80, 93, 118
PC190S.....	80, 90, 118
PC300.....	77, 91, 122
PC30G2.....	80, 93, 118
PC30M3.....	80, 93, 118
PC500G2.....	77, 91, 122
PC500M.....	122
PC50M1CP2.....	76, 97, 98, 126
PCAMPGB.....	124, 143
PCBRUSHED.....	125, 143
PCCARBON.....	125, 143
PCFORGED.....	125, 143
PCGATOR.....	125, 143
PCLFATHER.....	124
PCR190G2.....	80, 118
PCSTAR01G.....	125, 143
PCSTAR01S.....	125, 143
PCWALL.....	125, 143
PCWOOD02.....	124, 143
PET50CG1.....	104, 146
PET75CG1.....	104, 146
PETSAFE.....	191
PG3036UVB.....	126, 127
PG450.....	107
PG836.....	126, 127
PIADZGREY.....	213
PIADZROUGE.....	213
PIMNA1DE DOCUMENT.....	232
PIMNA1EN DOCUMENT.....	232
PIMNA1ES DOCUMENT.....	232
PIMNA1FR DOCUMENT.....	232
PIMNA1IT DOCUMENT.....	232
PIMNA1SE DOCUMENT.....	232
PISTERMIQ.....	211
PISTLASER3.....	211
PLASMOYEN.....	198
PLASSOUPLE.....	198
PM150V2.....	115
POCHA5 GOODIES.....	234

## P

POD220SOLV.....	105
POD225SOLV.....	105
POIGNVITR.....	196, 204
POIGNVITR.....	214
POLY5000 N2NUANCIERA4.....	225
POLY5000 N2NUANCIEREVE.....	224
POP190ECOS.....	111, 221
POP200ECOS.....	111, 221
POP310ECOS.....	111, 223
POPNC400.....	111, 223
POPPRIMO.....	111, 221
PORTECLE.....	241
PORTECOV.....	213
PREMIO.....	222
PREMIOXL.....	222
PTB900G.....	78, 118
PTB900M.....	78, 118
PTB900S.....	78, 118
PULVERISAT.....	200
PURECOVER.....	191
PUREZONEDE.....	
PUREZONEEN.....	
PUREZONEES.....	
PUREZONEFR.....	
PUREZONEIT.....	
PUREZONESE.....	
PURZON060B.....	123, 191
PURZON060M.....	123, 191
PURZONORIB.....	123, 191
PURZONORIM.....	123, 191

## R

R3000.....	61
R85120.....	114
RAL.....	205
REFLEX.....	163
REGLET100.....	209
REGLET30.....	209
REGLET50.....	209
REMOVFLEX.....	173
RIVETBRUSH.....	211
ROLAND CAMM1.....	206
ROLLCOV.....	211
ROLLEDOUBLE.....	221
ROLLFIRST.....	221
ROLLRIV.....	211
ROLLSHOW10.....	221
ROLLSHOW85.....	221
RSSEAL.....	176, 199

## S

S5000.....	28
S5CANB.....	28
S5DEPM.....	45
S5DP03.....	46
S5ICE.....	45
S6DE00.....	45
SAFERUL050.....	209
SAFERUL100.....	209
SAFERUL150.....	209
SANDOW.....	216
SC3X3SPMAR.....	223
SCRUBBLADE.....	203
SCRUBFLOOR.....	203
SEALIT.....	199
SERIE 100.....	80
SERIE 200.....	82

## S

SERIE 240.....	84
SERIE 280.....	85
SERIE 300.....	86
SERIE 3000.....	88
SHA05.....	192
SHABOTTLE.....	192
SHAGBODY.....	195
SHAGBOX.....	197
SHAGCASE.....	197
SHAGCHIZ.....	194
SHAGCLEAN.....	217
SHAGCUT.....	196
SHAGDRILL.....	196
SHAGEN2019 N2CATALOGUE.....	228
SHAGFELT.....	195
SHAGFENCEM.....	194
SHAGFENCES.....	195
SHAGFINISH.....	220
SHAGFR2019 N2CATALOGUE.....	228
SHAGGLOVE.....	197, 201, 212
SHAGKNIFE.....	196
SHAGLINE.....	197, 212
SHAGMAMBA.....	213
SHAGMITCH.....	195, 214
SHAGPAM.....	195
SHAGPINK.....	195
SHAGRELOAD.....	220
SHAGREMOV.....	217, 220
SHAGSHINE.....	220
SHAGSLICE.....	196
SHAGSPOON.....	194
SHAGSPRAY.....	197
SHAGSUN.....	196
SHAGTRASH.....	196
SHAGWHEEL.....	196
SHAGWIRE.....	197
SHAMPCARV2.....	219
SHARPTOOL.....	198
SKINTAC HX20000.....	20
SKINTAC HX30000.....	18
SKINTAC HX45000.....	16
SKINTAC THE190EVO.....	79
SKYCARPET GOODIES.....	235
SKYSTAR05.....	183
SKYSTAR15.....	183
SKYSTAR20.....	183
SKYSTAR35.....	183
SKYSTAR50.....	183
SKYSTAR70.....	183
SMARTAC EVOLUTION A5000.....	26
SMARTAC KG8000.....	24
SP.....	148, 191
SPEEDCUT.....	150
SPM.....	148
SPOT.....	223
SPRAYBOX.....	197
SPRETRO N2NUANCIERA4.....	225
SPVITRES N2NUANCIERA4.....	225
SQUEEBAND.....	195
SQUEEGEEXL.....	199
STDC3X3AR.....	223
STDC3X3SPM.....	223
STEAMERSC3.....	212
STEARMERS3.....	197
STENCIL.....	54
STOCKNROLL.....	202
STRIKERSET.....	211
STRONGBAN3.....	216
STRONGCUT.....	208
STYLO.....	241

## S

SUMOTOOL.....	194
SUPTAC HXS5000.....	30
SUPTAC S5000.....	28

## T

T5000.....	49
TAPIS.....	208
TAPISBAR.....	241
TEFLEX.....	173
TEX'PRESS.....	173
TEXIS N2NUANCIEREVE.....	224
TEXWALLV2.....	112, 147
THE190AUS DOC-KIT.....	231
THE190DE DOC-KIT.....	231
THE190EN DOC-KIT.....	231
THE190ES DOC-KIT.....	231
THE190EVO.....	79, 80
THE190FR DOC-KIT.....	231
THE190FWI DOC-KIT.....	231
THE190IT DOC-KIT.....	231
THE190SE DOC-KIT.....	231
THE190US DOC-KIT.....	231
THE2000DE DOC-KIT.....	231
THE200AUS DOC-KIT.....	231
THE200EN DOC-KIT.....	231
THE200ES DOC-KIT.....	231
THE200EVO.....	82
THE200FR DOC-KIT.....	231
THE200FWI DOC-KIT.....	231
THE200IT DOC-KIT.....	231
THE200SE DOC-KIT.....	231
TIRO19X50.....	200
TIRO25X50.....	200
TIRODECO.....	212
TOBLUEMAX.....	198
TOCLEAN.....	204
TOPDESK.....	223
TOR3001WG.....	88
TOURDECOU.....	241
TT13088.....	68
TT21516.....	67
TT21536.....	67
TT21546.....	67
TT32611.....	66
TT32613.....	66
TT32905.....	66
TT32910.....	66
TTGRIP.....	68
TUBETHE190 DOC-KIT.....	232
TWEEZ.....	174, 196, 210

## U

ULS800.....	55
ULX800.....	56

## V

V100WG2.....	80
V200WG1.....	83
V200WM1.....	83
V201TR1.....	102, 145
V201WG1.....	83
V201WM1.....	83
V202CG1.....	103, 145
V202CG3.....	103, 145

## V

V203EG.....	102, 146
V210WG1.....	83
V211WG1.....	83
V240WG1.....	84
V240WM1.....	84
V280WG1.....	85
V3000WG.....	89
V3000WM.....	89
V3001WG.....	89
V3001WM.....	89
V300WG1.....	86
V300WS1.....	86
V301WG1.....	86
V302CG1.....	103
V3100WG.....	89
V3101WG.....	89
V3101WM.....	89
V310WG1.....	86
V311WG1.....	86
V351WG1.....	86
V362CG1.....	103
V650B.....	89, 95, 121
V650M.....	89, 95, 121
V700B.....	86, 89, 95, 120
V700M.....	86, 89, 95, 120
V700S.....	86, 89, 95, 120
V740B.....	84, 120
V740M.....	84, 120
V750B.....	77, 83, 85, 94, 119
V750M.....	77, 83, 85, 94, 119
V750S.....	77, 83, 85, 94, 119
V850B.....	119
VBRUSHED.....	124, 143
VC104R-21.....	60
VC104R-41.....	60
VC104R-51.....	60
VCHFSUP2XL GOODIES.....	237
VCHFSUPL GOODIES.....	237
VCHFSUPM GOODIES.....	237
VCHFSUPS GOODIES.....	237
VCHFSUPXL GOODIES.....	237
VCHHSUP2XL GOODIES.....	236
VCHHSUPL GOODIES.....	236
VCHHSUPM GOODIES.....	236
VCHHSUPS GOODIES.....	236
VCHHSUPXL GOODIES.....	236
VCLARCG1.....	104, 146
VCR650B.....	89, 95
VCR650B.....	121
VCR650M.....	89, 95, 121
VCR740B.....	84, 120
VCR740M.....	84, 120
VCR750B.....	77, 83, 85, 94, 119
VCR750M.....	77, 83, 85, 94, 119
VCRE3000.....	34
VCSR101WG1.....	93, 141
VCSR200WG1.....	94, 141
VCSR201DP.....	94, 141
VCSR201WG1.....	94, 141
VCSR201WM1.....	94, 141
VCSR202CG3.....	94, 141
VCSR300WG1.....	95, 141
VCSR300WM1.....	95, 141
VCSR301WG1.....	95, 141
VCSR301WM1.....	95, 141
VCSR301WS1.....	95, 141
VCXR101WG1.....	95, 141
VCXR201WG1.....	95, 141
VCXR301WG1.....	95, 141
VCXR301WS1.....	95, 141

## V

VELCRO.....	68
VF180WM.....	114
VKHCOAT2XL GOODIES.....	238
VKHCOAT3XL GOODIES.....	238
VKHCOATL GOODIES.....	238
VKHCOATM GOODIES.....	238
VKHCOATS GOODIES.....	238
VKHCOATXL GOODIES.....	238
VKHCOATXS GOODIES.....	238
VKHSOFT2XL GOODIES.....	238
VKHSOFT3XL GOODIES.....	238
VKHSOFTL GOODIES.....	238
VKHSOFTM GOODIES.....	238
VKHSOFTS GOODIES.....	238
VKHSOFTXL GOODIES.....	238
VKHSOFTXS GOODIES.....	238
VKHSWT2XL GOODIES.....	239
VKHSWT3XL GOODIES.....	239
VKHSWTC2XL GOODIES.....	239
VKHSWTC3XL GOODIES.....	239
VKHSWTCL GOODIES.....	239
VKHSWTCLM GOODIES.....	239
VKHSWTCS GOODIES.....	239
VKHSWTCLX GOODIES.....	239
VKHSWTCXS GOODIES.....	239
VKHSWTL GOODIES.....	239
VKHSWTM GOODIES.....	239
VKHSWTS GOODIES.....	239
VKHSWTXL GOODIES.....	239
VKHSWTXS GOODIES.....	239
VM380WM.....	114
VPOFSUP2XL GOODIES.....	237
VPOFSUPL GOODIES.....	237
VPOFSUPM GOODIES.....	237
VPOFSUPS GOODIES.....	237
VPOFSUPXL GOODIES.....	237
VPOFSUPXS GOODIES.....	237
VPOHSUP2XL GOODIES.....	236
VPOHSUP3XL GOODIES.....	236
VPOHSUPL GOODIES.....	236
VPOHSUPM GOODIES.....	236
VPOHSUPS GOODIES.....	236
VPOHSUPXL GOODIES.....	236
VR7077.....	199
VRK300B.....	132
VRK300M.....	132
VTB901WG1.....	78
VTORDECOU GOODIES.....	233
VWOOD.....	124, 143
VWOOD02.....	124, 143

## W

WALLPAPER & PAPIER.....	112
WALLPAPER2.....	112, 147
WEEDER3.....	174, 210
WHEEL.....	204
WRAPBELT.....	197

## X

XT300.....	133
XT300M.....	133
XT480.....	133
XTPRINT.....	116
XTTWICE.....	133
XTWHOOPS.....	133



## 1- PREAMBLE

**1.1** The Company 'HEXIS' means all legal entities belonging to the HEXIS group.

**1.2** These general terms and conditions of sale represent all the stipulations that constitute the offer issued by HEXIS. They shall apply in their entirety to any contract between HEXIS and Customers in France or abroad, regardless of the place of delivery.

**1.3** These general terms and conditions of sale prevail over all conditions of purchase, except in the case of formal and express derogation from HEXIS. Any conditions contrary to these general conditions posed by the Customer, in the general conditions of purchase or in any other document, shall be unenforceable against HEXIS as long as HEXIS does not expressly accept it.

## 2 - ORDERS

**2.1** The Customer's order will only be considered accepted after it has been validated by the Sales Department.

**2.2** Any request for modification or resolution of the order, requested in writing, must be received by HEXIS prior to shipment of the goods and be agreed upon by HEXIS. If HEXIS does not accept this application, any advance payments may only be returned in product value.

## 3 - PRICES - OFFERS

**3.1** Prices are given only as an indication and are in euro excluding taxes; this means that they do not include sales taxes, value added tax or similar taxes, commissions, customs duties or other taxes, insurance or transportation and handling costs.

**3.2** The prices applicable are those in force on the day of placing the order subject to the special conditions of sale.

## 4 - INVOICING - PAYMENT PERIODS - PENALTIES

**4.1** Invoicing will occur on the prices in effect on the day of the order.

**4.2** Payment of invoices shall be made in advance, except in the event of special conditions of sale.

**4.3** The payment method accepted by HEXIS is bank transfer. Any other means of settlement will be considered after prior agreement by HEXIS.

**4.4** Any delay in payment or non-payment on the agreed due dates will, automatically, without formality or formal notice, lead to the requirement of all sums due and the application of penalties equal to three times the legal interest rate referred to in Article L.441-6 of the French Code of Commerce from the date of settlement recorded on the invoice until full payment.

**4.5** By way of a penalty clause, it is agreed that all remaining sums due will be increased by an amount of interest equal to the legal interest amount plus two points and by 10% for collection costs. If HEXIS uses an outside collection company, the costs incurred by the outside collection company will be automatically reflected (or rebilled) to the Customer.

**4.6** These fees and penalties may be charged directly to Customer discounts where such discounts exist.

**4.7** In the event of late payment, HEXIS may suspend all outstanding orders, without prejudice to any other route of action.

**4.8** In the event of a material deterioration in the solvency of the Customer, as well as in the event of the cessation or pledge of all or part of the Customer's business assets and even before the execution of the order, HEXIS reserves the possibility either to cancel the order or require payment in advance, or to request additional guarantees.

**4.9** Any right of retention or compensation with receivables that the Customer may possibly have against HEXIS is expressly excluded.

## 5 - DELIVERY TIMES

**5.1** The delivery times are given only as an indication unless otherwise stipulated.

**5.2** Any delays due to a case of force majeure as defined in Article 7 of these conditions or justified by a serious reason shall not justify a cancellation of sale, a refusal of goods or a request for damages, or even a deferment.

**5.3** Delivery times are extended in the event of force majeure or a fortuitous event such as war, riots, local or national strikes, fire, water damage or machinery breakage or any other cause beyond the control of HEXIS or its suppliers. HEXIS will notify the Customer of the problems encountered in order to establish equitable alternatives together.

**5.4** In case of late delivery, the goods will be delivered and invoiced under the initial conditions.

## 6 - DELIVERY

**6.1** With the prices including ex works (EXW Hagetmau, France; ICC Incoterm 2020), unless otherwise agreed in writing, the transfer of ownership and risk to the buyer for all the products becomes effective upon delivery of the products by HEXIS to the buyer's forwarder or agent, independent of the conditions of carriage, the rules of settlement and the costs of carriage.

**6.2** Liability being transferred to the purchaser once the goods are loaded for transportation, the purchaser is responsible for receiving the complete delivery or, failing that, for making a claim to the carrier if the delivery or part of the delivery is damaged or missing.

**6.3** Due to damage that may occur during transport, the Customer must check the packages upon arrival. It is essential to check products immediately upon receipt. In case of missing goods or damage or

partial loss of the goods, the Customer must express reservations with the carrier on the delivery note. Any concealed damage must be communicated to the carrier within two weeks of receipt of the goods.

## 7 - FORCE MAJEURE

**7.1** "Force Majeure" means the occurrence of an event or circumstance that prevents or impedes a party from performing one or more of its contractual obligations under the contract, if and to the extent that that party proves: [a] that such impediment is beyond its reasonable control; and [b] that it could not reasonably have been foreseen at the time of the conclusion of the contract; and [c] that the effects of the impediment could not reasonably have been avoided or overcome by the affected party.

**7.2** In the absence of proof to the contrary, the following events affecting a party shall be presumed to fulfil conditions (a) and (b) under paragraph 1 of this Clause: (i) war (whether declared or not), hostilities, invasion, act of foreign enemies, extensive military mobilisation; (ii) civil war, riot, rebellion and revolution, military or usurped power, insurrection, act of terrorism, sabotage or piracy; (iii) currency and trade restriction, embargo, sanction; (iv) act of authority whether lawful or unlawful, compliance with any law or governmental order, expropriation, seizure of works, requisition, nationalisation; (v) plague, epidemic, natural disaster or extreme natural event; (vi) explosion, fire, destruction of equipment, prolonged break-down of transport, telecommunication, information system or energy; (vii) general labour disturbance such as boycott, strike and lock-out, go-slow, occupation of factories and premises.

**7.3** A party successfully invoking this Clause is relieved from its duty to perform its obligations under the contract and from any liability in damages or from any other contractual remedy for breach of contract, from the time at which the impediment causes inability to perform, provided that the notice thereof is given without delay. If notice thereof is not given without delay, the relief is effective from the time at which notice thereof reaches the other party. Where the effect of the impediment or event invoked is temporary, the above consequences shall apply only as long as the impediment invoked impedes performance by the affected party. Where the duration of the impediment invoked has the effect of substantially depriving the contracting parties of what they were reasonably entitled to expect under the contract, either party has the right to terminate the contract by notification within a reasonable period to the other party. Unless otherwise agreed, the parties expressly agree that the contract may be terminated by either party if the duration of the impediment exceeds 60 days.

**7.4** By exception, the Parties agree that the health crisis, as well as the war in Ukraine, although foreseeable, may constitute a case of force majeure if they are irresistible and external to a party

## 8 - HARDSHIP

**8.1** A party to a contract is bound to perform its contractual duties even if events have rendered performance more onerous than could reasonably have been anticipated at the time of the conclusion of the contract.

**8.2** Notwithstanding paragraph 1 of this Clause, where a party to a contract proves that: a) the continued performance of its contractual duties has become excessively onerous due to an event beyond its reasonable control which it could not reasonably have been expected to have taken into account at the time of the conclusion of the contract; and that b) it could not reasonably have avoided or overcome the event or its consequences, the parties are bound, within a reasonable time of the invocation of this Clause, to negotiate alternative contractual terms which reasonably allow to overcome the consequences of the event.

**8.3** Where paragraph 2 of this Clause applies, but where the parties have been unable to agree alternative contractual terms as provided in that paragraph, the party invoking this Clause is entitled to terminate the contract, but cannot request adaptation by the judge or arbitrator without the agreement of the other party.

## 9 - RETURN / GUARANTEES

**9.1** Without prejudice to the arrangements to be made with respect to the carrier, claims for defects in production or for the non-conformity of goods delivered to the goods order or to the packing slip must be made by international consignments (TNT/DHL) within two weeks of receipt of the goods.

**9.2** The Customer, to whom it is the responsibility to provide all supporting documents (including batch numbers), undertakes to leave HEXIS the ability to proceed with the finding of defects or anomalies and to remedy them; the Customer is prohibited from intervening, directly or indirectly, with the products.

**9.3** The goods shall not be taken back or exchanged except in the event of defects in the manufacture or non-conformity of the goods, as duly observed by a person from HEXIS. Any return of goods must be the subject of a formal, written agreement from HEXIS and sent, postage paid, to the address indicated by HEXIS.

**9.4** No claim will be possible if the goods have been used or processed by the Customer or, in general, if they are no longer in the state in which they were delivered, from the moment when the manufacturing defects or non-conformities which are the subject of the claim may be detected before use.

**9.5** In the event of a manufacturing defect or non-conformity of the delivered products, duly recognised by HEXIS under the above conditions, the Customer may obtain, at the discretion of HEXIS, and subject to the laid down in the HEXIS warranty documents, free replacement or refund of the goods, excluding any compensation or damages except in respect of goods benefiting from special guarantee conditions.

**9.6** Returns of goods will not delay the payment of invoices on the due date.

## 10 - RESERVATION OF OWNERSHIP

**10.1** All deliveries are made subject to reservation of ownership until full payment of the price in principal and related charges. Payment means the effective receipt of the entire price, the delivery of a check or any other document that creates an obligation to pay not forming a payment.

**10.2** In the event of non-payment or failure to comply with the payment terms, HEXIS may terminate the sale automatically by registered letter addressed to the Customer and may request the return of the goods at the Customer's expense and risk. The loss or deterioration of the goods will be borne by the Customer in the event of termination of the sale. HEXIS may unilaterally and immediately draw up an inventory of the unpaid products held by the Customer, without the Customer being able to oppose it, and the Customer will also bear the costs of the litigation services as well as any legal and court costs. The products thus held shall give rise to the payment of a depreciation allowance equal to 3% of the price including tax of the goods, per month of detention from delivery to return. The Customer will ensure that product identification is always possible. In-stock products are assumed to correspond to the most recent deliveries (FIFO rule) and will be assumed to be the unpaid ones.

**10.3** The Customer may resell the goods as part of the normal operation of its business. However, the Customer will lose this option in the event of cessation of payment or non-payment of the price on the due date. In particular, HEXIS reserves the right to claim from the third-party purchaser the price or part of the price that the third-party purchaser has not yet paid to the Customer.

**10.4** Notwithstanding the application of the aforementioned articles, the transfer of risks to the Customer takes place as soon as the goods are handed over to the carrier.

## 11 - CONFIDENTIALITY

**11.1** All information communicated to the Customer or to one of its representatives, including but not limited to technical, industrial, commercial or financial information, whatever the form of communication, including in particular drawings, diagrams, descriptions and specifications, and related documentation, is confidential.

**11.2** It is the responsibility of the Customer to take all necessary steps to ensure that none of this information is communicated or disclosed to a third party. Failure to comply with this obligation of confidentiality may result in termination of the contract, notwithstanding any damages.

## 12 - INTELLECTUAL AND INDUSTRIAL PROPERTY

**12.1** HEXIS retains ownership of patents, studies, plans, models and all documents issued or products presented, including materials, ideas, data or other information relating to research and development activities, trade secrets or business affairs communicated to the Customer or known to the Customer in the context of a proposal, offer and/or contract.

**12.2** These documents are confidential and the Customer shall not report, use, distribute or communicate them to third parties without the prior written permission of HEXIS.

## 13 - LIABILITY

**13.1** HEXIS's liability cannot be incurred in any case in the event of the use of HEXIS products which does not comply with the requirements set out in the Data Sheets. No complaint or claim for compensation for HEXIS products, or for any damage to the media on which the HEXIS product was affixed or for its reconditioning, will be admissible in the event of non-conforming use.

**13.2** In no event shall HEXIS be liable for any physical or material damage of any kind, which could be a direct or indirect consequence of improper adaptation of the product or its use which does not comply with the requirements of the HEXIS Data Sheet.

**13.3** Given the excessive variability of processing tools and application methods, HEXIS cannot be held responsible for the results obtained by the Customer or the implementing conditions of HEXIS Products.

## 14 - THE COMPETENT JURISDICTION AND APPLICABLE LAW

**14.1** All disputes arising from the validity, interpretation and performance of these General Terms and Conditions of Sale are subject to French law. All disputes and disagreements, whatever they may be, shall fall within the exclusive jurisdiction of the courts local to the registered office of HEXIS, including in the case of multiple defendants, an interlocutory application or guarantee claim and even in the case of a different jurisdiction attributed on the part of the Customer.

**14.2** Payment drafts or acceptances do not constitute a novation or exemption from this clause which grants jurisdiction.

**14.3** In the event of a dispute, prior to litigation, the parties agree to meet in order to find an amicable solution.



**PHOTO  
CONTEST  
WINNER**



**WINNER**  
2022 CONTEST



INSTALLATION | DECOSAIL



**AUTOMOTIVE**  
VINYL LABS



## FREE PROJECT

RADIN D.O.O

**DECORATION**  
COEVER PRODUCCIÓN CREATIVA

## SIGN

MÉGAMARK

**PURE ZONE**  
COM-UNICK

**SOLAR**  
TRI STATE WINDOW  
TINTING

## TEXTILE

MAIK ZIMMER CAR DESIGN



2022 CONTEST WINNERS

**HEXIS FRONTIGNAN  
HEAD OFFICE**

Z.I. Horizons Sud  
CS 970003  
34 118 FRONTIGNAN CEDEX

**T.** +33 467 186 686  
**M.** [order.export@hexisgroup.com](mailto:order.export@hexisgroup.com)

**HEXIS HAGETMAU**

Z.I. Montplaisir  
187, Route de Saint Cricq Chalosse  
40700 HAGETMAU



[www.hexis-graphics.com](http://www.hexis-graphics.com)



GRAPHICS DIVISION.

Value: 9,80 €

